



Company The Pure Oil Co.
 Address Newark, Ohio
 Farm Williams Coal Co.
 Tract _____ Acres 12000 Lease No. 5012
 Well (Farm) No. 56 Serial No. 406
 Elevation (Spirit Level) 707
 Quadrangle Montgomery
 County Kanawha District Cabin Creek
 Engineer J. B. Hunter
 Engineer's Registration No. Ohio-2912
 File No. _____ Drawing No. _____
 Date 2-23-53 Scale 1" = 1320'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. KAN-988-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE. ONE COPY SHALL GO TO THE DEPARTMENT ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY AND EXTRA COPIES IF REQUIRED, SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

Shoak Land Co. - 802 Kanawha Banking & Trust Co. Bldg. - Charleston, W. Va.
COAL OPERATOR OR OWNER
ADDRESS

The Pure Oil Company
NAME OF WELL OPERATOR
Box 551 - Newark, Ohio
COMPLETE ADDRESS

Carteater 11, 1953
WELL AND LOCATION
Cabin Creek District

Shoak Land Co. - 802 Kanawha Banking & Trust Co. Bldg. - Charleston, W. Va.
LEASE OR PROPERTY OWNER
ADDRESS

Kanawha County

Well No. 56
Williams Coal Company Farm

Dana E. Lawson

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Kanawha } ss:

Ray Mason and Chester Smith
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by The Pure Oil Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 11 th day of August, 1953, and that the well was plugged and filled in the following manner:

DEPTH OR ZONE RECORD	FILLING MATERIAL			PLUGS USED	CASING	
	DEPTH	FEET	TO		FEET PULLED	FEET LEFT IN
<u>Set bridge 204' to approximately 199'</u>	<u>204'. Filled w/ cement and pulled from hole.</u>			<u>204' to 199'. Shot off 3" tubing</u>		
<u>Set bridge</u>		<u>199'</u>	<u>199'</u>			
<u>Slate & Shells</u>	<u>Cement</u>	<u>199'</u>	<u>197'</u>	<u>10' cement</u>		
<u>Big Injun</u>	<u>Clay</u>	<u>197'</u>	<u>174'</u>			
<u>Big Line</u>	<u>Cement</u>	<u>174'</u>	<u>1736'</u>	<u>10' cement</u>	<u>1736'</u>	<u>0</u>
<u>Started and pulled</u>	<u>7" esp. as hole was filled and plugged.</u>					
<u>Little Line</u>	<u>Clay</u>	<u>1736'</u>	<u>1680'</u>			
<u>Little Line</u>	<u>Cement</u>	<u>1680'</u>	<u>1670'</u>	<u>10' cement</u>		
<u>Set bridge</u>		<u>1670'</u>	<u>1615'</u>			
<u>Marion Sand</u>	<u>Clay</u>	<u>1615'</u>	<u>1475'</u>			
<u>Slate & Shells</u>	<u>Cement</u>	<u>1475'</u>	<u>1465'</u>	<u>10' cement</u>		
<u>Set bridge</u>		<u>1465'</u>	<u>1070'</u>			
<u>Salt Sand, slate</u>	<u>Clay</u>	<u>1070'</u>	<u>735'</u>			
<u>Slate</u>	<u>Cement</u>	<u>735'</u>	<u>725'</u>	<u>10' cement</u>		
COAL BEAMS				DESCRIPTION OF MONUMENT		
				<u>8-5/8" esp. imbedded below</u>		
				<u>and protruding above surface 30"</u>		
				<u>high filled w/ cement w/ metal</u>		
				<u>plate on top stenciled POCO 56.</u>		

and that the work of plugging and filling said well was completed on the 9 th day of September, 1953.

And further deponents saith not.

Sworn to and subscribed before me this 9 th day of September, 1953

Ray Mason
Chester Smith

John D. Moll
Notary Public.

My commission expires:
My Commission Expires July 26, 1961

Permit No. 988-A



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1780

988-A

WELL RECORD

Permit No. 988-A Oil or Gas Well Water Inj.
(KIND)

Company The Pure Oil Company
 Address P.O. Box 551 - Newark, Ohio
 Farm Williams Coal Company Acres 12,000
 Location (waters) Cabin Creek
 Well No. 56 Elev. 707
 District Cabin Creek County Kanawha
 The surface of tract is owned in fee by Shonk Land Company
802 Kan. Bkng. & Trust Co. Bldg. Charleston, W. Va.
 Address
 Mineral rights are owned by Same as above.
 Address
 Drilling commenced August 3, 1916
 Drilling completed October 14, 1916
 Date Shot 10-18-16 From 2372 To 2408
 With 110 lbs. 30 lbs. Glycerin
 Open Flow /10ths Water in _____ Inch
 /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil 64 bbls., 1st 24 hrs.
 Fresh water 30' feet _____ feet
 Salt water 875' feet 1560 feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13	30'	30'	
10	440	440	Size of
8 1/4	1073	Pulled	
6 3/4	1736	1736	Depth set
5 3/16			
3	2366	2366	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
1 1/2" pipe			0	30	Casinghead	lowered 2' on 8/31/48.	
Sand			30	38	Converted to water injection	8/31/48.	
water sand			38	50	water	38'	
Slate			50	70			
Shells			70	110			
Sand			110	150			
Slate			150	200			
Sand			200	235			
Slate			235	335			
lime			335	340			
Sand			340	395			
Slate			395	420			
Sand			420	440			
Slate			440	455			
lime			455	510			
Crinoid			510	680			
Slate			680	755			
SALT SAND			755	1040	water	875'	
Red Rock			1040	1050			
lime & shells			1050	1060			
Slate			1060	1075			
lime			1075	1105			
Slate & shells			1105	1210			
Red Rock			1210	1235			
lime			1235	1265			
Shells			1265	1370			
lime			1370	1385			
Red Rock			1385	1450			
Slate & shells			1450	1495			
Maxon Sand			1495	1585	water	1560'	
little lime			1585	1617			
Slate & shells			1617	1665			
little lime			1665	1700			
BIG LIME			1700	1905			
BIG INJUN			1905	1935			
Slate shells			1935	2350			
Shale			2350	2359			
SHRUB OIL			2359	2408			
TOTAL DEPTH							



