



New Location..
 Drill Deeper.....
 Abandonment.....

OCT 12 1953

Company PRESTON OIL CO.
 Address CHARLESTON, W. VA.
 Farm IMPERIAL COAL CO.
 Tract _____ Acres 3439.6 Lease No. 2975
 Well (Farm) No. 8 Serial No. 867
 Elevation (Spirit Level) 1123'
 Quadrangle MONTGOMERY
 County KANAWHA District CABIN CREEK
 Engineer Paul E. Joadwin
 Engineer's Registration No. 669
 File No. 72-43 Drawing No. _____
 Date 9-24-53 Scale 1"=100'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-1014-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-62-50

"IMPERIAL" TRACING CLOTH
 K & E CO., N. Y.

IMPERIAL COAL Co. No. 8 (867) - PRESTON Oil Co. - KAN-1014-A

IMPERIAL COAL CO. NO. 8 (867) WELL.

1014A

Cabin Creek District, Kanawha County, W. Va.

By United Fuel Gas Co., Charleston, W. Va.

Drilling contractor: D. M. Close, Charleston, W. Va. Cost per foot, \$1.60.

Commenced Dec. 12, 1916; completed Apr. 4, 1917.

Drillers: Willet Cramer, E. W. Calebaugh.

10" casing, 320'; 8 $\frac{1}{4}$ ", 1600' (pulled); 6 $\frac{5}{8}$ ", 2166'; 2" tubing.

Oil, flowed 200 bbls., 1st 24 hrs.

	Top.	Bottom.	Thickness.
Slate	0	- 60	60
Coal	60	- 63	3
Slate	63	- 170	107
Coal	170	- 175	5
Sand	175	- 255	80
Coal	255	- 260	5
Lime shells	260	- 320	60
Sand	320	- 360	40
Slate	360	- 480	120
Lime	480	- 560	80
Slate	560	- 600	40
Lime	600	- 640	40
Slate	1925	- 1990	65
Maxton Sand	1990	- 2065	75
Little Lime	2065	- 2095	30
Slate	2095	- 2140	45
Pencil Cave	2140	- 2146	6
Big Lime	2146	- 2376	230
Big Injun Sand	2376	- 2416	40
Lime shells	2416	- 2446	30
Slate	2446	- 2800	354
Black slate	2800	- 2813	13

(RECORD INCOMPLETE)

KAN-1014-A

WELL RECORD

978

UNITED FUEL GAS

COMPANY

SERIAL WELL NO.

867

MAP SQUARE

NAME Imperial Coal Company

WELL NO. 8 LEASE NO. _____ ACRES _____
 TOWNSHIP OR DISTRICT Cabin Creek
 COUNTY Kanawha
 FIELD _____
 STATE West Virginia

RIG _____ Building Cost _____

Contractor _____
 Commenced _____ 19____, Completed _____ 19____

DRILLING

Cost per Ft. \$1.60

Contractor D. M. Close
 Address Charleston, W. Va.
 Commenced Dec. 12, 1916, Completed Apr. 4, 1917

DRILLERS

Willet Cramer

TOOL DRESSERS

E. W. Calebaugh

CASING AND TUBING

SIZE	USED IN DRILLING	LEFT IN WELL
16		
13		
10	320'	320'
8 1/4	1600'	0
6 5/8	2166'	2166
5 3/16		
4 7/8		
4		
3		
2		

TEST BEFORE SHOT

_____ of Water in _____ inch
 10ths. _____
 _____ of Merc. in _____ inch
 10ths. _____
 Volume _____ Cu. Ft.

TEST AFTER SHOT

_____ of Water in _____ inch
 10ths. _____
 _____ of Merc. in _____ inch
 10ths. _____
 Volume _____ Cu. Ft.

Rock Pressure _____

Date Shot _____

Size of Torpedo _____

Oil Flowed 200 bbls. 1st 24 hours

Oil Pumped _____ bbls. 1st 24 hours

Well Abandoned and

Plugged _____ 19____

WELL TUBED

Date _____
 _____ in. Tubing or Casing
 Size of Packer Shoe
 Kind of Packer _____
 1st Perf. Set _____ from _____
 2nd Perf. Set _____ from _____

DRILLER'S RECORD

FORMATION	TOP	BOTTOM	THICKNESS	REMARKS
Slate	0	60	60	Formation Top Bottom Thick
Coal	60	63	3	
Slate	63	170	107	
Coal	170	175	5	Slate 1925 1990 65
Sand	175	255	80	Maxon sand 1990 2065 75
Coal	255	260	5	Little lime 2065 2095 30
Lime shells	260	320	60	Slate 2095 2140 45
Sand	320	360	40	Pencil cave 2140 2146 6
Slate	360	480	120	Big lime 2146 2376 230
Lime	480	560	80	Big injun 2376 2416 40
Slate	560	600	40	Lime shells 2416 2446 30
Lime	600	640	40	Slate 2446 2800 354
				Black slate 2800 2813 13