



New Location...   
 Drill Deeper.....   
 Abandonment.....

JUL 13 1954

3.7 W  
 5.45 A

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W. VA.  
 Farm L.V. KOONTZ, C.F. OSBORNE, ET AL.  
 Tract - Acres 93 Lease No. 12376  
 Well (Farm) No. - Serial No. 1330  
 Elevation (Spirit Level) 841.00'  
 Quadrangle WALTON  
 County KANAWHA District BIG SANDY  
 Engineer Seybert K Ferrell  
 Engineer's Registration No. 2529  
 File No. 78-69 Drawing No. -  
 Date 6-25-54 Scale 1"=400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-1049-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

18338

Quadrangle Walton  
Permit No. 44 249-A

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Company UNITED FUEL GAS CO.  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm L. V. Koontz & C. F. Osborne Acres 92  
Location (waters) Blue Creek  
Well No. 1330 Elev. 841'  
District Big Sandy County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Roy Haley, et al  
Address Newton, W. Va.  
Drilling commenced 7-30-23  
Drilling completed 9-8-23  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow 42 /10ths Water in 2 Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 307,000 Cu. Ft.  
Rock Pressure 290 lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 150-155 feet \_\_\_\_\_ feet  
Salt water 1070-1100 feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>Anchor</u>
18			Size of _____
10			<u>3 x 5-3/16"</u>
8 1/4	<u>575</u>		Depth set _____
6 5/8		<u>1583</u>	Perf. top _____
5 3/16			Perf. bottom _____
3		<u>17851</u>	Perf. top _____
2			Perf. bottom _____
Liners Used			

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 450 FEET 36 INCHES  
480 FEET 36 INCHES FEET INCHES  
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	5			
Sand			5	190			
Slate			190	340	Fresh water at 150-155		
Sand			340	450	Salt Water hole full 1070-1100		
Coal			450	453	Gas 42/10 W in 2" 1710-1740'		
Sand			453	480			
Coal			480	483			
Sand			483	760			
Lime			760	840			
Slate			840	950	Hole reduced at 1673'		
Gas Sand			950	1000	Gas not enough to test		1643-1645
Slate			1000	1005			
Salt Sand			1005	1275			
Lime			1275	1300			
Sand			1300	1420			
Slate			1420	1430			
Red Rock			1430	1435			
Lime			1435	1465			
Red Rock			1465	1470			
Slate			1470	1478			
Maxon Sand			1478	1533			
Little Lime			1533	1561			
Slate			1561	1566			
Lime Shells			1566	1573			
Pencil Cave			1573	1578			
Big Lime			1578	1706			
Big Injun			1706	1744			
Lime			1744	1765			
Red Rock			1765	1770			
Total depth			1770' SLM				

RECEIVED  
JUN 1954  
WEST VIRGINIA  
DEPT. OF MINES  
JAN 7 1955

