



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1830

Quadrangle Clendenin

Permit No. 6527A

WELL RECORD

Oil or Gas Well Gas
(KIND)

Company UNITED FUEL GAS CO.
Address P.O. Box 1273, Charleston 25, W. Va.
Farm M. A. Cobb Acres 200
Location (waters) Elk River
Well No. 1633 Elev. 661'
District Big Sandy County Kanawha
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by Alfred Boyd Cobb, et al
Address Clendenin, W. Va.
Drilling commenced 5-20-26
Drilling completed 6-29-26
Date Shot _____ From _____ To _____
With _____
Open Flow 80 /10ths Water in _____ Inch
3 /10ths Merc. in _____ Inch
Volume 3,535,920 Cu. Ft.
Rock Pressure 295 lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			Anchor
18			Size of
10		17'	3x5-3/16
8 1/4	449'		Depth set
6 5/8		1343'0"	1430
5 3/16			Perf. top
3		1685'9"	Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 21 FEET 48 INCHES
175 FEET 24 INCHES 910 FEET 36 INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Yellow Clay			0	21	Hole reduced 14 21'		
Coal			21	25	Gas 14 23 32/10 W 2"		
Sand			25	80			
Slate			80	120	Injun Gas 14 43-14 53 11/10 M 2"		
Blue Mud			120	150	Weir Gas 16 43-16 45 22/10 M 2"		
Lime			150	175			
Coal			175	177	Weir Gas 16 63-16 68 6 4/10 W 6-5/8"		
Slate Shell			177	275			
Sand			275	300			
Slate			300	345			
Sand (Little Dunkard)			345	405			
Slate			405	415			
Sand (Dunkard)			415	445			
Slate & Shells			445	510			
Lime			510	530			
Gas Sand			530	590			
Lime			590	610			
Salt Sand			610	900			
Slate			900	905			
Sand			905	910			
Coal			910	913			
Slate			913	975			
Sand			975	1140			
Maxon Sand			1140	1248			
Slate			1248	1250			
Little Lime			1250	1280			
Slate			1280	1290			
Lime Shells			1290	1310			
Big Lime			1310	1438			
Big injun			1438	1473			
Lime			1473	1488			
Slate & Shells			1488	1493			
Lime			1493	1508			
Red Rock			1508	1525			
Shale			1525	1552			
Lime			1552	1560			
Slate & Shells			1560	1625			
Weir Sand			1625				
Total depth			1672'				

JAN 7 1955

