



New Location

Drill Deeper

Abandonment

Company UNITED FUEL GAS CO.

Address CHARLESTON, W. VA.

Farm SUNDAY CREEK COAL CO.

Tract _____ Acres 14.128 Lease No. 9279

Well (Farm) No. 53 Serial No. 1891

Elevation (Spirit Level) 1314

Quadrangle CHARLESTON

County KANAWHA District CABIN CREEK

Engineer Seybert Russell

Engineer's Registration No. 2523

File No. 68-51 Drawing No. _____

Date 9-28-54 Scale 1" = 400'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. KAN-1086-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

-- Denotes one inch spaces on border line of original tracing.

SUNDAY CREEK COAL CO. 14.128 (1891) - U. F. G. Co. - KAN-1086-A



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Handwritten initials/signature

WELL RECORD

Oil or Gas Well Gas
(KIND)

Quadrangle Charleston

Permit No. 1857

Company UNITED FUEL GAS COMPANY
Address P.O. Box 1273, Charleston 25, W. Va.
Farm Sunday Creek Coal & Land Co. 14,128
Location (waters) Witchers Creek
Well No. 1891 Elev. 1314.0'
District Cabin Creek County Kanawha
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by Kanawha & Hocking Coal & Coke Co. 800 Western Reserve Bldg. Cleveland
Address 13, Ohio

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			Anchor
18			Size of
10			3x5-3/16x16
8 1/4		670'	Depth set
6 5/8		1785'	2026'
5 3/16			Perf. top
3		2235-4	Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

Drilling commenced 5-29-28
Drilling completed 7-25-28
Date Shot _____ From _____ To _____
With _____
Open Flow 12 /10ths Water in 2 Inch
_____ /10ths Merc. in _____ Inch
Volume 168,000 Cu. Ft.
Rock Pressure 270 lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water 1170 feet 1272' feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 146 FEET 48 INCHES
246 FEET 48 INCHES 513 FEET 48 INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay			0	16	Water 1170'		
Sand			16	146	Water 1272'		
Coal			146	150			
Slate			150	231	Hole reduced 1840'		
Sand			231	246			
Coal			246	250	Oil 1888-1892'		
Slate			250	275	Gas 20/10 W in 1" 2122-2125'		
Sand			275	320	Gas 2153-2159'		
Sand			365	445			
Slate			445	490			
Sand			490	513			
Coal			513	517			
Slate & Shells			517	680			
Slate			680	700			
Lime Shells			700	930	1840' Hole reduced		
Sand			930	1045			
Slate & Shells			1045	1120			
Salt Sand			1120	1360			
Slate			1360	1370			
Red Rock			1370	1375			
Sand			1375	1534			
Slate			1534	1540			
Red Rock			1540	1550			
Slate & Shells			1550	1575			
Red Rock			1575	1585			
Slate & Shells			1585	1620			
Maxon Sand			1620	1668			
Slate			1668	1673			
Lime			1673	1693			
Slate			1693	1698			
Little Lime			1698	1723			
White Lime			1723	1727			
Pencil Cave			1727	1732			
White Shells			1732	1742			
Big Lime			1742	1930			
Big Injun			1930	1950			
Slate & Shells			1950	1982			
Weir Shells			1982	2197			
Slate			2197	2214			
Total depth			2214'				

RECEIVED
WEST VIRGINIA
DEPT. OF MINES
OCT 1954

OCT 6 1955

