



Company UNITED FUEL GAS CO.
 Address CHARLESTON, W. VA.
 Farm W. H. BIRD
 Tract _____ Acres 90 Lease No. 10774
 Well (Farm) No. _____ Serial No. 1285
 Elevation (Spirit Level) 888.35'
 Quadrangle WALTON
 County KANAWHA District BIG SANDY
 Engineer _____
 Engineer's Registration No. 2529
 File No. 76-71 Drawing No. _____
 Date 10-14-54 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-1112-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6 2 20



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1859

Quadrangle Walton

WELL RECORD

Permit No. 1112-A

Oil or Gas Well Gas
(KIND)

Company UNITED FUEL GAS CO.
Address P.O. Box 1273, Charleston 25, W. Va.
Farm W. H. Bird Acres 90
Location (waters) Gabe Creek
Well No. 1285 Elev. 888.35'
District Big Sandy County Kanawha
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by L. L. Bird, et al
Address Wellford, W. Va.
Drilling commenced 10-19-22
Drilling completed 12-9-22
Date Shot _____ From _____ To _____
With _____
Open Flow 4 /10ths Water in _____ Inch
3 /10ths Merc. in _____ Inch
Volume 789,000 Cu. Ft.
Rock Pressure 248 lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			<u>Anchor</u>
10		<u>43'</u>	Size of
8 1/4	<u>586</u>		<u>3"x5-3/16"</u>
6 5/8		<u>1700'</u>	Depth set
5 3/16			<u>1765'</u>
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			0	90			
Slate			90	170			
Sand			170	190			
Slate			190	210			
Red Rock			210	270			
Slate			270	300			
Sand			300	320			
Slate			320	360			
Sand			360	420			
Slate			420	460			
Sand			460	520			
Slate			520	600			
Sand			600	680			
Slate & Shells			680	960			
Sand			960	1075			
Slate & Shells			1075	1110			
Salt Sand			1110	1460			
Maxon Sand			1460	1630			
Slate			1630	1633			
Little Lime			1633	1658			
Pencil Cave			1658	1660			
Big Lime			1660	1815			
Injun Sand			1815	1859			
Slate			1859	1874			
Total depth			1874'				

First Gas 1819'
Second Gas 1826-1828'

RECEIVED
OCT 1954
WEST VIRGINIA
DEPT. OF MINES
APR 22 1955

