



New Location   
 Drill Deeper   
 Abandonment

1.18 W  
 5.55 Q

NOV 15 1954

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W. VA.  
 Farm H. H. WOOD  
 Tract \_\_\_\_\_ Acres 100 Lease No. 11733  
 Well (Farm) No. \_\_\_\_\_ Serial No. 1305  
 Elevation (Spirit Level) 625'  
 Quadrangle WALTON  
 County KANAWHA District BIG SANDY  
 Engineer Lybert Russell  
 Engineer's Registration No. 2529  
 File No. 76-69 Drawing No. \_\_\_\_\_  
 Date 10-26-54 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-1125-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6 220



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1887

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Quadrangle Walton  
Permit No. 1127  
Company UNITED FUEL GAS CO.  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm H. H. Woods Acres 100  
Location (waters) Big Sandy Creek  
Well No. 1305 Elev. 625'  
District Big Sandy County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Flora Bird, et al  
Farmers & Citizens St. Bank Clendenin, W. Va.  
Address \_\_\_\_\_  
Drilling commenced 3-1-23  
Drilling completed 4-6-23  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
26 /10ths Merc. in \_\_\_\_\_ 2 Inch  
Volume 915,034 Cu. Ft.  
Rock Pressure 190 lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			<u>Anchor</u>
10		<u>15'</u>	Size of
8 1/4	<u>492'</u>		<u>3x5-3/16"</u>
6 5/8		<u>1489'</u>	Depth set
5 3/16			<u>1547'</u>
3		<u>1662-5"</u>	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 175 FEET 48 INCHES  
280 FEET 36 INCHES 1110 FEET 24 INCHES  
1140 FEET 60 INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	15			
Sand			15	80			
Slate			80	120			
Sand			120	165			
Slate			165	175			
Coal			175	179			
Slate			179	210			
Sand			210	250			
Slate			250	280			
Coal			280	283			
Slate & Shells			283	390			
Sand			390	420			
Slate			420	440			
Sand			440	470			
slate			470	660			
Sand			660	740			
Slate			740	840			
Salt Sand			840	1090			
Slate			1090	1110			
Coal			1110	1112			
Slate			1112	1140			
Coal			1140	1145			
Sand			1145	1240			
Slate			1240	1245			
Maxon Sand			1245	1418			
Little Lime			1418	1453			
Pencil Cave			1453	1456			
Big Lime			1456	1585			
Big Injun			1585	1625			
Slate			1625	1646			
Total depth			1646'				

Gas 1556-1558', 1587-1595', 1602-1614  
Hole reduced 1539'

APR 22 1955



