



Company UNITED FUEL GAS CO.

Address CHARLESTON, W. VA.

Farm FANNIE D. BOYD

Tract _____ Acres 410 Lease No. 16466

Well (Farm) No. 2 Serial No. 1442

Elevation (Spirit Level) 771.0

Quadrangle MONTGOMERY

County KANAWHA District CABINCREEK

Engineer Wm. H. Jordan

Engineer's Registration No. 669

File No. 68-49 Drawing No. _____

Date 12-30-54 Scale 1" = 800'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. KAN-1171-B

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6 241

FANNIE D. BOYD No. 2 (1442) - U.F.G.Co. - KAN-1171-A



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1919

Quadrangle Montgomery

WELL RECORD

Permit No. 1171A Oil or Gas Well Gas
(KIND)

Company UNITED FUEL GAS CO.
Address P.O. Box 1273, Charleston 25, W. Va.
Farm Fannie D. Boyd Acres 410
Location (waters) Whitchers Creek
Well No. 1442 Elev. 771'
District Cabin Creek County Kanawha
The surface of tract is owned in fee by _____
Address _____

Mineral rights are owned by Kanawha Valley Bank Trustee
Fannie D. Boyd Estate Address Charleston, W. Va.
Drilling commenced 10-1-24
Drilling completed 11-13-24
Date Shot _____ From _____ To _____
With _____

Open Flow 18 /10ths Water in 2 Inch
_____ /10ths Merc. in _____ Inch
Volume 200,000 Cu. Ft.
Rock Pressure 400 lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water 1180' feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>Anchor</u>
13			Size of
10		<u>381'10"</u>	<u>3x6-5/8x16</u>
8 1/4		<u>1451'9"</u>	Depth set
6 1/2			<u>1633'11"</u>
5 3/16		<u>1875'6"</u>	Perf. top
3			Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 100 FEET 24 INCHES
339 FEET 36 INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay			0	8			
Sand			8	28			
Slate			28	50			
Lime			50	100			
Coal			100	102			
Sand			102	200			
Slate			200	240			
Sand			240	339			
Coal			339	342			
Sand			342	385			
Slate			385	400			
Sand			400	1180			Hole full water
Rock			1180	1190			
Lime			1190	1220			
Rock			1220	1230			
Slate			1230	1270			
Lime			1270	1310			
Slate			1310	1320			
Little Lime			1320	1395			
Pencil Cave			1395	1400			
Lime <u>Big</u>			1400	1600			Show gas 1450'
Injun			1600	1640			
Slate			1640	1650			
Weir Sand			1650	1850			Gas 1740-1745
Lime			1850	1864			Gas 1800-1805
Total depth			1864'				

RECEIVED
WEST VIRGINIA
DEPT. OF MINES
FEB 1955
OCT 6 1955

