

LATITUDE

LONGITUDE

7'5 OGIS topo location

7.5' loc _____ 15' loc _____
(calc.) _____

Company Godfrey L. Cabot

Farm _____

Quad _____

County Kanawha (Fayette?)

District _____

WELL LOCATION MAP

File No. 70001

By Godfrey L. Cabot, Inc., Charleston, W. Va.
 Preliminary data sheet missing.
 Completion reported to Dept. of Mines Nov. 8, 1930.
 13" casing, 7¹/₂"; 10", 621'; 8¹/₂", 1415' 6"; 6-5/8", 1960'.
 Drilling commenced Aug. 19, 1930; completed, Nov. 6, 1930.
 Contractor: Huey Walter.
 Drillers: Walter Huey and D. H. Norton.
 Tool Dressers: J. B. Toothman and Alph. Wilson.
 Casing first set at 1897' after water was got.
 Casing underreamed and lowered to 1960'.

	Top.	Bottom.	
Soil, black	0	-	10
Gravel	10	-	18
Slate	18	-	50
Gravel (3 bailers fresh water per hour at 50')	50	-	56
Slate	56	-	74
Lime	74	-	82
Slate	82	-	90
Lime shells	90	-	350
Sand	350	-	405
Slate and sand shells	405	-	485
Sand	485	-	518
Slate	518	-	532
Sand shells	532	-	553
Sand	553	-	577
Coal	577	-	581
Lime	581	-	595
Slate (SLM at 605')	595	-	605
Sand	605	-	650
Slate	650	-	658
Sand, white	658	-	760
Slate, black (water, at 825', salty; not enough to drill with; 1 bailer per hour)	760	-	770
Sand, white	770	-	850
Slate and shells	850	-	880
Sand	880	-	1155
Slate, black	1155	-	1157
Sand, white (water, 1285'; salty; 5 bailers per hour)	1157	-	1304
Slate and shells	1304	-	1391
Lime	1391	-	1396
Cave, bad S. S.	1396	-	1412
Sand, white	1412	-	1475
Slate lime shells	1475	-	1494
Red rock	1494	-	1500
Slate lime shells	1500	-	1550
Red rock	1550	-	1600
Slate lime shells	1600	-	1785
Lime, black, hard	1785	-	1820
Slate	1820	-	1860
Big Lime (salty water, 1930'; 2 gals. in 24 hrs.; gas, 2070', smell; SLM at 1965'; cave, 1892')	1860	-	2082
Red rock	2082	-	2088
Sand shells, white	2088	-	2090

No Marton Sand found

	Top.	Bottom.
Slate, dark	2090	- 2093
Keener Sand	2093	- 2109
Big Injun Sand, red (gas, 2124'; 4/10 water in 2"; blew down until won't test in 1")	2109	- 2138
Slate, white	2138	- 2175
Lime shells	2175	- 2220
Slate	2220	- 2250
Lime shells	2250	- 2285
Slate shells	2225	- 2500
Brown shale	2500	- 2523
Slate, white	2523	- 2540
Sandy shells, gray	2540	- 2600
Lime shells, white	2600	- 2885
Slate, dark, to bottom	2885	- 2921

.....District, Kanawha County, W. Va.
 Godfrey L. Cabot, Inc., Charleston, W. Va.
 13" casing, 74'; 10", 621'; 8 1/2", 1415 1/2'; 6-5/8", 1960'.
 Casing first set at 1897' after water was got; casing underreamed
 and lowered to 1960'.
 Drilling commenced Aug. 19, 1930; completed, Nov. 6, 1930.
 Contractor, Huey, Walter.
 Drillers: Walter Huey, D. H. Norton.
 Tool Dressers: J. B. Toothman, Alph Wilson.
 Preliminary data sheet missing.
 Completion data sheet filed with Dept. of Mines Nov. 8, 1930.

	Top.	Bottom.	
Soil, black	0	-	10
Gravel	10	-	18
Slate	18	-	50
Gravel (water, 50'; 3 bailers per hr., fresh)	50	-	56
Slate	56	-	74
Lime	74	-	82
Slate	82	-	90
Lime shells	90	-	350
Sand	350	-	405
Slate and sand shells	405	-	485
Sand	485	-	518
Slate	518	-	532
Sand shells	532	-	553
Sand	553	-	577
Coal	577	-	581
Lime	581	-	595
Slate (S.L.M. 605')	595	-	605
Sand	605	-	650
Slate	650	-	658
Sand, white	658	-	760
Slate, black (water, 825'; salty; not enough to drill with; 1 bailer per hour)	760	-	770
Sand, white	770	-	850
Slate and shells	850	-	880
Sand	880	-	1155
Slate, black	1155	-	1157
Sand, white (water, 1285'; 5 bailers /hr.)	1157	-	1304
Slate and shells	1304	-	1391
Lime	1391	-	1396
Cave Bad S. S.	1396	-	1412
Sand, white	1412	-	1475
Slate, lime, shells	1475	-	1494
Red rock	1494	-	1500
Slate, lime, shells	1500	-	1550
Red rock	1550	-	1600
Slate, lime, shells	1600	-	1785
Lime	1785	-	1820
Slate, black, hard	1820	-	1860
Big Lime (salty water, 1930'; 4 gals. in 2 1/2 hrs.; gas./2070'; S.L.M. 1965; cave, 1892')	1860	-	2082
Red rock	2082	-	2088
Sand shells, white	2088	-	2090
Slate, dark	2090	-	2093
Keener Sand, gray	2093	-	2109

No Maxton found

.....(Continued).

	Top.	Bottom.
Big Injun Sand, red (gas, 2124'; 4/10 water in 2"; blew down until won't test in 1")	2109-	2138
Slate, white	2138 -	2175
Lime shells	2175 -	2220
Slate	2220 -	2250
Lime shells	2250 -	2285
Slate shells	2285 -	2500
Brown shale	2500 -	2523
Slate, white	2523 -	2540
Sandy shells, gray	2540 -	2600
Lime shells, white	2600 -	2885
Slate, dark, to bottom	2885 -	2921