



Big Sandy District, Kanawha County, W. Va.

By United Fuel Gas Co., Charleston, W.Va.

On 3/4 acre.

Drilling commenced March 22, 1907, and completed May 16, 1907.

Contractors, Lockwood &amp; Currie, Marietta, Ohio.

Drilling to cost \$1.25 per foot.

3" tubing.

3 x 6-5/8 Dresser packer, set 60' from bottom.

Elevation, 663'.

6,075,000 cu. ft. gas. (Big Injun).

	Top.	Bottom.	Thickness.
Sand and slate	0	- 550	550
Slate and lime	550	- 630	80
Sand	630	- 665	35
Slate	665	- 715	50
Sand	715	- 775	60
Shale	775	- 845	70
Sand	845	- 880	35
Slate	880	- 910	30
Sand	910	- 1020	110
Shale	1020	- 1065	45
Salt Sand	1065	- 1380	315
Little Lime	1380	- 1412	32
Pencil Cave	1412	- 1415	3
Big Lime (show of gas at 1490')	1415	- 1558	143
Big Injun Sand (gas, 6075 M.)	1558	- 1598	40
Slate, to bottom	1598	- 1602	4

## JOHN J. &amp; ROSE F. CAMPBELL NO. 1 WELL.

No. .... on Map.

Big Sandy District, Kanawha County, W. Va.

United Fuel Gas Co.

On 3/4 acre.

Drilling commenced Mar. 22, 1907, and completed May 16, 1907.

Contractors, Lockwood &amp; Currie, Marietta, Ohio.

3" tubing.

3x 6-5/8 Dresser packer, set 60' from bottom.

Elevation, 663'.

6,075,000 cu. ft. gas.

	Top.	Bottom.
Sand and slate	0	550
Slate and lime	550	630
Sand	630	665
Slate	665	715
Sand	715	775
Shale	775	845
Sand	845	880
Slate	880	910
Sand	910	1020
Shale	1020	1065
Salt Sand	1065	1380
Little Lime	1380	1412
Pencil Cave	1412	1415
Big Lime (show of gas at 1490')	1415	1558
Big Injun Sand	1558	1598
Slate, to bottom	1598	1602