

Coal & Coke Ry. No. 1 Well Record (422).

Located one-half mile northeast of Walgrove, Elk district. Authority, Walnut Creek Oil Company. Completed May 14, 1912. Elevation 624' L.

	Thickness Feet.	Total Feet.
Unrecorded	1370	1370
Big Lime	140	1510
Unrecorded	120	1630
Sand, Squaw, oil	20	1650
"Oil well; first day's production, 1200 bbls. 10" casing, 28 feet; 8¼" casing, 400 feet; 6¾" casing, 1391 feet."		

Coal & Coke Ry. No. 5 Well Record (421).

Located in Big Sandy district, one-half mile southeast of Walgrove station. Authority, Walnut Creek Oil Company. Completed July 2, 1913. Elevation 630' L.

	Thickness Feet.	Total Feet.
Unrecorded	1370	1370
Big Lime	127	1497
Unrecorded	149	1646
Sand, Squaw, oil	16	1662
"10" casing, 26 feet; 8¼" casing, 345 feet; 6¾" casing, 1396 feet; oil well; first day's production, 1350 barrels; second day's production, 1000 barrels."		

This well is located in the center of the extension of the Blue creek pool.

A. P. Hayes No. 2 Well Record (423).

Located in Big Sandy district on south side of Elk River, one-half mile southeast of Walgrove station. Authority, Ohio Fuel Oil Company. Completed July 3, 1912. Elevation, 707' L.

	Thickness Feet.	Total Feet.
Conductor	16	16
Broken sand	44	60
Sand	153	213
Coal, Stockton-Lewiston	6	219
Slate	19	238
Sand	224	462
Slate	26	488
Sand	12	500
Black slate	40	540
White slate	20	560
Sand	85	645
Lime	30	675
Sand	180	855
Slate	15	870

	Thickness Feet.	Total Feet.
Lime	30	900
Slate	392	1292
Broken lime	8	1300
Red rock	6	1306
Shale	66	1372
Sand, Maxton	15	1387
Black slate	11	1398
Little Lime	46	1444
Red rock	6	1450
Black lime	20	1470
Big Lime	110	1580
Sand, Keener	15	1595
"Break"	124	1719
Oil sand, Squaw, oil	21	1740
"Oil well; oil at 1720'."		

This well is located in the center of the extension of the Blue Creek pool.

C. T. Wood No. 4 Well Record (293).

Located in Big Sandy district on north side of Elk River, 1 mile northeast of Walgrove. Authority, Ohio Fuel Oil Company. Completed November 10, 1912. Elevation 880' B.

	Thickness Feet.	Total Feet.
Conductor	16	16
Slate	84	100
Sand	70	170
Slate	40	210
Sand	200	410
Slate	60	470
Sand	230	700
Slate and shells	190	890
Sandy lime	40	930
Slate and shells	170	1100
Salt sand	390	1490
Slate	12	1502
Red rock	28	1530
Slate and shells	45	1575
Sand, Maxton	42	1617
Slate	2	1619
Little Lime	36	1655
Pencil Cave	13	1668
Big Lime	121	1789
Sand, Big Injun	40	1829
Slate and shells	68	1897
Black sand	20	1917
Slate	11	1928
Oil Sand, Squaw, oil	13.5	1941.5