

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, December 14, 2021
WELL WORK PLUGGING PERMIT
Vertical Plugging

HG ENERGY II APPALACHIA, LLC 5260 DUPONT ROAD PARKERSBURG, WV 26101

Re: Permit approval for 8555 47-041-00049-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: 8555

Farm Name: WOOFTER, ALFRED

James A. Mart

Chief

U.S. WELL NUMBER: 47-041-00049-00-00

Vertical Plugging
Date Issued: 12/14/2021



# **PERMIT CONDITIONS**

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

## **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date	Nove	mber 1	19	,	20
2) Ope:	rator	's			-
Wel:	No.				
3)API	Well	No.	47-041		00049

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

		OFFICE OF	OIL AND GAS
		APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4)	Well Type:	Oil/ Gas X/ Liqui f "Gas, Production X or Un	d injection/ Waste disposal/ derground storage) Deep/ Shallow X
5)	Location:	Elevation 1220' District Freemans Creek	Watershed Rush Run County Lewis Quadrangle Vadis
6)		HG Energy II Appalachia, LLC 5260 Dupont Road Parkersburg, WV 26101	7)Designated Agent Diane White Address 5260 Dupont Road Parkersburg, WV 26101
8)	Name	S Inspector to be notified Sam Ward P. O. Box 2327	9) Plugging Contractor  Name_To be Determined Upon Issuance of Permit  Address
	-	Buckhannon, WV 26201	
-			
10)	Work Order:	The work order for the mann	er of plugging this well is as follows:
		** See Attached Plug	ging Manners **
Notif work	fication mus	t be given to the district oile.	l and gas inspector 24 hours before permitted
Work	order appro	ved by inspector	DUMONT Date 12/1/2021

Office of Oil and Gas

DEC 0 6 2021

WV Department of Environmental Protection

### PLUGGING PROCEDURE

```
1 Set 20" Casing and Cement to Surface
 2 Clean Out to top Top of Fish w/ Tricone
                                                    EVERY 100' W 1" SLOT
 3 Sand Cut 7" Casing From 5000' to 6600' w/ Tubing
 4 Run Tubing to TD
 5 Establish Circulation w/ Fresh Water, Load Hole w/ Fresh Water
 6 Set Cement Plug #1 (Balanced Plug), TOOH
                                             5800'- 6600'
 8 TIH, Set Cement Plug #2 (Balanced Plug), TOOH 5000' - 5800'
 9 Tag TOC
                                               4200' - 5000'
10 Set Cement Plug #3 (Balanced Plug), TOOH
                                               3400' - 4200'
2600 - 3400
11 Set Cement Plug #4 (Balanced Plug), TOOH
12 Set Cement Plug #5 (Balanced Plug), TOOH
                                               1400 - 2600
13 Set Cement Plug #6 (Balanced Plug), TOOH
14 Tag TOC
15 TIH, Set Cement Plug #7 (Balanced Plug), TOOH 1000 - 1800
16 Tag TOC
17 Set Cement Plug #8 (Balanced Plug), TOOH 0 - 500'
18 Install Monument
```

SDW 12/2/2021 RECEIVED Office of Oil and Gas DEC 06 2021

WV Department of Environmental Protection API No

Farm

Well #

47-041-00049


Alfre Woofter

8555

County Lewis, WV CURRENT WELLBORE Clay 0-390 Cement Plug #4 390-397 Top of 10" @ 400' 10" Surface @ 1393' Cement Plug #3 1410-1420 Cement Plug #2 2020-2032 Top of 7" @ 2063' Cement Plug #1 6210-6233 Top of Fish (2-1/2" Tubing) @ 6626' 7" Production @ Est 6710' TD @ 7325', Open Hole Shot in Oriskany

# 20" Surface (New) @ 400', TOC @ Surface Top of 10" @ 400' 6% Bentonite Gel Cement Plug #7 1000-1800 10" Surface @ 1393' Cement Plug #6 1800-2600 Cement Plug #5 2600-3400 Cement Plug #4 3400-4200 Cement Plug #3 4200-5000 Cement Plug #2 5000-5800 Cement Plug #1 5800-6600 Top of Fish (2-1/2" Tubing) @ 6626'

PROPOSED WELLBORE



7" Production @ Est 6710'

TD @ 7325', Open Hole Shot in Oriskany

...

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES OIL AND GAS DIVISION

57

# AFFIDAVIT OF PLUGGING AND FILLING WELL

	ACOASS	· .	•			District
	ACORESE .					
O.F.Woofter	PEOPLETY OWNER		Lewis	•	<u> </u>	_County
RD#1_Weston			Well. No	. 8555		
	AUDRESS		1167. 110	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )		
			Alfr	ed Moofter.		Farm
	•	8	P Docto	•	•	
STATE INSPECTOR S	UPERVISING PLUGG	ING	r Desys	6		
;··.	•	AFFID	AVIT		:	
STATE OF WEST	VIRGINIA.	)		• •	11.	•
•	•	ss:	•	•		
County of Lewis		J		•		
Ralph C. Brown being first duly swe	m, G. M. Kemper	<u> </u>	and Ed	die R. Snyder	· .	·
plugging and filling	oil and gas wells an	d were em	played by_	Hope Natural G	15/20.	<u> </u>
plugging and filling well operator, and p	articipated in the w	ork of plu	gging and	filling the above w	ell. that sa	id work
was commenced on	the 28th day of	October	•	10 les and shoe st		nlunnod
and filled in the foll	lowing manner:		<del></del> ,	19_MQ_, and that th	ie weit was	bingβeα
AND GR ZONE RECORD	FII.LING	MATERIAL		PLUGO USED	ca	JING .
PORMATION	CONTENT	FROM	1 70	(35.65)P	Caa 1	CHG
	Agusaol	7027	6022		PULLED	2 /1.0
	Aquagel	7037	6233	623 <u>3 - 62</u> 10	10	<u>3/4¤                                     </u>
					H	
riskany Sand Gas	Aquagel	6210	2032	2032 - 2020	1.00	· 1008
riskany Sand Gas	Aquagel	2020	7750	2032 - 2020 1120 - 1110	1:00	1008
riskany Sand Gas	Aquagel Aquagel				71	1008
riskany Sand Gas	Aquagel	2020	7750	11'50 - 11'10	.:-	1008 4707
riskany Sand Gas	Aquagel Aquagel	2020 1410	7,1,20 397	11'50 - 11'10	71	
riskany Sand Gas	Aquagel Aquagel	2020 1410	7,1,20 397	11'50 - 11'10	71	<u> 1707</u>
riskany Sand Gas	Aquagel Aquagel	2020 1410	7,1,20 397	11'50 - 11'10	2063	<u> 1707</u>
riskany Sand Gas	Aquagel Aquagel	2020 1410	7,1,20 397	11'50 - 11'10	2063 2-7/	4707
riskany Sand Gas	Aquagel Aquagel	2020 1410	7,1,20 397	11'50 - 11'10	2063 2063 2-7/	4707
riskany Sand Gas	Aquagel Aquagel	2020 1410	7,1,20 397	11'50 - 11'10	2063 2063 2-7/	4707
	Aquagel Aquagel	2020 1410	7,1,20 397	11'50 - 11'10	2063 2063 2-7/	4707
	Aquagel Aquagel	2020 1410	7,1,20 397	11'50 - 11'10	2063 2063 2-7/	4707
	Aquagel Aquagel	2020 1110 350	1120 397 Surface	11'50 - 11'10	2063 2063 2-7/	4707
9	Aquagel Aquagel	2020	1120 397 Surface	11'50 - 11'10	2063 2063 2-7/	4707
	Aquagel Aquagel	2020 1140 390	1120 397 Surface	1420 - 1410 397 - 390	2063 2063 2-7, 6281	4707 811 699
9	Aquagel Aquagel	2020 1140 390 390	11/20 397 Surface	1420 - 1410 397 - 390	2063 2063 2-7/	4707 811 699
COAL SEAMS	Aquagel Aquagel	2020 1140 390 390 390 1401 1501 1601	1120 397 Surface	1420 - 1410 397 - 390	2063 2-7, 6281	4707 811 699
	Aquagel Aquagel Clay	2020 1140 390 390	11/20 397 Surface	1120 - 1100 397 - 390	2063 2-7, 6281	4707 811 699
COAL SEAMS	Aquagel Aquagel	2020 1140 390 390 390 1401 1501 1601	11/20 397 Surface	1120 - 1100 397 - 390	2063 2-7, 6281	4707 811 699
COAL SEAMS	Aquagel Aquagel Clay	2020 1140 390 390 390 1401 1501 1601	11/20 397 Surface	1120 - 1100 397 - 390	2063 2-7, 6281	4707 811 699
COAL SEAMS	Aquagel Aquagel Clay	2020 1110 330 330 3342576 JAN13 WESI VAI	11/20 397 Surface	1120 - 1100 397 - 390	2063 2-7, 6281	4707 811 699
COAL SEAMS  IE)  IE3  IE1)	Aquagel Aquagel Clay	2020 1110 330 330 3342576 JAN13 WESI VAI	Ul20 397 Surface	1420 - 1400 397 - 390 BESCRIPTIO Regular Conc	2063 2-7, 6281	4707 811 699
COAL SEAME	Aquagel Aquagel Clay	2020 1110 330 330 3342576 JAN13 WESI VAI	Ul20 397 Surface	1420 - 1410 397 - 390 BESCRIPTIO Regular Cond	71 2063 2-7, 6281 N OF MONUME	4707 811 699
COAL SEAMS (5) (5) (6) (7) (8) (8) (8) (9) (9) (10) (10) (10) (10) (10) (10) (10) (10	Aquagel Aquagel Clay  Glay  of plugging and fil	2020 1110 330 330 3342576 JAN13 WESI VAI	Ul20 397 Surface	1420 - 1410 397 - 390 BESCRIPTIO Regular Cond	71 2063 2-7, 6281 N OF MONUME	4707 811 699
COAL SEAMS  S)  Si  and that the work  Jamary	Aquagel Aquagel Clay	2020 1110 330 330 3342576 JAN13 WESI VAI	Ul20 397 Surface	1420 - 1410 397 - 390 BESCRIPTIO Regular Cond	71 2063 2-7, 6281 N OF MONUME	4707 811 699
COAL SEAMS  S)  Si  and that the work  Jamary	Aquagel Aquagel Clay  Glay  of plugging and fil	2020 1110 330 330 3342576 JAN13 WESI VAI	Ul20 397 Surface	1420 - 1410 397 - 390 BESCRIPTIO Regular Cond	71 2063 2-7, 6281 N OF MONUME	4707 811 699
coal seams  s)  c)  si  and that the work  Jamary  And further dep	Aquagel Aquagel Clay  Clay  of plugging and fil , 19 49  conents saith not.	2020 1140 390 2042526 JAN 13 4531 131 4531 131	Ul20 397 Surface	1420 - 1410 397 - 390 BESCRIPTIO Regular Cond	71 2063 2-7, 6281 N OF MONUME	4707 811 699
COAL SEAMS  () () () () () () () () () () () () ()	Aquagel Aquagel Clay  Glay  of plugging and fil	2020 1140 390 2042526 JAN 13 4531 131 4531 131	Ul20 397 Surface	1420 - 1410 397 - 390 BESCRIPTIO Regular Cond	71 2063 2-7, 6281 N OF MONUME	4707 811 699
coal seams  s)  c)  si  and that the work  Jamary  And further dep	Aquagel Aquagel Clay  of plugging and fil  1949  conents saith not.	2020 1140 390 2042526 JAN 13 4531 131 4531 131	Ul20 397 Surface	1420 - 1410 397 - 390 BESCRIPTIO Regular Cond	2063  2-7, 6281  N OF MONUME Trete l'ark	4707 811 699 MT er day of
coal seams  (c) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Aquagel Aquagel Clay  of plugging and fil  onents saith not.  ubscribed before me	2020 1140 390 2042526 JAN 13 4531 131 4531 131	Ul20 397 Surface	1420 - 1410 397 - 390 BESCRIPTIO Regular Cond	71 2063 2-7, 6281 N OF MONUME	4707 811 699 MT er day of

WW-4A Revised 6-07 Date: November 19, 2021
 Operator's Well Number

Alfred Woofter 8555

3) API Well No.: 47 -

041 -

00049

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

(a) Name Address	E.E. 10		a) Coal Operato	-	
Address	Ed Earl Garrett		_ Name	NA	
	2151 Rush Run Road		$\_$ Address		
	Weston, WV 26452		_		
(b) Name			(b) Coal O	wner(s) with Declaration	
Address	2			NA	
			Address		
(c) Name	_		Name		RECEIVED
Address			Address		Office of Oil and Gas
6) Inspector	Sam Ward		(c) Coal Le	essee with Declaration	DEC 0 6 2021
Address	P. O. Box 2327		- Name	NA	
Address	Buckhannon, WV 26	201	- Address		WV Department of Environmental Protection
Telephone	304-389-7583		- Hadress		LITTION
well i (2) The p	ts and the plugging wo lat (surveyor's map) sh	ck order; and owing the well location ents is that you have righ	n on Form WW-6.	h sets out the parties involved ication which are summarized in the	
accompanyi Protection, the Applica	ng documents for a permit with respect to the well at	to plug and abandon a w the location described on en mailed by registered	the attached Applica or certified mail or d	Il operator proposes to file or has fil the Office of Oil and Gas, West Virgition and depicted on the attached Filelivered by hand to the person(s) in	ginia Department of Environmental orm WW-6. Copies of this Notice,
accompanyi Protection, the Applica certain circu  OFFI STATE OF NOTA CASSIDY 5301 13th Ave	ng documents for a permit with respect to the well at tion, and the plat have be	to plug and abandon a w the location described on en mailed by registered	the attached Applica or certified mail or d	the Office of Oil and Gas, West Virgition and depicted on the attached Felivered by hand to the person(s) realizable.	ginia Department of Environmental orm WW-6. Copies of this Notice,

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyoffier@wv.gov">depprivacyoffier@wv.gov</a>.



	U.S. Postal Service™
13H	CERTIFIED MAIL® RECEIPT  Domestic Mail Only
E B	For delivery information, visit our website at www.usps.com*.
9	OFFICIAL VUSE
5706	\$ Extra Services & Fees (check box, add fee as appropriate)
0007	Return Receipt (nardcopy)  Return Receipt (electronic)  Certified Mail Restricted Delivery  Adult Signature Required  Adult Signature Restricted Delivery \$
350	Postage s
E []	Total Postage and Fees \$  CP-77-A
7027	Sent To LAN DEP-Office Dil & Gas - Melanie Hanking
7	Street and Apt. No., or PO Box No. 601 57th Street
	City, State, 219-48 Charleston WV 25304
	PS Form 3800, April 2015 PSN 7530 92-000-9047 See Reverse for Instructions

Office of Oil and Gas

DEC 0 6 2021

WV Department of Environmental Protection

WW-9 (5/16)

API Number 47 - 041	_00049
Operator's Well No.	

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL &	RECLAMATION PLAN
Operator Name HG Energy II Appalachia, LLC	OP Code 494501907
Watershed (HUC 10)_Rush Run Qu	
Do you anticipate using more than 5,000 bbls of water to complete the	
Will a pit be used? Yes No	
If so, please describe anticipated pit waste:  Will a synthetic liner be used in the pit? Yes No	If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a comp	
Underground Injection (UIC Permit Number  Reuse (at API Number	)
Off Site Disposal (Supply form WW-9 for o	isposal location)
Other (Explain No fluids or wastes anticipated, any w	ell effluent will be contained until disposed of at an approved disposal site
No.	
THE COLUMN THE PROPERTY OF THE	
Drilling medium anticipated for this well (vertical and horizontal)? Air	, freshwater, oil based, etc. NA
-If oil based, what type? Synthetic, petroleum, etc. NA	Los C
Additives to be used in drilling medium? NA	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite,	etc. If any; remove off site to approved disposal site
-If left in pit and plan to solidify what medium will be used? (	cement, lime, sawdust) NA
-Landfill or offsite name/permit number? NA	
Permittee shall provide written notice to the Office of Oil and Gas of an West Virginia solid waste facility. The notice shall be provided within where it was properly disposed.	
I certify that I understand and agree to the terms and condition on April 1, 2016, by the Office of Oil and Cas of the West Virginia Deprovisions of the permit are enforceable by law. Violations of any term or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examin application form and all attachments thereto and that, based on my inquite information, I believe that the information is true, accurate, and of submitting false information, including the possibility of fine or imprison.  Company Official Signature	epartment of Environmental Protection. I understand that the or condition of the general permit and/or other applicable law ed and am familiar with the information submitted on this iry of those individuals immediately responsible for obtaining complete. I am aware that there are significant penalties for the protection of the protection of the protection of the protection.
Company Official (Typed Name) Diane White	My Co
Company Official Title Agent	W Department Environmental Protection
Subscribed and sworn before me this 19 <sup>th</sup> day of Nov	lember, 2021
Carri Ly Bocker	Notary Public OFFICIAL SEAL
My commission expires 7 31 2022	STATE OF WEST VIRGINIA NOTARY PUBLIC CASSIDY A. BOARDMAN 530124 A. Vizio 2.V 26105 My Commission Expires July 31, 2022


WW-9 (5/16)

API Number	47 - 041	_00049	
Operator's W	ell No.		

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name HG Energy II Appalachia, LLC OP Code 494501907	
Watershed (HUC 10) Rush Run Quadrangle Vadis	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No V	RECEIVED Office of Oil and Gas
If so, please describe anticipated pit waste:  Will a synthetic liner be used in the pit? Yes No If so, what ml.?	DEC 06 2021
	- to and of
Proposed Disposal Method For Treated Pit Wastes:	WV Department of Environmental Protection
Land Application (if selected provide a completed form WW-9-GPP)  Underground Injection (UIC Permit Number)  Reuse (at API Number)  Off Site Disposal (Supply form WW-9 for disposal location)  Other (Explain No fluids or wastes anticipated, any well effluent will be contained until disposed of at an approved disposal site	Living
	SDW
Will closed loop systembe used? If so, describe: No	12/11/2021
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. NA	12000
-If oil based, what type? Synthetic, petroleum, etc. NA	
Additives to be used in drilling medium?_ NA	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. If any; remove off site to approved disposal site	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) NA	
-Landfill or offsite name/permit number? NA	
Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT iss on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined and am familiar with the information submitted on application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btain the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties submitting false information, including the possibility of fine or imprisonment.	the law this
Company Official Signature Diane White	
Company Official (Typed Name) Diane White	
Company Official Title_ Agent	
, a di	
Subscribed and swom before me this 19th day of November 2021	
Carry La Colina Official SEA	
My commission expires ☐ 3 ( 2022 STATE OF WEST VI NOTARY PUBL CASSIDY A. BOAR 5301 13th Ave Vienna, My Commission Expires.	RGINIA P IC B IDMAN B WV 28105 S

Form WW-9					
			Operator's V	Well No	
Proposed Revegetation Treat	ment: Acres Disturbed	.5 acre	Preveg etation p	ьн	
Lime	3 Tons/acre or to cor	rect to pH _	6.5		
Fertilizer type10	0/20/20	Ш			
Fertilizer amount	500	Ibs/	acre		
MulchStraw	/ 2	Tons/aci	re		
•		Seed M	<u> Aixtures</u>		
Ten	nporary		Perma	inent	
Seed Type Tall Fescue	lbs/acre 40		Seed Type Tall Fescue	lbs/acre	
Latino Clover	5	-	Latino Clover	5	-
					-
** Sediment Control	Will Be In Place	At All Tir	mes **		-
L, W), and area in acres, of the	ed 7.5' topographic shee	t.			=
lan Approved by					_
					-
					-
					-
					RECEIVED Gas



# West Virginia Department of Environmental Protection Office of Oil & Gas

# WELL LOCATION FORM: GPS

API: 47	7- 041 - 00049	WELL NO:	8555
FARM NAME:	Alfred Woofter		
RESPONSIBLE PARTY	NAME: HG Energy, L	LC	
COUNTY:	Lewis	DISTRICT:	Freemans Creek
QUADRANGLE:	Camden 7.5'		
SURFACE OWNER:	Edward Garrett		
ROYALTY OWNER:	HG Energy, LLC et al.		
UTM GPS NORTHING:	4,325,798		
UTM GPS EASTING:	540,615	GPS ELEVATION:	(1220') 372 m.
<ol> <li>Datum: N         height abo</li> <li>Accuracy</li> <li>Data Colle         Survey Grade 0</li> </ol>	AD 1983, Zone:17 North, Coordi ove mean sea level (MSL) - meters. to Datum - 3.05 meters ection Method:  GPS Post Processed Differen Real-Time Differential	nate Units: meters, Altitud	PEC 0 6 2021
Mapping Grade	e GPS X Post Processed Differen Real-Time Differential	tial X	WV Department of Environmental Protection
	certify this data is correct to the benformation required by law and the of Oil and Gas.		
Diane C White	Diane C. White	Designated Ag	ent
Signature	_	Title	
	ber 15, 2021		
Date			



# HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax

November 10, 2021

Melanie Hankins WVDEP Division of Oil & Gas 601 57<sup>th</sup> Street Charleston, West Virginia 25304

RE:

OP-77-A Request to Transfer Abandoned Well (API 47-041-00049) to HG Energy II, Appalachia, LLC Lewis County, Freemans Creek District, West Virginia

Dear Melanie,

Enclosed is an OP-77-A form for the transfer of an abandoned, plugged well to HG Energy II Appalachia, LLC, for the purpose of reopening the well and plugging it again per current DEP standards. The well will be added to HGE's Oil and Gas Insurance Bond. After the well is plugged again, a plugging affidavit will be prepared and submitted to the DEP – Office of Oil & Gas, at which time the well will be removed from HGE's insurance bond.

Also attached is a check for \$50.00. Please let me know if you have any questions or require additional information. I can be reached at (304) 420-1119 or <a href="mailto:dwhite@hgenergyllc.com">dwhite@hgenergyllc.com</a>

Very truly yours, Diane White

Diane C. White

Enclosures

CC - Sam Ward

RECEIVED Office of Oil and Gas

DEC 0 6 2021

WV Department of Environmental Protection

OP-77-A (01	-19)
	Ŧ.
This is to a	cknowl
District	Fre
	0.5

My Comission Expires 131 2022

Record	No.	

OF-11-A (01	-13)	State of West Virginia				
	E	Department of l	Environmenta	al Protection		
This is to ac	knowledge tha	at the well: API no.	47-041-00			
District	Freemans					
Well No	8555	Farn	n name	Alfred Woofter		
Is hereby tra	ansferred To:			8		
The transfer	ee	Company: HG Er				_
Code # 49	5419932	Address 5260 I	Dupont Roa	ad, Parkersbur	g, WV 26101	
Transfer app or as otherw	proval shall be s ise set forth by a	ubject to the provisior agreement with the Cl	ns in W. Va. G hief.	ode §§ 22-6-26, 22	2-10-7 and 35 CSR 4	- 10.5 <u>,</u>
The transfer and Gas. Th		ed and designated ar	n agent on for	m OP-1, which is	on file with the Office	e of Oil
Designated a	agent (name)	Diane White				
Address:		5260 Dupont Road,	, Parkersburg	, WV 26101		
	ee has bonded tecurities	the said well by ( chec	ck one ): Surety k	oond X Letter	of credit	140
Identified by	v:					
Amount:	\$250,000.00	 )		Effective date :	5/09/2017	
Issuing auth		ncinnati Insurance C	Company	ld. No:	B1233336	
My	OFFICIAL SEAL STATE OF WEST VIRGII NOTARY PUBLIC CASSIDY A. BOARDM 301 13th Ave Vienna, WV Commission Expires July	AN Transt 26105 31, 2022 By: _	Eric Grayson COO	of November	2	
Notary Publi		Bandhin			RECEIVE Office of Oil ar	D 1d Gas

WV Department of Environmental Protection

DEC 06 2021



HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office

(304) 863-3172 - Fax

November 16, 2021

Edward Earl Garrett, Sr 2151 Rush Run Road Weston, WV 26452

RE:

Alfred Woofter 8555 (47-041-00049)

Freemans Creek District, Lewis County

West Virginia

Dear Landowner:

Enclosed are copies of various application papers that we have filed with the West Virginia Department of Environmental Protection (WVDEP), Office of Oil and Gas. A well work permit is being requested for the above-referenced well.

Pursuant to WV Code Chapter 22B, Article 6, you are receiving copies of this correspondence because the well or other anticipated disturbance is located on your surface property. Your rights as a landowner are detailed in the enclosed permit application papers.

No action on your part is required. If you have any questions or comments regarding this application, you may call this office at (304) 420-1119.

Very truly yours,

Diane White

Diane C. White

RECEIVED Office of Oil and Gas

DEC 0 6 2021

WV Department of Environmental Protection

Enclosures

### SURFACE OWNER WAIVER

Operator's Well Number

Alfred Woofter 8555

# INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

# NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

RECEIVED
Office of Oil and Gas

DEC 06 2021

WV Department of Environmental Protection

<u>Time Limits and methods for filing comments</u>. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

### **VOLUNTARY STATEMENT OF NO OBJECTION**

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no of	bjection to the p	lanned work	described in these	e materials, and I have no
objection to a permit being issued on thos	se materials.			
FOR EXECUTION BY A NATURAL PEI	RSON		FOR EXECUTION	ON BY A CORPORATION,
ETC.				
	Date	Name _		
Signature		By -	******	
		Its		Date
		<del></del>		

Signature

12/17/2021



November 16, 2021

Jeff McLaughlin WVDEP Division of Oil & Gas 601 57<sup>th</sup> Street Charleston, West Virginia 25304

RECEIVED Office of Oil and Gas

DEC 06 2021

RE:

Alfred Woofter 8555 (47-041-00049)

Freemans Creek District, Lewis County

West Virginia

WV Department of Environmental Protection

Dear Mr. McLaughlin:

Enclosed are Forms WW-4(A), WW-4(B), WW-9, and WW-7, topo map, well record, copy of certified mailing receipt and a copy of the OP-77-A submitted to the DEP 11/15/21.

The well was originally plugged in 1949. Based on an Area of Review recently completed by HGE; it was determined this well should be re-plugged using current BMPs to negate any communication between the well and drilling/stimulation activities of HGE.

HGE is seeking to have the plugged well added to our insurance bond while the plugging activities occur. Once the plugging affidavit is submitted to the DEP and approved, the well will be removed from HGE's bond.

Please let me know if you have any questions or need further information. I can be reached at 304-420-1119 or <a href="mailto:dwhite@hgenergyllc.com">dwhite@hgenergyllc.com</a>.

Very truly yours,

Diane White


Diane C. White

Enclosures

cc:

Edward Earl Garrett, Sr. - Certified

Sam Ward - Inspector



# WEST VIRGINIA DEPARTMENT OF MINES OIL & GAS DIVISION WELLERECORD

Permit No. Lew-49		Gas Well
Company	Hope Natural Gas Co	Casing & Tubing
Address	Clarksburg, W.Ve.	
Farm	Alfred Woofter Acres 245	10 1393 1393
Location .	<b></b>	7 6710 6710
Well No	8555 Elev. 1222	2 <del>]</del> 6993 6993
District	Freemans Crook Lewis County	Company Compan
Surfaco	O.F.Woofter, R#1 Weston, W.Va.	Casing comented.
Commonced	6-5-1941	
Completed	10-20-41	10" & 7" casing cemented
Shot	Nov. 1941 Depth Oriskany	
Volume	474,000 A.S. (C.F.)	No coal recorded
Rock Prossure	2185 lbs. 24 hrs	

WELL LOG FROM SAMPLE	

Siltstone Gr 520 528 Sh & Siltst. Gr. to Grn 2722 2740 Sandstone Wh 528 650 Sand Gr-Grn, fine 2740 2754 Shale Bk 650 660 Limestone Br., sandy 2754 2758 Sandstone Gr to Wh 560 721 Sh.&Siltst.Gr-Grn to Br 2758 2870 Shale Gr 721 780 Sand Gr.fine, limey 2870 2880 Sandstone Gr to Wh 780 810 Shale Gr 2880 2925 Shale Gr 840 840 Sand Dk.Br., fine 2925 2970 Shale Gr 840 880 Sh.&Siltst.Gr-Grn, &Br 2970 4110 Shale Sandy 880 891 Sh.&Siltst.Br.&Gr 4110 4295 Sandstone Gr-fine 891 929 Dolomite Br., impure 4295 4300 Shale Bk te Gr 929 1021 Sh.&Siltst.Br. to Gr 4300 4342 Shale Gr.Sandy 1030 1083 Sand Gr to Wh, Fine 4420 4429- Shale Gr.Sandy 1030 1083 Sand Gr to Wh, Fine 4420 4429- Sandstone Wh-fine 1083 1114 Sh.&Siltst.Gr-Grn 4429 5400 Siltstone Br te Grn 1114 1190 Sh.Siltst.Gr to Bk 5400 5800 Sandstone Gr to Grn 1225 Shale Gr Bk, Soft 6103 6410 Shale Gr.Sandy 1334 13451.Le Veins 6044 6103 Shale Gr.Sandy 1358 1449B.L. Shale Gr.Br. Soft 6103 6410 Limestone Br-Gr.Sandy 1358 1449B.L. Shale Bk, limey 6410 6478 5008 Shale Gr-green 1449 1453 Limestone Gr., impure, silty 6478 6503 620 Limestone Br-Gr.Sandy 1558 1520 Shale Bk, lime shells 6503 6620 Limestone Gr-Grin. Sandy 1500 1520 Shale Bk, lime shells 6620 6670 Limestone Gr-Grin.Sandy 1558 1575 Limestone Gr. Cherty, 6680 6708 Sandstone Fine, Gr 1575 L604 ChertsLimeStene Br.togr. 6706 6907	Shale	Gr	490	520	Sand	Wh.Gr. to Grn	2690	2722
Sandstone Wh 528 550 Sand Gr-Grn, fine 2740 2754 Shale Br 650 660 Limestone Br, sandy 2754 2758 Sandstone Gr to Wh 660 721 Sha&Siltst.Gr-Grn to Br 2758 2870 Shale Gr 721 780 Sand Gr, fine, limey 260 2880 2825 Shale Gr 721 780 Sand Gr, fine, limey 260 2880 2825 Shale Gr 810 840 Sand DK.Br, fine 2925 2970 Sandstone Gr 840 880 Shale Gr, fine 2925 2970 Sandstone Gr 840 880 Sh. Shiltst.Gr-Grn, 281 2970 4110 Shale Sandy 880 891 Sh. Shiltst.Br. Gr 4110 4295 Sandstone Gr 71ne 891 929 Dolomite Br, impure 4295 4300 Shale Gr. fine 891 929 Dolomite Br, impure 4295 4300 Shale Bk to Gr 929 holl Sh. Shiltst.Br. to Gr 4304 342 4420 Shale Gr, Sandy 1050 1083 Sand Gr to Wh, Fine 4420 4429 Sandstone Gr to Wh 1021 1030 Shale Gr 40 Wh, Fine 4420 4429 Sandstone Br to Grn 1114 1190 Sh. Shiltst.Gr-Grn 429 5400 Shale Gr, Sandy 1050 1083 Sand Gr to Wh, Fine 4420 5429 Sandstone Gr to Grn 1190 1225 Shale Gr, Br a Bk 5800 6044 Shale Gr. Srn.K.Lowy 1345 1338 Shale GraBk.Calcite Limestone Br. Gr. Shady 1358 1439 Sh. Shale GraBk.Calcite Limestone Br. Gr. Shady 1358 1439 Sh. Shale GraBk.Calcite Limestone Br. Gr. Shady 1358 1439 Sh. Shale GraBk.Calcite Limestone Br. Gr. Shady 1358 1439 Sh. Shale GraBk.Galcite Limestone Br. Gr. Shady 1358 1439 Sh. Shale GraBk.Galcite Limestone Br. Gr. Shady 1358 1439 Sh. Shale GraBk.Galcite Limestone Br. Gr. Shady 1358 1439 Sh. Shale GraBk.Galcite Limestone Br. Gr. Shady 1358 1439 Sh. Shale Bk. GraBk. Galcite Shade Gr. Gran, Sandy 1358 1439 Sh. Shale Bk. GraBk. Galcite Limestone Br. Gr. Shady 1358 1439 Sh. Shale Bk. GraBk. Galcite Shade Gr. Gran, Sandy 1358 1439 Sh. Shale Bk. GraBk. Galcite Limestone Br. Gr. Shady 1358 1439 Sh. Shale Bk. GraBk. Galcite Shade Gr. Gran, Sandy 1358 1439 Sh. Shale Bk. GraBk. Galcite Shade Gr. Gran, Sandy 1358 1439 Sh. Shale Bk. GraBk. Galcite Shade Gr. Gran, Sandy 1358 1439 Sh. Shale Bk. Gran, Sandy 1350 Shale Gr. Shale Gr. Gran, Sandy 1364 Chortalimestone Gr. Tine, hard 7100 7125 Shale Gr. Gran, Sandy 134 2043 Binnestone Gr. Tine, hard 7100 7125 Shale Gr. Gran, Sandy 134 2043 Binne		有种种的表面是10mm,从20mm,10mm,10mm,10mm。	The state of the s				AND THE PERSON OF THE PERSON OF	
Shale Br 650 560 Limestone Br, sandy 2754 2758 Sandstone Gr to Wh 660 721 ShakSiltstor-Grn to Br 2758 2870 Sandstone Gr to Wh 780 610 Shale Gr 2880 2925 Shale Gr 810 840 Sand Gr, fine, limey 2870 2880 Sandstone Gr 840 880 ShakSiltstor-Grn, 2Br 2970 4110 Shale Sandy 880 991 ShakSiltstor-Grn, 2Br 2970 4110 Shale Sandy 880 991 ShakSiltstor-Grn, 2Br 2970 4110 Shale Br to Gr 929 1021 ShakSiltstor-Grn, 2Br 4990 Shale Br to Gr 929 1021 ShakSiltstor-Grn, 2Br 4980 Shale Gr, 58ndy 1030 1083 Sands Gr 4 4300 4422 Shales Gr, 58ndy 1030 1083 Sands Gr 4 4302 4429 Shale Gr, 58ndy 1030 1083 Sand Gr to Wh, Fine 4220 4422 Shales Br to Gr 1114 1390 ShakSiltstor-Grn 422 4420 Shales Gr, 58ndy 1030 1083 Sand Gr to Wh, Fine 420 6422 Shales Gr, 58ndy 1030 1083 Sand Gr to Wh, Fine 420 6422 Shales Gr, 58ndy 1030 1083 Sand Gr to Wh, Fine 420 6422 Shales Gr, 58ndy 1030 1083 Sand Gr to Wh, Fine 600 500 Shakstone Gr to Grn 1110 1225 Shale Gr, 3r & Br 5800 6044 Shale Red to Grn 1125 1334 Shale Grabr to Sh 5400 5500 Shales Br, Gr, Shaley 1345 1358 Shale Gr to Bk, Soft 6103 6410 Limestone Br, Gr, Sandy 1358 1449B.L. Shale Gr to Bk, Soft 6103 6410 Limestone Br, Gr, Sandy 1358 1449B.L. Shale Gr to Bk, Soft 6103 6410 Limestone Br, Gr, Sandy 1550 520 Shale Bk, limey 6410 6478 Sandstone Gr, Sandy 1550 520 Shale Bk, limey 6410 6478 Sandstone Fine, Br, Law 1505 520 Shale Bk, limey 6478 6503 Shale Gr, Sandy 1556 1520 Shale Bk, limey 6470 6500 Cr-Wr, Shaley 1540 1550 520 Shale Bk, limey 7025 7040 Limestone Gr, Sandy 1568 1575 Limestone Gr, Chetty 660 6700 Shale Gr Grn, Sandy 1568 1575 Limestone Gr, Sandy 7025 7040 Shale Gr Grn, Sandy 1588 1575 Limestone Gr, Sandy 7025 7040 Shale Gr Grn, Sandy 1588 2080 Core, Sandstone Gr, Sandy 7025 7040 Shale Gr Grn, Sandy 1588 2080 Core, Sandstone Gr, Sandy 7025 7040 Shale Gr Grn, Sandy 1588 2080 Core, Sandstone Gr, Sandy 7025 7040 Shale Gr Grn, Sandy 1588 2080 7044 DEFTH 7290 Shale Gr Grn, Sandy 230 2300 7074 DEFTH 7290 Shale Gr Grn, Sandy 230 2300 7074 DEFTH 7290 Shale Gr, Sandy 230 2300 7074 DEFTH 7290 Shale Gr, Sa	er of the server and alternative at the best and	Bank reader of the first transfer of the first			Sand	Gr_Grn. fine		
Sandstone Gr to Wh 660 721 Shaksiltst.or-com to Br 2758 2870 Shale Gr 721 780 Sand Gr.fine, limey 2870 2880 2925 Sandstone Gr to Wh 780 8B.0 Sand Gr 2880 2925 2970 Sandstone Gr to Wh 780 8B.0 Sand Dr.Br., fine 2925 2970 Sandstone Gr 840 880 Sand Dr.Br., fine 2925 2970 Sandstone Gr 840 880 891 Shaksiltst-Gr-Gr, aBr 2970 4110 Shale Sandy 880 891 Shaksiltst-Gr-Gr, aBr 2970 4110 Shale Gr-fine 891 929 Dolomito Br., impure 4295 4300 Sandstone Gr-fine 891 929 Dolomito Br., impure 4295 4300 Shale Bk to Gr 929 1021 Shaksiltst-Br. to Gr 4300 4342 Sandstone Gr to Wh 1021 1030 Shale Gr 5800 Wh-fine 1083 1114 Shaksiltst-Gr-Gr, 4342 4420 4429 Shale Gr, Sandy 1030 1083 Sands Gr to Wh, Fine 4420 4429 Shale Gr, Sandy 1030 1083 Sands Gr to Wh, Fine 4429 5400 Shale Gr, Sandstone Br to Grn 1114 1190 Shaksiltst-Gr-Gr 4429 5400 5800 Sandstone Gr to Grn 1124 1190 Shaksiltst-Gr-Gr 4429 5400 5800 Sandstone Gr to Grn 1230 1225 Shale Gr, Br & BR 5800 6044 Shale Red to Grn 1230 1225 Shale Gr, Br & BR 5800 6044 Shale Gr-Gr, Sandy 1358 1445 Shale Gr, Br & Shole Gr, Br & Gr, Br & Shole Gr, Br & Shale	and the second of the second o		CARL CONTRACTOR OF THE SAME OF	CONTROL GOOD TELEVISION OF THE STATE OF THE				and the control of the state of the control of the state of the control of the co
Shale Gr to Wh 780 Sand Gr.fine, limey 2870 2880 Sandstome Gr to Wh 780 810 Shale Gr 2880 2925 Shalo Gr 810 840 Sand Dr.Br, fine 2925 2970 Sandstone Gr 840 880 Shaksiltst.Gr-Grn, &Br 2970 4110 Shale Sandy 880 991 Shaksiltst.Gr-Grn, &Br 2970 4110 Shale Sandy 880 991 Shaksiltst.Gr-Grn, &Br 2970 4110 Shale Shale Gr 1929 Polomite Br, impure 4295 4300 Shale Bk to Gr 929 1021 Shaksiltst.Br. to Gr 4300 4342 Sandstone Gr to Wh 1021 1030 Shale Gr to Wh, Fine 4420 4429 Shale Gr, Sandy 1030 1083 Sand Gr to Wh, Fine 4420 4429 Shale Gr, Sandy 1030 1083 Sand Gr to Wh, Fine 4420 4429 Sandstone Gr to Grn 1140 1190 Shaksiltst.Gr-Grn 4429 5400 Siltstone Br to Grn 1140 1190 Shaksiltst.Gr to Br 5400 5800 Sandstone Gr to Grn 1190 1225 Shale Gr, Fr & Br 5400 5800 Sandstone Gr, Shale Red to Grn 1295 1334 Shale Gr&RR, Sandy 1640 644 Shale Gr&Rr, Shaley 1334 13451.Lb. GraBR, Galeite Winstone Br.Gr, Sandy 1358 14498.Ls. Shale Gr&RR, Soft 6103 6410 Limestone Br.Gr, Sandy 1358 14498.Ls. Shale Gr, Impure, silty 6478 6503 Fillimestone Br-Gr, Sandy 1453 1505 Shale Br, Impure, silty 6478 6503 Fillimestone Br-Gr, Sandy 1453 1505 Shale Br, Impure, silty 6478 6503 Fillimestone Br-Gr, Sandy 1558 1550 Shale Br, Impure, silty 6478 6503 Fillimestone Gr-To, Sandy 1558 1550 Shale Br, Impure, silty 6478 6500 Sandstone Gr-To, Sandy 1558 1575 Limestone Gr, Impure, silty 6478 6500 Sandstone Gr-To, Sandy 1588 1575 Limestone Gr, Chorty 6580 6700 Sandstone Gr-To, Sandy 1984 2043 Limestone Gr, Chorty 6580 6708 Sandstone Gr-To, Sandy 1984 2043 Limestone Gr, Chorty 6580 6708 Sandstone Gr-To, Sandy 1984 2043 Limestone Gr, Chorty 6580 6708 Sandstone Gr-To, Sandy 1984 2043 Limestone Gr, Fine, hard 1007 7121 Sandstone Gr-To, Sandy 1984 2043 Limestone Gr, Fine, hard 1007 7121 Sandstone Gr-To, Sandy 1984 2043 Limestone Gr, Fine, hard 1007 7121 Sandstone Gr-To, Sandy 1984 2043 Limestone Gr, Fine, hard 1007 7124 8300 Sand Gr-To, Sandy 2330 2340 Sand Gr-Firn, Fine 2300 2300 Candstone Gr Fine, Fine 2300 2300 Candstone Gr Fine, Fine 2300 2300 Candstone Gr Fine, Fine 2300		the state of the s		the state of the s				2870
Sandstone Gr to Wh 780 810 Shale Gr 2880 2925 Shale Gr 810 840 800 Shaksiltst.Gr-Grn, &Br 2970 4110 Shale Sandstone Gr 840 880 Shaksiltst.Gr-Grn, &Br 2970 4110 Shale Sandstone Gr-fine 891 929 Dolomito Br, impure 4295 4300 Shale Bk to Gr 929 1021 Shaksiltst.Br & Gr 4110 4295 Sandstone Gr to Wh 1021 1030 Shalo Gr to Wh, Fine 4290 4342 4420 Shale Gr, Sandy 1030 1063 Sand Gr to Wh, Fine 4420 4429 Sandstone Gr to Wh 1021 1030 Shalo Gr to Wh, Fine 4420 4429 Sandstone Gr to Wh 1021 1030 Shalo Gr to Wh, Fine 4420 6429 Sandstone Gr to Gr 1114 1190 1225 Shale Gr, Br & B 500 6044 Shale Gr, Sandy 1030 1063 Sand Gr to Wh, Fine 4420 6044 Shale Gr, Sandy 1030 1063 Sand Gr to Wh, Fine 640 5800 Shale Gr, Br & B 500 6044 Shale Gr, Sandy 1334 Shale Gr, Br & B 500 6044 Shale Gr, Sandy 1335 1345 Shale Gr, Br & Sh 500 6044 Shale Gr, Sandy 1335 1358 Shale Gr to Bk, Soft 6103 6410 Gr, Sandy 1358 1449B.L. Shalo Bk, Immoy 6410 6478 6478 6478 6478 6478 6478 6478 6478	the best of the control of the best of the	A THORSE WAY TO SELECT THE CONTROL OF THE CONTROL O	The second secon					
Shale Gr 810 840 Sand Dr. Br., fine 2925 2970 Sandstone Gr 840 880 Sha8slitst.Gr-Grn, &Br 2970 1110 Sandstone Gr 840 880 891 Sha8slitst.Gr-Grn, &Br 2970 1110 Sandstone Gr-fine 891 929 Dolomite Br, impure 4295 4300 Shale Bk te Gr 929 1021 Sha8slitst.Br. to Gr 4300 4342 Shale Bk te Gr 929 1021 Sha8slitst.Br. to Gr 4300 4342 Shale Gr.Sandy 1030 1083 Sand Gr to Wh, Fine 4420 4429 Shale Gr.Sandy 1030 1083 Sand Gr to Wh, Fine 4420 5811stsne Br to Grn 1114 1190 Sha8slitst.Gr-Grn 4423 5400 Sandstone Wh-fine 1083 1114 Sha8slitst.Gr-Grn 4429 5400 Sandstone Gr to Grn 1190 1225 Shale Gr.Br & 5400 5800 Sandstone Br.Gr.Sandy 1334 1345L.L. Veins 6044 6103 Shale Red to Grn 1255 1334 Shale Gr.Br & 5800 6044 Shale Gr.Grn.R.Lmy 1345 1358 Shale Gr.Br & 5800 6044 Shale Gr.Grn.R.Lmy 1345 1358 Shale Gr. to Bk, Soft 6103 6410 Limestone Br.Gr.Sandy 1358 1449E.L. Shale Bk, Limoy 6410 6478 Shale Gr.Grn.R.Lmy 1345 1558 Limestone Gr.jimpure, silty 6478 6503 782 Limestone Br.Gr.Sandy 1558 1520 Shale Dk.Gr.Lime Shells 5503 6620 58 Sandstone Fine, Br.Sandy 1555 1520 Shale Dk.Gr.Lime Shells 5503 6620 58 Sandstone Gr. to Grn. Sine 1558 Shale Bk. Visions 6670 6680 5708 Shale Gr.Grn.Sandy 1558 1575 Limestone Gr.Chorty 6680 6708 Shale Gr.Grn.Sandy 1558 1576 Limestone Gr.Chorty 6680 6708 Shale Gr.Grn.Sandy 1588 1583 Shale Bk.V.V.SGT.Limey6670 6680 5708 Shale Gr. to Grn. Fine 1610 1628 ChortalimeStene Br.toGr 6708 6907 6912 Sandstone Gr. to Grn. Fine 1620 1628 ChortalimeStene Br.toGr 6708 6907 6912 Shale Gr.Grm.Sandy 1984 2043 Limestone Gr., fine, hard 6400 7025 58 Shale Gr.Grm.Sandy 1984 2043 Limestone Gr., fine, hard 7100 7121 Shale Gr. Grm. Sandy 1984 2043 Limestone Gr., fine, hard 7100 7121 Shale Gr.Grm.Sandy 1984 2043 Limestone Gr., fine, hard 7100 7121 Shale Gr.Grm.Sandy 1984 2043 Limestone Gr., fine, hard 7100 7121 Shale Gr.Grm.Sandy 1984 2043 Limestone Gr., fine, hard 7100 7121 Shale Gr.Grm. 2280 2290 2330 TOTAL DEPTH 7290 7325 Shale Gr.Grm. 2280 2300 TOTAL DEPTH 7320 Shale Gr.Grm. 2280 2300 TOTAL DEPTH 7320 Shale Gr.Grm.Fine 2320 2300 TOTAL	19. A B B P Tag A A C C C C C C C C C C C C C C C C C	the first transfer to						AND A SECOND OF THE SECOND SEC
Sandstone Gr 840 880 ShvaSiltst.Gr-Grn, &Br 2970 4110 Shale Sandy 880 891 ShvaSiltst.Br & Gr 4110 4295 Sandstone Gr-fine 891 929 polomite Br, impure 4295 4300 Shale Bk te Gr 929 1021 ShvaSiltst.Br. to Gr 4300 4342 Sandstone Gr to Wh 1021 1030 Shale Gr to Wh, Fine 4420 Shale Gr. Sandy 1030 1083 Sand Gr to Wh, Fine 4420 Shale Gr. Sandy 1030 1083 Sand Gr to Wh, Fine 4420 4420 Shale Gr. Sandy 1030 1083 Sand Gr to Wh, Fine 4420 5420 Shale Gr. Sandy 1030 1083 Sand Gr to Wh, Fine 4420 5400 Sandstone Wh-fine 1083 1114 ShvaSiltst.Gr-Grn 4423 5400 Sandstone Gr to Grn 1114 1190 ShvaSiltst.Gr to Bk 5400 5800 Sandstone Gr to Grn 1125 1334 Shale Gr&Br, Calcite Limestone Br.Gr.Shaley 1334 13451.Lr Veins 6044 6103 Shale Gr-Grn,R.Lmy 1345 1358 Shale Gr&Br, Soft 6103 6410 Limestone Br.Gr.Sandy 1358 1449B.L. Shale Br, Limoy 6410 6478 6438 Shale Gr-groen 1449 1453 Limestone Gr, impure, silty 6478 6503 184 Limestone Br-Gr, Sandy 1505 1550 Shale Br, Limoy 6410 6678 6630 Sandstone Gr-Wh, Shaley 1520 2558 Shale Br, Timo Shells 6620 6670 Shale Gr-Grn,Sandy 1580 1575 Limestone Gr, Chorty 6680 6708 Sandstone Gr-Wh, Shaley 1520 3568 Shale Br, Vasseft, Limoy6670 6580 Shale Gray 1604 1610 Sand Wh, fine, hard 6907 6792 Sandstone Gr-Grn,Sandy 1586 1575 Limestone Gr, Chorty 6680 6708 Shale Gray 1604 1610 Sand Wh, fine, hard 6907 6792 Sandstone Gr-Wh 2043 2060 GrnSandstone Gr, fine, hard 7100 Shale Gr-Grn,Sandy 1984 2043 Limestone Gr, fine, hard 7100 Shale Gr-Grn,Sandy 1984 2043 Limestone Gr, fine, hard 7100 7121 Shale Gr-Grn,Sandy 1984 2043 Limestone Gr, fine, hard 7100 7121 Shale Gr-Grn,Sandy 2330 2340 Sandstone Gr, sandy 2330 2340 Sandstone Gr, sandy 2330 2340 Sand Gr-Grn,Fine 2300 2300 TOTAL DEPTH 7325 Shale Gr, sandy 2330 2340 Sandstone Gr, sandy 2330 2340 Sandstone Gr, sandy 2330 2340 Sandstone Gr, sandy 2330 2371 2672 *(Huntersville Chort) Limestone Br-H, ense 2572 2675 *(Oriskany Gas)	The state of the s	the first of the second of the			The state of the s		the contract of the contract o	STATE OF THE PROPERTY OF THE P
Sinle Sandy 880 891 Sh.&Siltst.Br & Gr 4110 4295 Sandstone Gr-fine 891 929 Dolomito Br, impure 4295 4300 4342 Sandstone Gr for 929 1021 Sh.&Siltst.Br. to Gr 4500 4342 Sandstone Gr to Wh 1021 1030 Shale Gr 4342 4420 Shale Gr, Sandy 1030 1088 Sand Gr to Wh, Fine 4420 4429 Sandstone Wh-fine 1083 1114 Sh.&Siltst.Gr.Grn 4229 5400 Siltstone Br to Grn 1114 1190 Sh.&Siltst.Gr to Bk 5400 5800 Sandstone Gr to Grn 1190 1225 Shale Gr.Br B Bk 5800 6044 Shale Red to Grn 1235 1334 Shale Gr.Bk.Galcite  Limestone Br.Gr.Shaley 1334 1345L.L. Voins 6044 6103 Gr.Br.Asle Gr.Gr.Rk.Lmy 1345 1358 Shale Gr.Br.St.Gr.Br. 6410 6448 Shale Gr.Gr.Rk.Lmy 1345 1358 Shale Gr.Br. 11mos fold 6410 6448 Shale Gr.Gr.Rk.Lmy 1345 1358 Shale Br. 11moy 6410 6448 Shale Gr.Gr.Rk.Lmy 1345 1358 Shale Br. 11moy 6410 6448 Shale Gr.Gr.Rk.Lmy 1358 1449B.L. Shale Br. 11moy 6410 6448 Shale Gr.Gr.Rk.Lmy 1358 1449B.L. Shale Br. 11moy 6410 6478 6503 ML Limestone Br.Gr.Sandy 1558 1550 Shale Br. 11mo Shalls 6503 6620 FW. Shale Gr.Grn.Sandy 1555 1520 Shale Br. 11mo Shalls 6503 6620 FW. Shale Gr.Grn.Sandy 1558 5575 Limestone Gr.Chrty 6680 6708 6800 Shale Gr.Grn.Sandy 1558 1575 Limestone Br.Gr.Sandy 1558 559 Shale Br. 11mo Shalls 6620 6670 Shale Gr.Grn.Sandy 1558 5575 Limestone Br.Gr.Gr.Gr.Gr.Gr. 1575 1604 Chortalimostone Br.Gr.Gr.Gr.Gr.Gr.Gr. 1575 1604 Chortalimostone Br.Gr.Gr.Gr.Gr.Gr.Gr. 1575 1604 Chortalimostone Br.Gr. 1596 5912 Shale Gr.Y. 1500 1500 1500 1500 1500 1500 1500 150	1. "可能在1000年间,这是1000年间,但是1000年间,1000年间,1000年间,1000年间,1000年间,1000年间,1000年间,1000年间,						Charles and the Control of the Contr	the second of the second of the second of the second
Sandstone Gr-fine 891 929 Dolomito Br, impure 4295 4300 Shale Bk to Gr 929 LO21 Sh.&Siltst.Br. to Gr 4302 4320 Shale Gr to Wh 1021 1030 Shale Gr 4362 4420 Shale Gr,Sandy 1030 1083 Sand Gr to Wh, Fine 4420 4429- Shale Gr,Sandy 1030 1083 Sand Gr to Wh, Fine 4420 4429- Shale Gr,Sandy 1030 1083 Sand Gr to Wh, Fine 4420 5400 Shale Br to Grn 1114 1190 Sh.&Siltst.Gr.Grn 4429 5400 Shale Red to Grn 1295 1225 Shale Gr,Br & Bk 5800 6044 Shale Red to Grn 1225 1334 Shale Gr&Bk,Calcite Limestone Br.Gr.Shaley 1334 13451.Le Voins 6044 6103 Shale Gr.Grm.R.Lmy 1345 1358 Shale Gr to Bk, Sort 6103 6410 Limestone Br.Gr.Sandy 1358 1449B.L. Shale Bk, limoy 6410 6478 4.248 Shale Gr.Srm.R.Lmy 1345 1358 Limestone Gr,impure, silty 6478 6503 ffly Limestone Br.Gr.Sandy 1453 Limestone Gr,impure, silty 6478 6503 ffly Shale Gr.Srm.R.Lmy 1505 1520 Shale Bk, limo Shalls 6503 6620 ffly Sandstone Fine, Br.Srmy 1505 1520 Shale Bk, limo Shalls 6620 6670 Limestone Br.Gr.Sandy 1558 L575 Limestone Gr.Cherty 6660 6708 Shale Gray 1604 1610 Sand Wh. fine, hard 6907 6912 Shale Gray 1604 1610 Sand Wh. fine, hard 6907 6912 Shale Gray 1604 1610 Sand Wh. fine, hard 6907 6912 Shale Gr.Grm.Sandy 1588 1973 Sands Wh. for, hard 6940 7025 Shale Gr.Wh to Gr, hard 6940 7025 Shale Gr.Wh to Gr, hard 6940 7025 Shale Gr.Grm.Sandy 1984 2043 Limestone Gr. fine, hard 6940 7025 Shale Gr.Grm.Sandy 1984 2043 Limestone Gr. fine, hard 7000 7121 Shale Gr.Grm.Sandy 1984 2043 Limestone Gr. fine, hard 7000 7121 Shale Gr.Grm.Sandy 1984 2043 Limestone Gr. fine, hard 7000 7121 Shale Gr.Grm.Sandy 1984 2043 Limestone Gr. fine, hard 7000 7121 Shale Gr.Grm.Sandy 1984 2043 Limestone Gr. fine, hard 7100 7121 Shale Gr.Grm.Sandy 2330 2340 Shall Gr.Grm.Fine 2300 2371 Sandstone Gr. fine, hard 7100 7121 Shale Gr. sandy 2330 2340 Shall Gr.Grm.Fine 2340 2371 Sandsy	网络拉拉克斯特尔克斯特克斯特克 医二角性氏病性中枢病病病病病病		Company of the second s	A STATE OF THE STA				
Sandstone Gr to Wh 1021 1030 Shalo Gr 4342 4420 Sandstone Gr to Wh 1021 1030 Shalo Gr 4342 4420 Shale Gr, Sandy 1030 1083 Sand Gr to Wh, Fine 4420 4429 - Shale Gr, Sandy 1030 1083 Sand Gr to Wh, Fine 4420 4429 - Shale Gr, Sandy 1030 1144 Sh. Shiltst.Gr. Grn 4429 5400 Siltstone Br to Grn 1114 1190 Sh. Shiltst.Gr. Grn 4429 5400 Siltstone Gr to Grn 1190 1225 Shale Gr. Br 8 5800 6044 Shale Red to Grn 1225 1334 Shale Gr. Br 8 5800 6044 Shale Red to Grn 1235 1334 Shale Gr. Br. Soft 6103 6410 Limestone Br. Gr. Shaloy 1345 1358 Shale Gr. Br. Soft 6103 6410 Limestone Br. Gr. Sandy 1358 1449B.L. Shale Br. limoy 6410 6478 6400 Simble Gr. Gran. R. Law 1453 Limestone Gr. impure, silty 6478 6503 184 Simble Gr. Frice 1449 1453 Limestone Gr. impure, silty 6478 6503 184 Limestone Br. Gr. Sandy 1453 1505 Shale Dk. Gr. Lime Shalls 6503 6620 Wh Shale Gr. Grn. Sandy 1558 1575 Shale Dk. Gr. Lime Shalls 6503 6620 Wh Shale Gr. Grn. Sandy 1558 1575 Limestone Gr. Chorty 6680 6708 Shale Gr. Grn. Sandy 1558 1575 Limestone Gr. Chorty 6680 6708 Shale Gr. Grn. Sandy 1558 1575 Limestone Gr. Chorty 6680 6708 Shale Gr. Grn. Sandy 1588 1640 Chortalimestone Br. Gr. Gr. 6800 6800 Shale Gr. Grn. Sandy 1588 1640 Chortalimestone Br. Gr. 6800 6907 Shale Gr. Grn. Sandy 1604 1610 Sand Wh. fine. And 6940 7025 Sandstone Gr. to Grn. Fine 1610 1628 Chortalimestone Gr. hard 6940 7025 Shale Gr. Wh. to Br. 1973 1984(30) Sand Gr. fine, hard 7100 7121 Shale Gr. 2060 2080 Str Limestone Gr. fine, hard 7100 7121 Shale Gr. 2060 2080 Str Limestone Gr. sandy 7121 7274 Shale Gr. 2060 2080 Str Limestone Gr. sandy 7121 7274 Shale Gr. 2070 2119 (Gor)Sand Gr. Sunit, fine 7274 7290 Shale Gr. sandy 2330 2340 Smid Gr. sandy 2371 Saley Limestone Br. K. Gr. Sandy Sand Gr. Sandstone Gr. Sandy Sand Gr.	[184] [186] 1867年代表表示建筑企业内有关的数据	Contraction (1986) 11 (1997) 11 (1997) 11 (1997)	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Comment of the second of the s		The Control of the Co	The Control of the Control of the Control
Sandstone Gr to Wh 1021 1030 Shale Gr to Wh, Fine 4420 4429 - Shale Gr; Sandy 1030 1083 Sand Gr to Wh, Fine 4420 4429 - Sandstone Wh-fine 1083 1114 Sh.&Sillat.Gr.Grn 4429 5400 Siltat.one Br to Grn 1114 1190 Sh.&Sillat.Gr.Grn 4429 5400 Sandstone Gr to Grn 1190 1225 Shale Gr.Br & Bk 5400 5800 Sandstone Gr to Grn 1225 1334 Shale Gr&Bk, Galcite Limestone Br.Gr.Shaley 1334 1345L.L. Voins 6044 6103 Shale Gr.Grn.K.Lmy 1345 1358 Shale Gr.Brk, Soft 6103 6410 Limestone Br.Gr.Shaley 1334 1345L.L. Voins 6044 6103 Shale Gr.Grn.K.Lmy 1345 1358 1449B.L. Shale Gr.Jmov 6410 6478 5678 Shale Gr.Sroen 1449 1453 Limestone Gr.Jmov.silty 6478 6503 782 583 583 583 583 583 583 583 583 583 583	· [4] [4] [4] [4] [4] [4] [4] [4] [4] [4]	And the state of t						With the state of
Shale Gr.Sandy 1080 1083 Sand Gr to Wh, Fine 4420 4429— Sandstone Wh-fine 1083 1114 Sh.&Giltst.Gr.Gr. 4429 5400 Saltstone Br to Gr. 1114 1190 Sh.&Siltst.Gr.To Bk 5400 5800 Sandstone Gr to Gr. 1190 1225 Shale Gr.Ra Bk 5800 6044 Shale Red to Gr. 1225 1334 Shale Gr&Bk, Calcite Limestone Br.Gr.Shaley 1344 1345L.L. Veins 6044 6103 Shale Gr.Gr.RaLmy 1345 1358 Shale Gr to Bk, Soft 6103 6410 Limestone Br.Gr.Sandy 1358 1449B.L. Shale Bk, limey 6410 6478 5438 Shale Gr-green 1449 1453 Limestone Gr, impure, silty 6478 6503 fm2. Limestone Br-Gr.Sandy 1453 1505 Shale Dk.Gr.Lime sholls 6503 6620 Wh. Sandstone Fine, Br.Lmy 1505 1520 Shale Dk.Gr.Lime sholls 6503 6620 Wh. Sandstone Gr.Wh, Shaley 1520 1558 Shale Dk., Vasoft, Limey5670 6680 Limestone Gr.Gr.Sandy 1558 1575 Limestone Gr. Chorty 6680 6702 Mass Shale Gr.Gr.Sandy 1558 1575 Limestone Gr. Chorty 6680 6702 Mass Shale Gr.Gr.Sandy 1588 1575 Limestone Br.togr 6708 6907 Mass Shale Gr.Gr.Sandy 1588 1575 Limestone Br.togr 6708 6907 Mass Shale Gr.Gr.Sandy 1588 1575 Limestone Br.togr 6708 6907 Mass Shale Gr.Gr.Sandy 1588 1575 Limestone Br.togr 6708 6907 Mass Shale Gr.Gr.Sandy 1588 1575 Limestone Br.togr 6708 6907 Mass Shale Gr.Gr.Sandy 1580 ChorteLimestone BraGr limey6912 5940 Shale Gr.Gr.Sandy 1984 2043 Limestone Gr. fine, hard 6940 7022 Mass Shale Gr.Gr.Sandy 1984 2043 Limestone Gr. fine, hard 7100 7121 Shale Gr.Gr.Sandy 1984 2043 Limestone Gr. fine, hard 7100 7121 Shale Gr. 2060 2090 StrkDimestone Gr. sandy 7121 7274 Sand Wh to Gr. 2090 219(Gor)Sandstone Gr. fine, hard 7290 7325 Sandstone Uk to Gr. 2288 2320 Gas— Sand Gr.Gr.Fine 2320 2330 TOTAL DEPTH 7290 7325 Sand Gr.Gr.Fine, Fine 2320 2330 TOTAL DEPTH 7326 Shale Gr.sandy 2330 2340 Smid Gr.Sandy 2330 2340 Smid Gr.Sandy 2330 2340 Smid Gr.Sandy 2371-shelpy Shalltst. Cr. to gr. 2371 2575 *(Huntersville Chort)	Control of the Contro		the continue of the state of the state		CONTRACTOR OF THE STATE OF		and the state of the second second second	
Sandstone Wh-fine 1083 1114 Sh.bSiltst.Gr-Grn 4429 5400 Siltstane Br to Grn 1114 1190 Sh.bSiltst.Gr to Bk 5400 5800 Sandstone Gr to Grn 1114 1190 Sh.bSiltst.Gr to Bk 5400 5800 Sandstone Gr to Grn 125 1334 Shale Gr.Br.a Bk 5800 6044 Shale Red to Grn 1225 1334 Shale Gr.Br.Calcite  Limestone Br.Gr.Shaley 1334 1345L.L. Veins 6044 6103 Shale Gr.Gru.R.Lmy 1345 1358 Shale Gr.Gru.R.Lmy 1345 1358 Shale Gr to Bk, Soft 6103 6410 Limestone Br.Gr.Sandy 1358 1449B.L. Shale Bk, limey 6410 6478 5503 Fg. Shale Gr.Gru.R.Lmy 1505 Insection Gr.Jmpure, silty 6478 6503 Fg. Limestone Br-Gr.Sandy 1453 1505 Shale Dk.Gr.Lime Shells 6503 6620 5670 Limestone Br-Gr.Sandy 1558 1520 Shale Dk.Jimes sholls 6620 6670 Limestone Gr-Wh, Shaley 1505 1520 Shale Dk., V.S.Soft, Limey5670 6680 6708 Shale Gr.Gr.Sandy 1558 1575 Limestone Gr. Ghorty 6680 6708 Shale Gr.Gr.Sandy 1558 1575 Limestone Br.togr 6708 6907 512 Male Gray 1604 1610 Sand Wh, fine, hard 6907 6912 Malestone Gr to Grn.Fine 1610 1628 Chertalimestone Br.togr 6708 6907 512 Male Gr.Gr.Sandstone Wh to Br 1973 1984(30')Sand Gr. fine, hard 6940 7025 5040 Shale Gr.Gr., Sandy 1984 2043 Limestone Gr. fine, hard 6940 7025 5040 Shale Gr.Gr., Sandy 1984 2043 Limestone Gr. fine, hard 6940 7025 5040 Shale Gr.Gr., Sandy 1984 2043 Limestone Gr. fine, hard 7100 7121 Shale Gr.Gr. 2090 2119(Gr)Sand Gr. fine, hard 7100 7121 Shale Gr. 2000 2264 2266-5th Shale Gr., Sandy 2380 2360 Gr.Sandstone Gr. sandy 7121 7274 7290 Shale Gr., Sandy 2380 2360 Gr.Sandstone Gr., Sandy 2380 2360 Gr.Sandstone Gr., Sandy 2380 2340 Sand Gr.Sandy Gr. fine, hard 7100 7121 Shale Gr., Sandy 2380 2340 Sand Gr. sandy 7121 7274 7290 Shale Gr., Sandy 2380 2340 Sand Gr.Sandy Gr. fine, Fine 7274 7290 7325 Sand-pelly-Br., Course, 2264 2266-5th Shale Gr., Sandy 2380 2340 Sand Gr.Sandy Gr. fine, Fine 7274 7290 7325 Sand-pelly-Br., Sandy 2380 2360 Gr.Sand Gr.Sandy 2380 2360 Gr.Sand Gr.Sandy Gr		THE PROPERTY OF A SHOP AND A STATE OF THE PARTY OF THE PARTY.	The second secon		CONTRACTOR OF THE PROPERTY OF	Constitution of the Consti	(a) 1 (1) (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	
Siltstone Br to Grn 1114 1190 Sh. Siltstor to Bk 5400 5800 Sandstone Gr to Grn 1190 1225 Shale Gr.Br & Bk 5800 6044 Shale Red to Grn 1125 1334 Shale Gr.Br & Bk 5800 6044 Shale Red to Grn 1255 1334 Shale Gr.Br & Bk 5800 6044 Shale Br.Gr.Shaley 1334 1345 1358 Shale Gr.Br & Woins 6044 6103 Shale Gr.Gr.Shaley 1345 1358 Shale Gr to Bk, Soft 6103 6410 Shale Gr.Gr.Shandy 1358 1449B.L. Shale Bk, Limoy 6410 6478 Ccr* Shale Gr.green 1449 1453 Limestone Gr.impure, silty 6478 6503 502 Shale Br.Gr.Sandy 1453 1505 Shale Dk.Gr.Lime Sholls 6503 6620 502 Sandstone Fine, Br.Lmy 1505 1520 Shale Dk.Gr.Lime Sholls 6620 6670 Limestone Gr.Wh, Shaley 1520 2558 Shale Dk., Vasort, Limoy6670 6680 Shale Gr.Gr.Sandy 1558 1575 Limestone Gr. Cherty 6680 6708 Shale Gr.Gr.Sandy 1558 1575 Limestone Gr. Cherty 6680 6708 Shale Gray 1604 1610 Sand Wh, fine, hord 6907 6912 Sandstone Gr to Grn, Fine 1610 1628 Chertalimestone Brace Immey8912 6940 Shale Gr.Gr. 1628 1973 Sands United Gr. Indre 6940 7025 508 Shale Gr.Gr.Sandy 1984 2043 Limestone Br. Gr., fine, hord 6940 7025 508 Shale Gr.Gr. White Gr. 1628 1973 1984(30')Sand Gr. fine, limey 7025 7040 Shale Gr.Gr. Wh to Br 1973 1984(30')Sand Gr. fine, hord 7100 7121 Shale Gr 2060 2090 Str.Limestone Gr., fine, hord 7100 7121 Shale Gr 2060 2090 Str.Limestone Gr. andy 7121 7274 7290 Shale Gr. 2060 2090 Str.Limestone Gr. andy 7121 7274 7290 Shale Gr. sandy 2330 2340 Sand Gr.sandy 3230 2340 Sand Gr.sandy 2330 2340 Sand Gr.sandy 2330 2340 Sand Gr.sandy 2330 2340 Sand Gr.sandy 2330 2340 Sand Gr.sandy 2371-shaley Sh.Siltst. Gr to grn. 2371 2575 **Chale Br.H., dense 2672 2585	<ol> <li>M. Martin, Phys. Lett. B 50, 1987 (1987); Phys. Rev. B 50, 127 (1987); Phys. Rev. B 50, 1987 (1987);</li> </ol>				Safety The Section Second and Contract Contraction	are viction of the control of the co	COLUMN TO THE STATE OF THE STAT	Comprehensive to the control of the
Sandstone Gr to Grn 1190 1225 Shale Gr, Br & Bk 5800 6044 Shale Red to Grn 1225 1334 Shale Gr&Bk, Calcito Limestone Br.Gr. Shaley 1334 1345L.L. Veins 6044 6103 Shale Gr.Grng.Lmy 1345 1358 Shale Gr to Bk, Soft 6103 6410 Limestone Br.Gr. Sandy 1358 1449L.L. Shale Gr to Bk, Soft 6103 6410 Limestone Br.Gr. Sandy 1358 1449L. Shale Bk, Limoy 6410 6478 Shale Gr.green 1449 1453 Limestone Gr. impure, silty 6478 6503 6620 Limestone Br.Gr. Sandy 1453 1505 Shale Dk.Gr. Lime Shalls 6503 6620 Wale Sandstone Fine, Br.Lmy 1505 1520 Shale Dk. Wysort, Limos 6670 6680 Shale Gr.Grn. Sandy 1558 1575 Limestone Gr. Cherty 6680 6708* Sandstone Fine, Gr 1575 1604 ChertalimeStone Br.togr 6708 6907 Shale Gray 1604 1610 Sand Wh. fine, hard 6907 6912 Shassiltst Dk.Gr 1628 1973 Sand Wh. to Gr. hard 6940 7025* Sandstone Wh. to Br 1973 1984(30')Sand Gr. fine, limey 7025 7040 Shale Gr.Grn. Sandy 1984 2043 Limestone Gr. fine, hard 6940 7025* Sandstone Wh. to Br 1973 2060(Gor. Sandstone Gr. sandy 7121 7274 Sand Wh. to Gr. 2090 2119(Gor)Sand Gr. sandy 7121 7274 Sand Wh. to Gr. 2080 2090 Str.Limestone Gr. sandy 7121 7274 Sand Gr.Grn. Fine 230 2930 TOTAL DEPTH 7326 Shale Gr. sandy 2330 2340 Shale Gr. sandy 2330 2371-Shaley Sh.Sl.1tst. Gr. to grn. 2371 2672 *(Huntersville Chort) Limostone Br.H. dense 2672 2575 *(Oriskany Gns)	· 1900年/1904年/1905年/1904年/1906年/1906年/1906年/1906年/1906年/1906年/1906年/1906年/1906年/1906年/1906年/1906年/1906年/1906年/	Contract Co					Constitution By Land Constitution	The state of the s
Shale Red to Grn 1225 1334 Shale Grabk, Calcite Limestone Br.Gr.Shaley 1334 1345L.L. Voins 6044 6103 Shale Gr.Grn.R.Lmy 1345 1358 Shale Gr to Bk, Soft 6103 6410 Limestone Br.Gr.Sandy 1358 1449B.L. Shale Bk, limoy 6410 6478 6503 Shale Gr-green 1449 1453 Limestone Gr.; impure, silty 6478 6503 ft. Limestone Br.Gr.Sandy 1453 1505 Shale Dk.Gr.Lime Shalls 6620 6670 Limestone Br.Gr.Sandy 1453 1505 Shale Dk., Lime sholls 6620 6670 Limestone Gr.Wh, Shaley 1500 1558 Shale Dk., Lime sholls 6620 6670 Limestone Gr.Wh, Shaley 1520 1558 Shale Dk., V.Soft, Limey6670 6680 Shale Gr.Grn.Sandy 1558 1575 Limestone Gr. Chorty 6680 6708* Sandstone Fine, Gr 1575 1604 ChertalimeStone Br.toGr 6708 6907 Shale Gray 1604 1610 Sand Wh, fine, hard 6907 6912 Shale Gray 1604 1610 Sand Wh, fine, hard 6907 6912 Shale Gray 1604 1610 Sand Wh, fine, hard 6907 6912 Shale Gray 1604 1610 Sand Wh, fine, hard 6907 7025* Sandstone Wh to Br 1973 1984(30*)Sand Gr. fine, limey 7025 7040 Shale Gr-Grn, Sandy 1984 2043 Limestone Gr. fine, hard 6940 7100 Shale Gr-Grn, Sandy 1984 2043 Limestone Gr. fine, hard 7100 7121 Shale Gr 2060 2090 StrLlimestone Gr. sandy 7121 7274 Sand Wh to Gr 2090 2119(Gor)Sand Gr. fine, hard 7100 7121 Shale Gr 2060 2090 StrLlimestone Gr. sandy 7121 7274 Sand Wh to Gr 2090 2119(Gor)Sand Gr. & White, fine 7274 7290 Shale Gr, sandy 2330 2340 Shale Gr, sandy 2330 2340 Shale Gr, sandy 2330 2340 Shale Gr, sandy 2300 2371-Shaley Shalles Gr to grn. 2371 2672 *(Huntersville Chort) Limestone Br.H, dense 2672 2675 *(Oriskany Gas)	THE REPORT OF THE PARTY OF THE PROPERTY OF THE PARTY OF T	CONTRACTOR AND PROPERTY OF THE PROPERTY OF THE PARTY OF THE PROPERTY OF THE PR			A CONTRACT OF THE PROPERTY OF			THE STATE OF THE PARTY AND
Limestone Br.Gr. Shaley 1334 1345 Lie Veins 6044 6103 Shale Gr.Grn.R.Lmy 1345 1358 Shale Gr to Bk, Soft 6103 6410 Limestone Br.Gr. Sandy 1358 1449F.L. Shale Bk, Limoy 6410 6478 6503 Shale Gr-green 1449 1453 Limestone Gr.impure, silty 6478 6503 702 Limestone Br-Gr. Sandy 1453 1505 Shale Dk.Gr. Lime Shalls 6503 6620 702 Limestone Fine, Br.Lmy 1505 1520 Shale Dk. Time shalls 6620 6670 Limestone Gr.Wh, Shaley 1520 1558 Shale Dk. V. Soft, Limoy 6670 6680 Shale Gr.Grn. Sandy 1558 1575 Limestone Gr. Cherty 6680 6708* Shale Gr.Grn. Sandy 1558 1575 Limestone Gr. Cherty 6680 6708* Shale Gray 1604 1610 Sand Wh, fine, hard 6307 6912 6638 Shale Gray 1604 1610 Sand Wh, fine, hard 6307 6912 6638 Shale Gray 1604 1610 Sand Wh, fine, hard 6307 6912 6638 Shale Gr. Grn., Fine 1610 1628 ChertsLimestone DraGr limey 6312 6940 Sh.ASiltst.k.Gr 1628 1973 Sand Wh to Gr. hard 6640 7025* Sandstone Wh to Br 1973 1984(30) Sand Gr. fine, limey 7025 7040 Shale Gr-Grm, Sandy 1984 2043 Limestone Gr. fine, hard 7100 7121 Shale Gr. 2060 2090 Str) Limestone Gr. fine, hard 7100 7121 Shale Gr. 2060 2090 Str) Limestone Gr. fine, hard 7100 7121 Shale Gr. 2060 2090 Str) Limestone Gr. fine, hard 7100 7121 Shale Gr. 2060 2090 Str) Limestone Gr. fine, hard 7100 7121 Shale Gr. 3060 2090 Str) Limestone Gr. 7290 7325 Sand-pethly-Br., Course, 2264 2288-5th Shale Gr., sandy 2330 2340 Shale Gr., sandy 2371 2672 *(Huntersville Chort) Limestone Br.H, dense 2572 2575 *(Oriskany Gns)	The said of the sa	The Control of the Co	The state of the s		The state of the s			
Shale Gr.Gri.R.Lmy 1345 1358 Shale Gr to Bk, Soft 6103 6410 Limestone Br.Gr.Sandy 1358 1449B.L. Shale Bk, Limoy 6410 6478 C.C. Shale Gr-green 1449 1453 Limestone Gr., Impure, silty 6478 6503 702. Limestone Br.Gr.Sandy 1453 1505 Shale Dk.Gr., Lime Shells 6503 6620 000 Sandstone Fine, Br.Lmy 1505 1520 Shale Bk., Lime shells 6620 6670 Limestone Gr.Wh, Shaley 1520 1558 Shale Bk., V.Soft, Limey6670 6680 Shale Gr.Grn.Sandy 1558 1575 Limestone Gr. Cherty 6680 6708* Sandstone Fine, Gr 1575 1604 ChertalimeStone Br.togr 6708 6907. Shale Gray 1604 1610 Sand Wh, fine, hard 6307 6912 000 Shale Gr. to Grn., Fine 1610 1628 Chertalimestone Br.togr 6708 6907. Shale Gr. to Grn., Fine 1610 1628 Chertalimestone Br.togr 6708 6912 000 Shasiltst. k.Gr 1628 1973 Sand Wh to Gr., hard 6340 7025* Sandstone Wh to Br 1973 1984(30) Sand Gr. fine, limey 7025 7040 Shale Gr-Grn, Sandy 1984 2043 Limestone Gr. fine, hard 6340 7100 Shale Gr-Grn, Sandy 1984 2043 Limestone Gr., sandy 7100 7121 Shale Gr 2060 2090 Str. Limestone Gr., sandy 7121 7274 Sand Wh to Gr 2090 2119 (Gor) Sand Gr. & White, fine 7274 7290 Shale Dk Gr 2119 2664 Limestone Gr., sandy 7290 7325 Sand-pethly-Br., Course, 2264 2288-5th Shelecardy-Gr to Grn, 2288 2320 Gase Sand GrGrn., Fine 230 2330 TOTAL DEPTH 7325 Shale Gr., sandy 2330 2340 Shale Gr., sandy 2371 2672 *(Huntersville Chort) Limestone Br.H, dense 2572 2575 *(Oriskany Gns)	1.有一种的一种特殊的人类的表现代的是一种特别的特殊的				7. 7.		6044	6103
Limestone Br.Gr.Sandy 1358 1449B.L. Shale Bk. Limoy 6410 6478 5581b Gr-green 1449 1453 Limestone Gr.impure, silty 6478 6503 771 Limestone Br-Gr.Sandy 1453 1505 Shale Dk.Gr.Lime Shells 6503 6620 538 538 538 538 538 538 538 538 538 538				CONTROL OF TWO LETS AND	Shale		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Carlotte and the second of the
Shale   Gr-green   1449   1453   Limestone   Gr, impure, silty   6478   6503   125   Limestone   Br-Gr, Sandy   1453   1505   Shale   Dk. Gr, Lime   Shells   6503   6620   Make   Sandstone   Fine, Br. Limy   1505   1520   Shale   Dk. V. Scott, Limey6570   6680   Limestone   Gr. Wh. Shaley   1520   1558   Shale   Dk. V. Scott, Limey6570   6680   Gr. Grn. Sandy   1558   1575   Limestone   Gr. Cherty   6680   6708   Olive   Sandstone   Fine, Gr   1575   L604   Chert& LimeStone   Br. toGr   6708   6907   6912   Gr. Sandstone   Gr. to Grn. Fine   6610   Sand   Wh. fine, hard   6907   6912   Gr. Sandstone   Gr. to Grn. Fine   6610   1628   Chert& Limestone   Dr&Gr   Limey6912   6940   Sh. Siltst. Dk. Gr   1628   1973   Sand   Wh. to Gr. hard   6940   7025   6940   Sh. Siltst. Dk. Gr   1628   1973   Sand   Wh. to Gr. hard   6940   7025   6940   Sh. Sandstone   Wh. to Br   1973   1984   301   Sand   Gr. fine, limey   7025   7040   Sandstone   Gr-Grn. Sandy   1984   2043   Limestone   Gr. fine, hard   7100   7120   Sandstone   Gr. Wh   2043   Limestone   Gr. fine, hard   7100   7121   7274   Sand   Wh. to Gr.   2060   2090   Str) Limestone   Gr. sandy   7121   7274   7290   7325   7326	(Limestone	STATE OF THE STATE	and the second second second second second		Shale		and the second of the second o	
Limestone Br-Gr, Sandy 1453 1505 Shale Dk.Gr, Lime Shells 6503 6620 5	Shale		可作 医肾上腺 医心腺性疾病结核				the state of the second second	4 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Sandstone Fine, Br. Liny 1505 L520 Shale Dk., Time shells 6620 6670 Limestone Gr. Wh. Shaley 1520 L558 Shale Dk., V. Soft, Limoy 6670 6680 Shale Gr. Gran. Sandy 1558 1575 Limestone Gr. Cherty 6680 6708 Sandstone Fine, Gr. 1575 1604 Chertalimestone Br. togr. 6708 6907 Shale Gray 1604 1610 Sand Wh. fine, hard 6907 6912 322 Sandstone Gr. to Grn, Fine 1610 1628 Chertalimestone Brack limey 6912 6940 Sh. Siltst. Dk. Gr. 1628 1973 Sand Wh. to Gr. hard 6940 7025 598 Sandstone Wh. to Br. 1973 1984 (30) Sand Gr. fine, limey 7025 7040 Shale Gr. Grn, Sandy 1984 2043 Limestone Gr. fine, hard 7100 7121 Shale Gr. 2060 2090 Str. Limestone Gr., sandy 7121 7274 Sand Wh. to Gr. 2090 2119 (Gor) Sand Gr. White, fine 7274 7290 Shale Dk. Gr. 2119 2264 Limestone Gr. White, fine 7274 7290 Shale Gr., course, 2264 2286-5th Shale Gr., sandy 2330 2340 Sand Gr., sandy 2330 2340 Sand Gr., sandy 2330 2340 Sand Gr., sandy 2330 2371-Shaley Sh., Siltst. Gr. to grn. 2371 2672 *(Huntersville Chort) Limestone Br. H., dense 2672 2675 *(Oriskany Gas)	Limestone	Br-Gr.Sandy	1453	the second of the second of the second	Service Control of the Control of th			がたった。たくでは、たくかとことが <b>はまま</b> ないできた。
Lime stone Gr-Wh, Shaley 1520	Sandstone	Fine Br. Lmy	1505					The state of the s
Shale Gr.Grn.Sandy 1558 1575 Limestone Gr. Cherty 6680 6708* Sandstone Fine, Gr 1575 1604 Chert&LimeStone Br.teGr 6708 6907 Shale Gray 1604 1610 Sand Wh. fine, hard 6907 6912 Gr. Sandstone Gr. to Grn.Fine 1610 1628 Chert&Limestone Br&Gr 1imey6912 6940 Sh.&Siltst.Dk.Gr 1628 1973 Sand Wh. to Gr. hard 6940 7025* Sendstone Wh. to Br. 1973 1984(30!)Sand Gr. fine, limey 7025 7040 Shale Gr-Grn.Sandy 1984 2043 Limestone Gr. 7040 7100 Sandstone Gr.Wh 2043 2060(Gor.Sandstone Gr., fine, hard 7100 7121 Shale Gr. 2060 2090 Str.Limestone Gr., sandy 7121 7274 Sand Wh. to Gr. 2090 2119(Gor)Sand Gr.& White, fine 7274 7290 Shale Dk.Gr. 2119 2264 Limestone Gr. 7290 7325 Sand-pebly-Br., Course, 2264 2288-5th ShaleBandy-Gr. to Grn. 2288 2320 Gas—Sand Gr.Sandy 2330 2340 Sand Gr.Sandy 2330 2340 Sand Gr.Sandy 2330 2340 Sand Gr.Sandy 2330 2371-Shaley Sh.Siltst. Gr. to grn. 2371 2672 *(Huntersville Chort) Limestone Br.H.dense 2672 2675 *(Oriskany Gas)	Limestone	Gr-Wh, Shaley	1520	1558_				the control of the state of the
Sandstone Fine, Gr 1575 1604 ChertalimeStone Bratogr 6708 6907 Shale Gray 1604 1610 Sand Wh. fine, hord 6907 5912 532 Sandstone Gr to Grn, Fine 1610 1628 Chertalimestone BraGr limey6912 6940 ShakSiltst. Dk. Gr 1628 1973 Sand Wh to Gr, hard 6940 7025 7040 Sandstone Wh to Br 1973 1984(30*)Sand Gr. fine, limey 7025 7040 Shale Gr-Grn, Sandy 1984 2043 Limestone Gr 7040 7100 Sandstone Gr-Wh 2043 2060(Gor. Sandstone Gr., fine, hard 7100 7121 Shale Gr 2060 2090 Str. Limestone Gr, sandy 7121 7274 Sand Wh to Gr 2090 2119(Gor.)Sand Gr & White, fine 7274 7290 Shale Dk Gr 2119 2264 Limestone Gr 7290 7325 Sand-pethly-Br., Course, 2264 2288-5th Shale Gr, sandy 2330 2340 Sand Gr. Sandy 2330 2371-Shale Gr, sandy 2371 2672 *(Huntersville Chort) Limestone Br. H., dense 2672 2675 *(Oriskany Gas)	Shale	Gr.Grn.Sandy	1558					TO THE STREET OF THE STREET STREET
Shale Gray 1604 1610 Sand Wh, fine, hard 6907 6912 6940  Sandstone Gr to Grn, Fine 1610 1628 Chert2Limestone BraGr limey6912 6940  ShakSiltst.Dk.Gr 1628 1973 Sand Wh to Gr, hard 6940 7025*  Sandstone Wh to Br 1973 1984(30!)Sand Gr. fine, limey 7025 7040  Shale Gr-Grn, Sandy 1984 2043 Limestone Gr 7040 7100  Sandstone Gr-Wh 2043 2060(Ger. Sandstone Gr., fine, hard 7100 7121  Shale Gr 2060 2090 Str.Limestone Gr, sandy 7121 7274  Sand Wh to Gr 2090 2119(Gor)Sand Gr White, fine 7274 7290  Shale Dk Gr 2119 2264 Limestone Gr 7290 7325  Sand-pethly-Br., Course, 2264 2288-5th  Shale Gr. Grn, 2288 2320 Gas-  Sand Gregri. Fine 2320 2330 TOTAL DEPTH 7325  Shale Gr. sandy 2330 2340  Sand Gregri. Fine 2340 2371-Shaley  Sh.Siltst. Gr to grn. 2371 2672 *(Huntersville Chort)  Limestone Br.H, dense 2672 2675 *(Oriskany Gas)	Sandstone	Fine, Gr	1575	the state of the s	The state of the s		Section of the sectio	
Sandstone Gr to Grn, Fine 1610 1628 ChertcLimestone Dr&Gr limey 6912 6940 Sh.&Siltst.Dk.Gr 1628 1973 Sand Th to Gr, hard 6940 7025* Sandstone Th to Br 1973 1984(30*)Sand Gr. fine, limey 7025 7040 Shale Gr-Grn, Sandy 1984 2043 Limestone Gr 7040 7190 Sandstone Gr-Wh 2043 2060(Gor.Sandstone Gr., fine, hard 7190 7121 Shale Gr 2060 2090 Str. Limestone Gr, sandy 7121 7274 Sand Wh to Gr 2090 2119(Gor.Sand Gr. White, fine 7274 7290 Shale Dk Gr 2119 2264 Limestone Gr 7290 7325 Sand-pethly-Br., Course, 2264 2288-5th Shale Gr. Grn, 2288 2320 Gas- Sand Gr-Grn, Fine 2320 2330 TOTAL DEPTH 7325 Shale Gr, sandy 2330 2340 Sand Gr-grn. Fine 2340 2371-Shaley Sh.Siltst. Gr to grn. 2371 2672 *(Huntersville Chort) Limestone Br.H. dense 2572 2675 *(Oriskany Gas)	Shale	Gray'	1604	The second secon	and the first that the control of the state		6907	6912
Sheasiltst.Dk.Gr 1628 1973 Sand Th to Gr, hard 6940 7025*** Sandstone Wh to Br 1973 1984(30*)Sand Gr. fine, limey 7025 7040.  Shale Gr-Grm, Sandy 1984 2043 Limestone Gr 7040 7100 Sandstone Gr-Wh 2043 2060(Gor.Sandstone Gr., fine, hard 7100 7121 Shale Gr 2060 2090 Str.Dimestone Gr, sandy 7121 7274 Sand Wh to Gr 2090 2119(Gor)Sand Gr & White, fine 7274 7290 Shale Dk Gr 2119 2264 Limestone Gr 7290 7325 Sand-pethly-Br., Course, 2264 2288-5th Sheletardy-Gr to Grm, 2288 2320 Gas- Sand Gr-Grm, Fine 2320 2330 TOTAL DEPTH 7325 Shale Gr, sandy 2330 2340 Sand Gr-grn, Fine 2340 2371-Shaley Sh.Siltst. Gr to grn. 2371 2672 *(Huntersville Chort) Limestone Br.H., dense 2672 2675 *(Oriskany Gas)	Sandstone	Gr to Grn, Fir	ie 1610	1628	Chert&Lime:		769I2	
Sandstone Wh to Br 1973 1984(30) Sand Gr. fine, limey 7025 7040 Shale Gr-Grn, Sandy 1984 2043 Limestone Gr 7040 7160 Sandstone Gr-Wh 2043 2060(Gor Sandstone Gr., fine, hard 7100 7121 Shale Gr 2060 2090 Str. Limestone Gr, sandy 7121 7274 Sand Wh to Gr 2090 2119(Gor) Sand Gr White, fine 7274 7290 Shale Dk Gr 2119 2264 Limestone Gr 7290 7325 Sand-pethly-Br., Course, 2264 2288-5th Shale Sidy-Gr to Grn, 2288 2320 Gas— Sand Gr-Grn, Fine 2320 2330 TOTAL DEPTH 7325 Shale Gr, sandy 2330 2340 Sand Gr-grn. Fine 2340 2371-Shaley Sh. Siltst. Gr to grn. 2371 2672 (Huntersville Chort) Limestone Br. H. dense 2672 2675 (Oriskany Gas)	Sh.&Siltst	•Dk•Gr	1628					7025*.
Shale Gr-Grn, Sandy 1984 2043 Limestone Gr 7040 7100 Sandstone Gr-Wh 2043 2060(Gor.Sandstone Gr., fine, hard 7100 7121 Shale Gr 2060 2090 Str) Dimestone Gr. sandy 7121 7274 Sand Wh to Gr 2090 2119(Gor.) Sand Gr. White, fine 7274 7290 Shale Dk Gr 2119 2264 Limestone Gr 7290 7325 Sand-pethly-Br., Course, 2264 2288-5th Shale Endy-Gr to Grn, 2288 2320 Gas- Sand Gr-Grn, Fine 2320 2330 TOTAL DEPTH 7325 Shale Gr, sandy 2330 2340 Sand Gr-grn, Fine 2340 2371-Shaley Sh., Siltst. Gr te grn. 2371 2672 *(Huntersville Chort) Limestone Br.,		Wh to Br	1973	1984(30)	Sand .			7040
Sandstone Gr. Wh 2043 2060(Gor.Sandstone Gr., fine, hard 7100 7121 Shale Gr 2060 2090 Str. Limestone Gr., sandy 7121 7274 Sand White Gr 2090 2119(Gor.) Sand Gr. White, fine 7274 7290 Shale Dk Gr 2119 2264 Limestone Gr 7290 7325 Sand-pethly-Br., Course, 2264 2288-5th Shale Sandy-Gr to Grn, 2288 2320 Gas-Sand Gr-Grn, Fine 2320 2330 TOTAL DEPTH 7325 Shale Gr, sandy 2330 2340 Sand Gr-grn. Fine 2340 2371-Shaley Sh., Siltst. Gr te grn. 2371 2672 *(Huntersville Chort) Limestone Br., dense 2572 2575 *(Oriskany Gas)	Shale	Gr-Grn, Sandy	1984	2043	Limostone		7040	7100
Shale Gr 2060 2090 Str Limestone Gr, sandy 7121 7274 Sand Wh to Gr 2090 2119(Gor)Sand Gr & White; fine 7274 7290 Shale Dk Gr 2119 2264 Limestone Gr 7290 7325 Sand-pethly-Br., Course, 2264 2288-5th Shale Gr, Crn, 2288 2320 Gas- Sand Gr-Crn, Fine 2320 2330 TOTAL DEPTH 7325 Shale Gr, sandy 2330 2340 Sand Gregra. Fine 2340 2371-Shaley Sh.Siltst. Gr te grn. 2371 2672 *(Huntersville Chort) Limestone Br.H. dense 2672 2575 *(Oriskany Gas)	Sandstone	Gr-Wh	2043	2060(Gor			7100	7121
Sand Wh to Gr 2090 2119(Gor)Sand Gr & White, fine 7274 7290 Shale Dk Gr 2119 2264 Limestone Gr 7290 7325 Sand-pethly-Br., Course, 2264 2288-5th Shale-fandy-Gr to Grn, 2288 2320 Gas- Sand Gr-Grn, Fine 2320 2330 TOTAL DEPTH 7325 Shale Gr, sandy 2330 2340 Sand Gr-grn. Fine 2340 2371-Shaley Sh.Siltst. Gr to grn. 2371 2672 "(Huntersville Chort) Limestone Br.H.dense 2672 2575 *(Oriskany Gas)	The second of the Control of the Con	Contract to the second section of the second second second	2060	2090 Str)	Limestone			7274
Shale Dk Gr 2119 2264 Limestone Gr 7290 7325  Sand-pethly-Br., Course, 2264 2286-5th  Shale Birdy-Gr to Grn, 2288 2320 Gas-  Sand Gr-Grn, Fine 2320 2330 TOTAL DEPTH 7325  Shale Gr. sandy 2330 2340  Sand Gr-grn. Fine 2340 2371-Shaley  Sh.Siltst. Gr to grn. 2371 2672 *(Huntersville Chort)  Limestone Br.H. dense 2572 2575 *(Oriskany Gas)			CONTROL OF SERVICE AND ADDRESS OF THE PARTY	2119(Gor		Gr & White, fine	7274	7290
Shale Sindy Gr. to Grn, 2288 2320 Gas Sand Gr. Grn. Fine 2320 2330 TOTAL DEPTH 7325 Shale Gr. sandy 2330 2340 Sand Gregra. Fine 2340 2371 Shaley Sh. Siltst. Gr tc grn. 2371 2672 *(Huntersville Chort) Limestone Br. H. dense 2672 2675 *(Oriskany Gas)				2264				7325
Sand Gr-Grn.Fine 2320 2330 TOTAL DEPTH 7325 Shale Gr.sandy 2330 2340 Sand Gregrn.Fine 2340 2371-Shaley Sh.Siltst. Gr tc grn. 2371 2672 *(Huntersville Chort) Limestone Br.H.dense 2672 2675 *(Oriskany Gas)			2264	2288-5th				2 4 day 5
Shale Gr. sandy 2330 2340 Sand Gregn. Fine 2340 2371-Shaley Sh. Siltst. Gr tc grn. 2371 2672 *(Huntersville Chort) Limestone Br. H. dense 2672 2675 *(Oriskany Gas)	Shale Cody		x					
Sand Gragnafine 2340 2371-Shaley ShaSiltsta Grite grna 2371 2672 *(Huntersville Chort) Limestone Brandense 2672 2675 *(Oriskany Gas)			The Contract of the Contract o		TOTAL DEPTH			7325
SheSiltste Gr to grne 2371 2672 *(Huntersville Chort) Limestone BreHedense 2572 2575 *(Oriskany Gas)	and the state of the best of the first of the state of th		· 如果我们是一个一个,我们是一个一个	The state of the s				Lorent Control
Limestone Br.H. dense 2672 2675 *(Oriskany Gas)	CONTRACTOR TO THE CONTRACTOR OF THE STATE			Control of the second s	Edice (die Califolia Artabella)			
			A Proposition of the Comment of the				ort)	
ышие Gr-Gra 2675 2690	the action of the second of th	智等的智慧的自然和影响的特殊。 第二十二章		S. Order Park to the Control of the Control	*(	Oriskany Gas)		
	puerte	ur-urn	2675	2690				

6680 6902 7025 1222 1212 1223 12117/2024 5458 5685 5803 12117/2024

7325 2283 5630



Stansberry, Wade A <wade.a.stansberry@wv.gov>

# Plugging Vertical Well Work Permit (API: 47-041-00049)

Stansberry, Wade A <wade.a.stansberry@wv.gov>

Tue, Dec 14, 2021 at 11:47 AM

To: Diane White <dwhite@hgenergyllc.com>, "Ward, Samuel D" <samuel.d.ward@wv.gov>, John Breen <jbreen@assessor.state.wv.us>

I have attached a copy of the newly issued well permit numbers:

47-041-00049 - 8555

This will serve as your copy.

Thank you,

Wade A. Stansberry

**Environmental Resource Specialist 3** 

**West Virginia Department of Environmental Protection** 

Office of Oil & Gas

601 57th St. SE

Charleston, WV 25304

(304) 926-0499 ext. 41115

(304) 926-0452 fax

Wade.A.Stansberry@wv.gov

### 2 attachments



