

- Redrill.....
- New Location.
- Drill Deeper.....
- Abandonment.....

Company BEAR RUN OIL & GAS CO.
 Address BOX 325 CLARKSBURG, W.VA.
 Farm DORA WEBER et al.
 Tract _____ Acres 116 3/4 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 1261' VA.
 Quadrangle WESTON SW 4?
 County LEWIS District HACKERS CK.
 Engineer James D. Jeffria
 Engineer's Registration No. 1084
 File No. 209/56 Drawing No. _____
 Date 4-10-62 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. Lew-998

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

RDM'S



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 5

Quadrangle Weston

Permit No. LEW-998

WELL RECORD

Oil or Gas Well Gas Show
Dry
(KIND)

Company BEAR RUN OIL & GAS COMPANY
Address Box 925, Clarksburg, West Virginia
Farm Dora Weber Acres 116-3/4
Location (waters) _____
Well No. One Elev. 1261
District Hackers Creek County Lewis
The surface of tract is owned in fee by Dora E. Weber, et al
Address Weston, W. Va.
Mineral rights are owned by Dora E. Weber, et al
Address Weston, W. Va.
Drilling commenced May 17, 1962
Drilling completed June 21, 1962
Date Shot _____ From _____ To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer _____
13			Size of _____
10	290		Depth set _____
8 1/4	1091		
6 3/4	1848		
5 3/16			
4 1/2	2739	2739	Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED Yes SIZE 4 1/2 No. Ft. 2600 Date 7/9/62

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES


WELL FRACTURED Yes.

RESULT AFTER TREATMENT 60,000 cu. ft.

ROCK PRESSURE AFTER TREATMENT 320 lbs.

Fresh Water _____ Feet Salt Water _____ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Clay			0	25			
Lime			25	33			
Rock	Red		33	40			
Lime			40	46			
Slate & Shell			46	120	Water	80	Enough to drill with
Slate	Black		120	125			
Slate			125	135			
Sand			135	145			
Slate			145	165			
Lime			165	175			
Slate			175	240			
Lime			240	265			
Rock	red		265	283			
Slate & Shell			283	295			
Rock	Red		295	305			
Slate & Shell			305	325			
Rock	Red		325	350			
Shell			350	355			
Rock & Shell	Red		355	395			
Slate & Shell			395	460			
Rock	Red		460	475			
Slate			475	490			
Rock	Red		490	495			
Slate & Shell			495	540			
Rock	Red		540	570			
Slate & Shell			570	640			
Slate	White		640	652			



Formation	Color	Hard or Soft	Top 5	Bottom	Oil, Gas or Water	Depth Found	Remarks
Lime		Gritty	652	666	Formation	Top	Bottom
Slate			666	715	Lime	2692	2706
Sand			715	797	Slate & Lime	2706	2717
Slate & Shell			797	810	Sand	2717	2722
Lime & Shell			810	850	Slate & Lime	2722	2739 TD
Slate			850	855			
Lime			855	870			
Lime & Shell			870	930			
Sand			930	945			
Slate & Shell			945	980			
Sand			980	1067			
Slate	Black		1067	1091			
Sand			1091	1129			
Slate			1129	1131			
Sand			1131	1202			
Slate & Shell			1202	1245			
Slate	Black		1245	1265			
Sand			1265	1323			
Slate & Shell			1323	1360			
Sand			1360	1473			
Slate			1473	1478			
Sand			1478	1510			
Lime		Gritty	1510	1525			
Slate & Shell			1525	1550			
Rock	Red		1550	1620			
Lime			1620	1642			
Rock	Red		1642	1650			
Lime			1650	1662			
Rock	Red		1662	1675			
Slate & Shell			1675	1715			
Rock	Red		1715	1728			
Lime		Gritty	1728	1752			
Slate			1752	1754			
Lime		Gritty	1754	1776			
Slate			1776	1780			
Lime			1780	1790			
Slate & Shells			1790	1818			
Slate	White		1818	1820			
Big Lime			1820	1875			
Injun Sand			1875	2005			
Possom Sand			2005	2035			
Slate			2035	2042			
Sand Weir			2042	2060			
Slate & Shell			2060	2098			
Sand			2098	2117			
Slate			2117	2130			
Lime			2130	2160			
Slate & Shell			2160	2197			
Sand		Hard	2197	2242			
Slate & Shell			2242	2288			
Sand			2288	2308			
Slate & Shell			2308	2325			
Rock	Pink		2325	2330			
Sand			2330	2360			
Slate & Shell			2360	2368			
Rock	Red		2368	2405			
Sand			2405	2422			
Slate			2422	2432			
Lime			2432	2443			
Sand			2443	2480			
Slate			2480	2481			
Sand			2481	2512			
Lime			2512	2622			
Slate & Shell			2524	2630			
Sand			2622	2660			
Slate			2630	2660			
Sand			2660	2662			
Slate & Shell			2662	2692			

Date Oct 14 1962
Thomas H. Lamb Owner
 (Title)

APPROVED 2524