


LATITUDE 39° 10' 00"

00' 03" 08 LONGITUDE



7'5 OGIS topo location

7.5' loc 1.37S 15' loc _____
 0.78W (calc.) _____

Company _____

Farm _____


Quad BIG ISAAC 7 1/2'

County LEWIS

District FREEMANS CREEK

WELL LOCATION MAP

File No. 041-10A



Lew-10-A

- LEGEND**
- Section
 - Well
 - Abund.
 - Well
 - Abund.
 - Dry Hole
- No. 10-10-A-10
 Lew-10-A
 No. 10-10-A

EXHIBIT CERTIFICATE

I, the undersigned, hereby certify that this map is correct and shows all the information to the best of my knowledge and belief, required by law of all proceedings of the state laws of West Virginia.

**AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL**
(REQUIRED BY SECTION 8, CHAPTER 88, ACTS 1929)
WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

No Coal Operations in this section.

Reserve Gas Company

COAL OPERATOR
ADDRESS
Coal Owner unknown.
COAL OPERATOR
ADDRESS
COAL OPERATOR
ADDRESS

NAME OF WELL OPERATOR
445 West Main Street
Clarksburg, W. Va.
COMPLETE ADDRESS

April, 11, 1930

WELL AND LOCATION

Freemans Creek District

Lewis County

Well No. 415

Lloyd Talbot Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF Lewis

ss:

O. B. Middleton and Mick Bonnett
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Reserve Gas Company, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

27th day of February, 1930, and that the well was plugged and filled in the following manner:

FILLED WITH CLAY TO 2421. 1-5-5/16" WOOD PLUG SET AT 2421. PUT IN CEMENT PLUG AT 2419. AT 2419. FILLED WITH CLAY FROM 2419 TO 2125 AND ONE 6-5/8" WOOD PLUG SET AT 2125 FILLED WITH CLAY FROM 2125 TO 1908, SET 6-5/8" WOOD PLUG AT 1908. FILLED WITH CLAY FROM 1908 TO 1700, 6-5/8" WOOD PLUG AT 1700. FILLED WITH CLAY FROM 1700 TO 1675, SET 6-5/8" LEAD PLUG AT 1675. FILLED WITH CLAY FROM 1675 TO 1645, AND WOOD PLUG SET, FILLED WITH CLAY FROM 1645 TO 1635 AND WOOD PLUG SET AT 1625. FILLED WITH CLAY FROM 1625 TO 1615, 150 POUNDS LEAD WOOL PLUG, FILLED WITH CLAY FROM 1615 TO 1612, 6-5/8" LEAD PLUG SET AT 1612. FILLED WITH CLAY FROM 1612 TO 150' AND CEMENT RUN FROM 150' TO 90'. FILLED WITH CLAY FROM 90' TO SURFACE. ONE CONCRETE MONUMENT, MARKED R.G.CO, WELL NO. 415 EXTENDING ABOUT 30" ABOVE SURFACE. 48 HOURS AFTER ABANDONMENT GAS WOULD NOT LIGHT.

Description of monument:

APR 23 1930

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, OIL AND GAS ACT OF 1929.)
and that the work of plugging and filling said well was completed on the 11th day of April,

1930

And further deponents saith not.

O. B. Middleton
Mick Bonnett

64C
X 7/13

(10A)

Freemans Creek District, Lewis County, W. Va.

Reserve Gas Co.

On 35 acres, surface owned by Lloyd Talbott, Kinsheloe, W. Va.

Elevation, 1086'.

6-5/8" casing, 1625'.

Abandonment reported to Dept. of Mines, March 13, 1930.

No record of formations overlying the Pittsburgh Coal seam.

	Top.	Bottom.
Pittsburgh Coal	110	114
Little Dunkard Sand	540	585
Big Dunkard Sand	630	690
6-5/8" casing set at		1625

"No gas or oil between the bottom of coal seam
and the point where 6-5/8" casing is set."

Balance of record not given.