


LATITUDE 39° 05' 00"

00° 02' 08"

LONGITUDE



7'5 OGIS topo location

7.5' 10c 2.595 15' 10c \_\_\_\_\_  
                                  1.54w (calc.) \_\_\_\_\_

Company HNB Co (3375)

Farm P. G. Swisher


Quad BERLIN 7 1/2'

County LEWIS

District HACKERS CREEK

WELL LOCATION MAP

File No. 041-156A



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

Permit No. \_\_\_\_\_

Well does not penetrate coal.

COAL OPERATOR OR OWNER

Hope Natural Gas Company

NAME OF WELL OPERATOR

No coal operations in vicinity.

ADDRESS

Clarksburg, W. Va.

COMPLETE ADDRESS

COAL OPERATOR OR OWNER

WELL AND LOCATION

19

ADDRESS

Hackers Creek

District

A. K. Gould, Weston, W. Va. R #4.

LEASE OR PROPERTY OWNER

Lewis

County

ADDRESS

Well No. 3375

P. G. Swisher

Farm

AFFIDAVIT TO BE MADE IN TRIPPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF Lewis

} ss:

James W. Hinerman

and Samuel L. Aman.

being first duly sworn according to law depose and say that they are experienced in the work of

plugging and filling oil and gas wells and were employed by Hope Natural Gas Company, well operator, and participated in the work of plugging and filling the above well, that said work

was commenced on the 28 day of September, 1938, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Removed 2" Tubing and filled with clay to 2375' being 20' above 5th, said and set cement plug- filled with clay to 2215- and drove Hair Lead Plug- Bridged at 1776' clay to 1652' drove Hair Lead Plug and placed 3 bags cement on lead. Bridged at 1800' and set cement plug clay to 860' being 20' above salt sand and set cement plug- Bridged at 450' and set cement plug- and filled to surface with clay.

Manner in which coal was plugged:

No Coal.

Description of monument:

Regular H.N.G.Co. Concrete monument installed.

(THE ABOVE DESCRIPTION MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE.)

and that the work of plugging and filling said well was completed on the 12 day of October,

1938.

And further deponents saith not.