

LATITUDE 39°05'

.05 S
2.37 W

LONGITUDE 80°35'

Richard Pope Hrs.

C.O. (gone) S86 1/4 E 11 P

ptrs. on knob

S39 3/4 E 31 1/4 P

Maple

S64 E 30.4 P

Maple (gone)

S21 W 32 P
CO.

Jno. Fallon, Hrs.

O.M. Quinn

W. Brent Maxwell
49 3/4

N 81 1/4 W 14 1/2 P

S 37 1/4 E 74 1/2 P

Surface

Pat Fallon
(Admir. of Jos. Fallon Est.)
Camden, W. Va.

Cool

The Gauley Company
B. & O. Bldg.
Baltimore, Md.

1 E 11093.00

S 73 1/4 E 935'

N 11 1/2 E 12 P
B.O. (gone)
now Post

N 35 1/4 E 875'

S 78 1/4 W 1470'

Jno. Fletcher

W - 2.4
S - 105'

ABD.

Company	South Penn Oil Co.
Address	411 - 7th Ave., Pgh, Pa.
Farm	W. Brent Maxwell
Acres	49-3/4
Lease No.	44619
Well (Farm) No.	1
Elevation (SL)	1093.00
Quadrangle	Vadis 20
County	Lewis
District	Freomans Creek
Engincer	E. C. Tabler
Eng. Reg. No.	-
Date	July 28, 1939
Scale	1" - 400'

STATE OF WEST VIRGINIA
Department of Mines
OIL & GAS DIVISION
Charleston

WELL LOCATION MAP

File No. WV-179-A

x Denotes location of well on U. S. Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

Form No. LEW-556

The Gauley Company
Baltimore, Md.

SOUTH PENN OIL COMPANY

411 SKYLINE AVE.
PITTSBURGH, PA.

May 1, 19 40.

Freemans Creek District

Lewis County

Well No. 1

E. Brent Maxwell Farm

Pat Fallon (Adm. Cas. Fallon Est.)

Camden, West Va.

AFFIDAVIT TO BE MADE IN COMPLIANCE WITH LAWS TO BE OBEYED BY REGISTERED WELLS TO THE DEPARTMENT OF MINES AND THE OIL AND GAS DIVISION AND THE OIL AND GAS DIVISION IS REQUIRED TO BE MADE TO THE OIL AND GAS DIVISION AT THEIR RESPECTIVE ADDRESSES

AFFIDAVIT

STATE OF WEST VIRGINIA

COUNTY OF Harrison

J. F. Black

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by South Penn Oil Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 10th day of October 19 39, and that the well was plugged and filled in the following manner:

Manner in which said well was plugged:

Filled with red mud to 1860 ft. Could not pull 6-5/8" casing. Cut 6-5/8" casing at 1760 ft. Could not pull casing. Filled with non-porous material to 1840 ft. - 20' above Big Injun Sand. Set wood plug at 1840' to 1837'. Cement plug 1837' to 1827'. Cut 6-5/8" casing at 1860'. Filled with non-porous material to 1820'. - 30' below third salt sand. Set wood plug at 1820' to 1817'. Cement from 1817' to 1807'. Cut 6-5/8" casing at 1800'. Could not pull casing. Filled with non-porous material to 1800'. Cement plug 1800' to 1807'. Set wood plug at 1800' to 1807'. Cement plug 1807' to 1807'. - sealing First Salt Sand. Filled with non-porous material to 1125'. - 20' above Gas sand. Set wood plug at 1125' to 1122'. Cement 1122' to 1112'. - sealing Gas sand. Cut 6-5/8" casing at 1070'. Pulled 6-5/8" casing to 740'. Filled with non-porous material to 780'. - 20' above Little Dunkard Sand. Wood plug 780' to 777'. Cement plug 777' to 767'. - sealing Little Dunkard Sand. Pulled 6-5/8" casing. Filled with non-porous material to surface.

Description of monument: Erected 2' X 2' cement cone monument 2" above surface.

(THE ABOVE DESCRIPTION MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 24 OF THE CODE

and that the work of plugging and filling said well was completed on the 9th day of November 19 39.

And further deposes: