



Burnside Hrs.

I.G. Boner, Surface

J.B. Baley Hrs. O.G.M.

New Location   
 Drill Deeper   
 Abandonment

Company William Moses  
 Address 189 W. Main St. Salem, W. Va.  
 Farm I.G. Boner  
 Tract \_\_\_\_\_ Acres 57 Lease No. \_\_\_\_\_  
 Well (Farm) No. 2 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 1102  
 Quadrangl. Vadis  
 County LEWIS District Freemans Creek  
 Engineer A.R. Westfall  
 Engineer's Registration No. \_\_\_\_\_  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Nov 16, 1946 Scale 1" = 30 Poles

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. LEW-355-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

440

AP.  
355-A

WELL RECORD

Oil or Gas Well oil  
(KIND)

Company William Moses  
Address 189 W. Main St., Salem, W. Va.  
Farm J. G. Bomer Acres 57  
Location (waters) \_\_\_\_\_  
Well No. 2 Elev. 1102  
District Freemans Creek County Lewis  
The surface of tract is owned in fee by William Moses  
Address Salem, W. Va.  
Mineral rights are owned by no coal operations  
Address \_\_\_\_\_

Drilling commenced \_\_\_\_\_  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4		1969'	Depth set
6 5/8		1988'	
5 3/16			
3			Perf. top
2		2806	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			930	942	<i>cement</i>		
Little Lime			1875	1890	<i>BT-1400 + P 1300'</i>		
Big Lime			1912	1985	<i>PL-2008 + 1940'</i>		
Big Injun			1985	2130	<i>BT-2130</i>		
Thirty Foot			2472	2502			
Stray Sand			2560	2597	<i>Dring - 2560</i>		
Gordon Sand			2602	2650			
Fifth Sand			2802	2806			
Total Depth			2806	✓			



Jan 23/26

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE KEPT BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

**No coal operations**

COAL OPERATOR OR OWNER

ADDRESS

COAL OPERATOR OR OWNER

ADDRESS

LEASE OR PROPERTY OWNER

ADDRESS

**William Moses**

NAME OF WELL OPERATOR

189 W. Main St., Salem, W. Va.

COMPLETE ADDRESS

January 18, 1947

WELL AND LOCATION

Fresnan's Creek District

Lewis County

Well No. # 2

THE I. G. Bonar (J. B. Bailey) Farm

STATE INSPECTOR SUPERVISING PLUGGING **D. F. Decist**

AFFIDAVIT

STATE OF WEST VIRGINIA

County of **Harrison**

SS.

**Abe Bailey** and **TED Robinson**  
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by **William Moses** well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the **17th** day of **December**, **1946**, and that the well was plugged and filled in the following manner:

BAND OR ZONE RECORD FORMATION	FILLING MATERIAL		PLUGS USED SIZE & KIND	CASINGS	
	CONTENT	FROM TO		CSG PULLED	CSG LEFT IN
<b>Red-</b>	Red Clay	2806 2560			
	Heat cement	2560 2550			
	Per. bridge	2130	2 cement-5' stone		
	Red clay	to 2008			
	Heat cement	2008 1998			
	Crushed stone	1998 1993	pulled all 6 5/16" casing		
	Red clay	1993 1940	Filled 1400' 6 5/8"		
	Heat cement	1940 1930			
	P. bridge	1400	2 cement-5' stone		
	Red clay	to 1300			
	Heat cement	1300 1290			
	P. bridge	972	2 cement-5' stone		
	Heat cement	972 910			
	Red clay	910 to surface			

COAL BEANS

DESCRIPTION OF MONUMENT

NAME:

NAME:

NAME:

6" pipe in cement block 2 1/2' high. Inscribed: Well #2, I. G. Bonar farm, by Wm.