

Latitude 39 05

3

-2

3

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

JACKSON ARNOLD

LOUIS BENNETT

M. E. DENNISON

54^{ac}
L# 11345

4054

N19°SW
472'
S19°W 831'
S87°W 924' REC.

POST

WESTON

W.O.

N12W
825'

T. R. COLE

W. F. MORGAN

4054:
4.47S
2.93W

(LEWIS CO. FAIR GROUND)

N62E
330'

N62E
264'

S84E
726'

S74E
495'

S68E
363'

N15E
134'

N62E
134'

+

+

+

+

+

+

+

+

+

+

+

80

25

Longitude

New Location
Drill Deeper
Abandonment

Company PITTSBURGH E. WVA GAS CO.

Address CLARKSBURG, W.VA.

Farm M. E. DENNISON

Tract _____ Acres 54 Lease No. 11345

Well (Farm) No. ONE Serial No. 4054

Elevation (Spirit Level) 1305' V.A.

Quadrangle WESTON S.W. 3 E.

County LEWIS District COURTHOUSE

Engineer Kenneth B. Moore

Engineer's Registration No. _____

File No. D-32 P.69 Drawing No. _____

Date FEB. 25, 1948 Scale 1" = 500'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. LEW-388-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500. latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



474

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Oil or Gas Well "GAS"
(KIND)

Permit No. 3854

Company Pittsburgh & West Va Gas Company.

Address Clarksburg, West Va.

Farm M. E. Dennison Acres 5 1/2

Location (waters) Weston S/W. 3-3

Well No. 4054 Elev. 1305' VA

District Court House County Lewis

The surface of tract is owned in fee by Agnes Long
307 Court Street, Weston, West Va. Address

Mineral rights are owned by Will E. Morris et al.
Box 442 Clarksburg, W. Va. Address

Drilling commenced July 15th, 1912

Drilling completed August 17th, 1912

Date Shot _____ From _____ To _____

With _____

Open Flow _____ /10ths Water in _____ Inch

_____ /10ths Merc. in _____ Inch

Volume _____ Cu. Ft.

Rock Pressure _____ lbs. _____ hrs.

Oil _____ bbls., 1st 24 hrs.

Fresh water _____ feet _____ feet

Salt water _____ feet _____ feet

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|-------------------------|
| Size | | | |
| 16 | | | Kind of Packer |
| 13 | | | <u>Anchor</u> |
| 10 | | | Size of <u>6-5/8" X</u> |
| 8 1/4 | <u>800'</u> | <u>800'</u> | <u>5-3/16"</u> |
| 6 5/8 | <u>1865'</u> | <u>1865'</u> | Depth set <u>2349'</u> |
| 5 3/16 | <u>2366'</u> | <u>2366'</u> | |
| 3 | | | Perf. top |
| 2 | | | Perf. bottom |
| Liners Used | | | Perf. top |
| | | | Perf. bottom |


CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 260 FEET 24 INCHES

_____ FEET _____ INCHES _____ FEET _____ INCHES

_____ FEET _____ INCHES _____ FEET _____ INCHES

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|----------------|-------|--------------|------|--------|-------------------|-------------|---------|
| Red Rock | Red | Soft | 0 | 40 | | | |
| Slate | Dark | " | 40 | 140 | | | |
| Red Rock | Red | " | 140 | 175 | | | |
| Slate | White | " | 175 | 260 | | | |
| Coal | Black | " | 260 | 262 | | | |
| Slate | White | " | 262 | 300 | | | |
| Lime | " | Hard | 300 | 320 | | | |
| Red Rock | Red | Soft | 320 | 330 | | | |
| Slate | White | " | 330 | 420 | | | |
| Lime | " | Hard | 420 | 435 | | | |
| Red Rock | Red | Soft | 435 | 460 | | | |
| Lime | White | Hard | 460 | 475 | | | |
| Red Rock | Red | Soft | 475 | 510 | | | |
| Slate | White | " | 510 | 525 | | | |
| Lime | Dark | Hard | 525 | 565 | | | |
| Red Rock | Red | Soft | 565 | 655 | | | |
| Slate Shells | White | Hard&Soft | 655 | 705 | | | |
| Big Dunkard | " | Open | 705 | 718 | Water | 712' | |
| Red Rock | Red | Soft | 718 | 750 | | | |
| Slate&Shells | Dark | Hard&Soft | 750 | 860 | | | |
| Red Rock | Red | Soft | 860 | 900 | | | |
| Slate | White | " | 900 | 920 | | | |
| Lime | " | Hard | 920 | 950 | | | |
| Slate | " | Soft | 950 | 975 | | | |
| Gas Sand | " | Hard | 975 | 1005 | | | |
| Slate | " | Soft | 1005 | 1075 | | | |
| Slate&Shell | Dark | Hard&Soft | 1075 | 1136 | | | |
| 1st. Salt Sand | " | " " | 1136 | 1190 | | | |
| Lime | Black | Hard | 1190 | 1220 | | | |
| Sand | " | " | 1220 | 1240 | | | |
| Slate&Shells | " | Soft&Hard | 1240 | 1315 | | | |
| Sand | White | Hard | 1315 | 1350 | | | |
| Slate | Dark | Soft | 1350 | 1410 | | | |
| Sand | White | Hard | 1410 | 1450 | | | |
| Slate | " | Soft | 1450 | 1460 | | | |
| Sand | " | Hard | 1460 | 1520 | | | |
| Slate | Black | Soft | 1520 | 1530 | | | |
| Lime | " | Hard | 1530 | 1545 | | | |



| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|------------------|-------|--------------|------|--------|-------------------|-------------|---------|
| Slate | Black | Soft | 1545 | 1570 | | | |
| Sand | White | Hard | 1570 | 1605 | | | |
| Red Rock | Red | Soft | 1605 | 1695 | | | |
| Slate | White | " | 1695 | 1750 | | | |
| Line | " | Hard | 1750 | 1760 | | | |
| Red Rock | Red | Soft | 1760 | 1840 | | | |
| Little Line | | Hard | 1840 | 1860 | | | |
| Pencil Cave | Black | Soft | 1860 | 1865 | | | |
| Big Line | White | Hard | 1865 | 1980 | | | |
| Big Injun | " | " | 1980 | 2095 | | | |
| Slate | " | Soft | 2095 | 2130 | | | |
| Line | Dark | Hard | 2130 | 2162 | | | |
| Slate&Shells | | Hard&Soft | 2162 | 2240 | | | |
| Gantz Sand | White | Hard | 2240 | 2250 | | | |
| Slate&Shells | Black | Hard&Soft | 2250 | 2345 | | | |
| 50 Ft. Sand | White | Hard | 2345 | 2365 | Gas | 2350-2365' | |
| Slate | Black | Soft | 2365 | 2370 | | | |
| Total Depth..... | | | | 2370 | | | |

February 18th, 1948

Date _____, 19____


PITTSBURGH & WEST VA GAS COMPANY.

APPROVED _____, Owner

By W. M. Masten
(Title)

Latitude

Longitude



Topo Location

7.5' Loc. _____ 15' Loc. _____
 _____ (calc.) _____

Lewis Co Rept #531

Company Pitts + W

Farm John Davidson # 4054

15' Quad _____
(sec.)

7.5' Quad Weston

District Courthouse

WELL LOCATION PLAT

County 041 Permit 70499