



New Location
 Drill Deeper
 Abandonment X 2453

Company Pittsburgh & W.Va. Gas Co.
 Address Clarksburg, W.Va.
 Farm T.J. WHITE
 Tract _____ Acres 373 1/2 Lease No. 4426
 Well (Farm) No. 1 & 4 Serial No. 1983
 Elevation (Spirit Level) 974 V.A. & 1113 L
 Quadrangle Vadis S.E. 33
 County Lewis District Court House
 Engineer Kenneth B. Moore
 Engineer's Registration No. _____
 File No. V-153, P-44 Drawing No. _____
 Date June 2, 1947 Scale 1" = 1000'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. LEW-395-A-#2453

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

AL



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

(1119)
483

WELL RECORD

"GAS"

Permit No. 2951A Oil or Gas Well _____ (KIND)

Company Pittsburgh & West Va Gas Company.

Address Clarksburg, West Va.

Farm Thomas J. White Acres 373-1/2

Location (waters) Valle s/r. 3-3

Well No. 2453 Elev. 1113'

District Court House County Lewis

The surface of tract is owned in fee by Thomas M. White

R.D.#1 Address Camden, W. Va.

Mineral rights are owned by Thos. M. White-Atty-in-Fact

Address Camden, West Va.

Drilling commenced August 2nd, 1911

Drilling completed September 13, 1911

Date Shot _____ From _____ To _____

With _____

Open Flow _____ /10ths Water in _____ Inch

_____ /10ths Merc. in _____ Inch

Volume _____ Cu. Ft.

Rock Pressure _____ lbs. _____ hrs.

Oil _____ bbls., 1st 24 hrs.

Fresh water _____ feet _____ feet

Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	150'	150'	Size of
8 1/4	970'	305'	
6 5/8	1919'	1919'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED	SIZE	No. Ft.	Date
COAL WAS ENCOUNTERED AT <u>275</u> FEET <u>72</u> INCHES			
<u>1095</u>	<u>60</u>		
FEET	INCHES	FEET	INCHES
FEET	INCHES	FEET	INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Clay			0	20			
Line	White	Hard	20	50			
"	"	Soft	50	100	Water	75'	
Slate	"	Hard	100	140			
Red Rock	Red	Soft	140	160			
Line	White	Hard	160	275	Water	190'	
Coal	Black	Soft	275	281			
Sand	White	Hard	281	321			
Red Rock	Red	Soft	321	420			
Line	White	Hard	420	450			
Slate	Black	Soft	450	510			
Line	White	Hard	510	575			
Red Rock	Red	Soft	575	665			
Line	White	Hard	665	700			
Slate	"	Soft	700	780			
Little Dunkard		Hard	780	800			
Slate	Black	Soft	800	850			
Line	White	Hard	850	860			
Slate	"	Soft	860	895			
Big Dunkard		Hard	895	985			
Slate	White	Soft	985	1000			
Line	"	Hard	1000	1010			
Slate	"	Soft	1010	1025			
Gas Sand		Hard	1025	1095			
Coal	Black	Soft	1095	1100			
1st. Salt Sand		Hard	1100	1270			
Slate	White	Soft	1270	1280			
2nd. Salt Sand		Hard	1280	1320			
Slate	Black	Soft	1320	1350			
Sand	White	Hard	1350	1370			
Slate	Black	Soft	1370	1400			
Slate Shells			1400	1485			
3rd. Salt Sand	White	Hard	1485	1625	Little Gas	1500'	
Slate	Black	Soft	1625	1670			
Sand	White	Hard	1670	1690	Little Gas	1680'	
Red Rock		Soft	1690	1755			
Maxon Sand	White	Hard	1755	1775			
Slate	"	Soft	1775	1780			
Little Line	"	Hard	1780	1860			



JUN 18 1948

The Philadelphia Company of West Virginia

Record of Well No. 2453 Located on T.J. White Farm June 19, 1911
 Court House District Lewis County West Va
 Division F District No. 13 Drilled under Wall Order 28
 Rig built by John Craig Began July 22 1911 Completed July 27 1911
 Well drilled by Wm Barnhart Began Aug 7 1911 Completed Sept 13 1911
 Depth of Well 2797 feet. Size of Hole 6 5/8 Producing Gas
 Elev: 113

CASED WITH

REMARKS

AMOUNT	SIZE	KIND	REMARKS
16	13"	Wood	Left in 150' of 10"
150	10"	Old	
470	8 1/2"	"	Pulled 1928 - Left in 171' of 6 1/2" 5-17-48 1-8 1/4" x 6 7/8" Larkin 73 1/2" Basket
1919	6 7/8"	Iron	

COAL VEINS Pittsburgh 2453 2805

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Marion sand	1755			1680		Sept 11-1919 Leo Wood in Rig from 700' hole from 1908 Pulled July cleaned and Reel + Reelnd
Big Run	1865			2035		
Big Run	1960					
Agassiz	2171	2171				
Agassiz	2332	2332		2584-2603		
Agassiz	2550	2619				
Agassiz	2640	2645				
Agassiz	2770	2787		2772		

Well plugged 5-17-48 to 5-17-48

Agassiz	2797-2860
Cement	2860-2880
Agassiz	2880-1950
Cement	1950-1940
Agassiz	1940-1130
Cement	1130-1075
Agassiz	1075-311
Cement	311-255
Agassiz	255-5'
Cement	5'-Surface

FIRST PRESSURE TEST IN 6 7/8 CASING REMARKS

30 Sec.	25	lbs.
1 Min.	50	"
2 "	102	"
5 "	270	"
10 "	370	"
15 "	425	"
30 "	510	"

Rock Pressure " in

Taken Sept 13 - 1911

By Crabbe -

Cap 24 hrs 6 7/8"
3,676.700 lbs ft

WELL TUBED AND PACKED Sept 20 1911

Used: 136 ft 2797 ft 3" tubg well
1-6 7/8" x 3" Parkin Anderson Packin
71 ft 440 ft 1/2 anston

FIRST PRESSURE TEST IN 3 TUBING REMARKS

30 Sec.	135	lbs.
1 Min.	185	"
2 "	260	"
5 "	395	"
10 "	455	"
15 "	475	"
30 "	500	"

Rock Pressure " in MAY 31 1913 #440

Taken Sept 21 1911

By Crabbe

Pulled 275'
of 3" 5-14-16

✓ MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

Old rig lumber 3/4 lumber " #1003 7/8 White
4360 ft lumber @ 20⁰⁰ - \$87²⁰ " Duke White
1 Set Wood Work Nails 3/4 Conductn. Peg Rig Reel Co

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Red Rock	--	20				
Lime	20	30				
Lime	30	100			75	
Slate	100	140				
Red Rock	140	160				
Lime	160	275			190	
Coal	275	281				
Sand	281	321				
Red Rock	321	410				
Lime	410	450				
Slate	450	510				
Lime	510	575				
Red Rock	575	665				
Lime	665	700				
Slate	700	780				
LITTLE DUNKARD	780	800				
Slate	800	850				
Lime	850	860				
Slate	860	895				
BIG DUNKARD	895	985				
Slate	985	1000				
Lime	1000	1010				
Slate	1010	1025				
GAS SAND	1025	1095				
Coal	1095	1100				
1st, SALT SAND	1100	1270				
Slate	1270	1280				
2nd, SALT SAND	1280	1320				
Slate	1320	1350				
Sand	1350	1370				
Slate	1370	1400				
Slate & Shells	1400	1485				
3rd, SALT SAND	1485	1625		1500		
Slate	1625	1670				
Sand	1670	1690		1680		
Red Rock	1690	1755				
MAKON SAND	1755	1775				
Slate	1775	1780				
LITTLE LIME	1780	1860				
PENCIL CAVE	1860	1865				Steel Line Measurement
BIG LIME	1865	1960				
INGEN	1960	2050		2055		
Slate	2050	2070				
Squaw	2070	2090				Steel Line Measurement
Slate & Shells	2090	2156				
Sand	2156	2186				
Slate	2186	2192				
Lime	2192	2207				
Slate & Shells	2207	2338				
Sand	2338	2372				
Slate & Shells	2372	2550				
GORDON STRAY	2550	2619				
Slate	2619	2640				Steel Line measurement
FOURTH SAND	2640	2645				
Slate & Shells	2645	2770		2772		
FIFTH SAND	2770	2787				
Slate	2787	2797		2592		
TOTAL DEPTH	2797					