

New Location
 Drill Deeper
 Abandonment 7119

Company Pittsburgh & W.Va. Gas Co.
 Address Clarksburg, W.Va.
 Farm ALICE BENNETT (D.H. Linger) NE
 Tract _____ Acres 1100 Lease No. 5366
 Well (Farm) No. 1, 3 & 5 Serial No. 7119-7350
 Elevation (Spirit Level) 1116; 932' E, 954' v.a.
 Quadrangle Burnsville N.E. 2¹
 County Lewis District Court House
 Engineer Kenneth B. Moore
 Engineer's Registration No. _____
 File No. V-139/P-84 Drawing No. _____
 Date Aug. 7, 1946 Scale 1" = 2000"

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. LEW-345-A; No. 7119

Lew-420A #7350
 + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.



495

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Oil or Gas Well "GAS"
(KIND)

Permit No. Ab 420A


Company Pittsburgh & West Va Gas Company.
Address Clarksburg, West Va.
Farm J. B. Brannon Acres 1100
Location (waters) Burns, N/E. 2-1
Well No. 7350 Elev. 954' VA
District Court House County Lewis
The surface of tract is owned in fee by John Burkhammer
R.D.#2 Address Weston, W. Va.
Mineral rights are owned by H. M. Bennett et al.
Address Weston, W. Va.
Drilling commenced June 8th, 1922
Drilling completed August 4th, 1922
Date Shot _____ From _____ To _____
With _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	140'	140'	Size of
8 1/4	900'	None.	
6 5/8	1620'	None.	Depth set
5 3/16	2170'	2170'	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Gravel		Soft	0	25			
Sand	White	Hard	25	65			
Red Rock	Red	Soft	65	80			
Lime	Gray	Hard	80	135			
Red Rock	Red	Soft	135	180			
Lime	Gray	Hard	180	200			
Red Rock	Red	Soft	200	400			
Sand	Gray	Hard	400	460			
Slate	Gray	Soft	460	474			
"	Black	"	474	494			
"	Red	"	494	504			
Lime	Gray	Hard	504	514			
Little Dunkard	"	"	514	575			
Slate	"	Soft	575	600			
Lime	"	Hard	600	665			
Slate	"	Soft	665	682			
Lime	"	Hard	682	770			
Big Dunkard	"	"	770	782			
Slate	"	"	782	787			
Gas Sand	Dark	"	787	846			
Slate	Black	Soft	846	862			
Lime	"	Hard	862	880			
Sand	Gray	"	880	910			
Slate&Shells	Black	Hard&Soft	910	950			
Salt Sand	Black	Hard	950	1066			
Slate	"	Soft	1066	1135			
Salt Sand	White	Hard	1135	1182			
Slate	Black	Soft	1182	1246			
Salt Sand	"	Hard	1246	1320			
Slate	"	Soft	1320	1322			
Salt Sand	Gray	Close	1322	1352			
Slate Lime	Black	Hard	1352	1381			
Sand	White	"	1381	1411			
Red Rock	Red	Soft	1411	1462			
Sand	Gray	Hard	1462	1487			
Red Rock	Red	Soft	1487	1512			
Sand	Gray	Hard	1512	1530			
Slate	"	Soft	1530	1605			
Maxon Sand		Close	1605	1625			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate	Black	Soft	1625	1645			
Little Lime	"	Hard	1645	1690			
Slate	"	Soft	1690	1695			
Big Lime	Gray	Hard	1695	1763			
Big Injun	"	"	1763	1900			
Line Slate	"	"	1900	2040			
Sand	Dark	Hard	2040	2080			
Slate	"	Soft	2080	2084			
Lime	Gray	Hard	2084	2089			
Slate&Shells	"	Hard	2089	2139			
Sand	"	Hard	2139	2193	Little Gas	2159'	
Slate	Black	Soft	2193	2235			
30 Ft. Sand	Blue	Hard	2235	2295			
Slate	Black	"	2295	2318			
Gordon Stray	Gray	"	2318	2334			
Slate	Black	Soft	2334	2338			
Gordon Sand	Gray	Hard	2338	2353	Gas	2341'	
Slate&Shells	"	Hard&Soft	2353	2465			
Slate	Brown	Soft	2465	2531			
Sand	"	Hard	2531	2543	Gas	2539'	5A?
Un-recorded			2543	2601			
Total Depth			2601				

MAY 19, 1948

Date _____, 19____

PITTSBURGH & WEST VA GAS COMPANY.

APPROVED _____, Owner

By W. M. Master

(Title)

COMPANY

Abt 5-4-28

Record of Well No. 7350 Located on J B Brannon Farm _____ 19__
Courthouse District Lewis County Mo State
 Division _____ District No. 13 Drilled under well Order 1684
 Rig built by John Craig Began June 9 1922 Completed Aug 4 1922
 Well drilled by R. D. Goel Began June 9th 1922 Completed Aug 4th 1922
 Depth of Well 2601 feet Size of Hole 5 1/16 Producing Gas
 Elevation: 1100 G

CASED WITH

REMARKS

AMOUNT	SIZE	KIND	REMARKS
16'	13"	Wood	
140'	10"	Casing	Pulled 140' of 10"
900'	8 1/4"	"	Reclaimed
1620'	6 7/8"	"	Reclaimed
2170'	5 1/16	"	Pulled 1869' of 5 1/16 left in 301'

COAL VEINS

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
1st Sand	910	1066				
2nd "	1246	1352				
Big Lime	1695	1763				
Big Iron	1763	1900				
Sandy Sand	2159	2193		2159		show
Garden clay	2318	2334		2341		1 1/10 to 1/2" 146 Mc8
Garden sand	2338	2353				
Fifth sand	2137	2143		2139		show

Plugged G-16-42 to G-14-48

Aguael	2601-2330
Cement	2330-2320
Aguael	2320-1750
Cement	1750-1740
Aguael	1740-1066
Cement	1066-1056
Aguael	1056-200
Cement	200-190
Aguael	190-5'
Cement	5'-Surface

2170
301
1869

FIRST PRESSURE TEST IN 5 7/16" CASING

REMARKS

8/4/22 No Water 2"

30 Sec.	<u>3</u>	lbs.
1 Min.	<u>6</u>	"
2 "	<u>10</u>	<u>13/17</u>
5 "	<u>20</u>	"
10 "	<u>35</u>	"
15 "	<u>63</u>	"
30 "		"

Rock Pressure 315 " in 24 hrs

Taken August 4 1922

By Claud Witt

WELL TUBED AND PACKED..... 19.....

VIZ:-

FIRST PRESSURE TEST IN..... TUBING

REMARKS

30 Sec.		lbs.
1 Min.		"
2 "		"
5 "		"
10 "		"
15 "		"
30 "		"

Rock Pressure " in

Taken 19

By

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

Rig Witt as 7309

[Faint, illegible handwritten notes and markings, possibly bleed-through from the reverse side of the page.]

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Gravel	00	25				
Sand	25	65				
Red Rock	65	80				
Lime	80	125				
Red Rock	125	180				
Lime	180	200				
Red Rock	200	400				
Sand	400	460				
Slate	460	474				
Slate	474	494				
Slate	494	505				
Lime	505	514				
Sand	514	575				
Slate	575	600				
Lime	600	665				
Slate	665	682				
Lime	682	770				
Sand	770	782				
Slate	782	787				
Sand	787	846				
Slate	846	862				
Lime	862	880				
Sand	880	910				
Slate & Shells	910	950				
Salt Sand	950	1066				
Slate	1066	1135				
Salt Sand	1135	1182				
Slate	1182	1246				
Salt Sand	1246	1320				
Slate	1320	1322				
Salt Sand	1322	1352				
Slate	1352	1381				
Sand	1381	1411				
Red Rock	1411	1462				
Sand	1462	1487				
Red Rock	1487	1512				
Sand	1512	1530				
Slate	1530	1605				
Maxon sand	1605	1625				
Slate	1625	1645				
Little Lime	1645	1690				
Slate	1690	1695				
Big Lime	1695	1763				
Big Injun	1763	1900				
Lime & Slate	1900	2040				
Sand	2040	2080				
Slate	2080	2084				
Lime	2084	2089				
Slate & Shells	2089	2139				
Slate	2139	2235		2159		very light
30ty foot sand	2235	2295				
Slate	2295	2318				
Gordon stray	2318	2334				
Slate	2334	2338				
Gordon sand	2338	2353		2341		
Slate & Shells	2353	2465				
Slate	2465	2537				
Sand	2537	2543		2539		light
Slate	2543	2601 T.D.				