

3.08 S  
1.57 W



3.12 S  
1.60 W

- New Location...
- Drill Deeper...
- Abandonment...

Map Sh. 69-72-S29 W1 E.B. 665 P-5-6

Company Hope Natural Gas Co.  
 Address Clarksburg, W.Va.  
 Farm Perry T. Woofter  
 Tract \_\_\_\_\_ Acres 387 Lease No. 53219  
 Well (Farm) No. \_\_\_\_\_ Serial No. 8355  
 Elevation (Spirit Level) 1228'  
 Quadrangle Vadis  
 County Lewis District Freemans Creek  
 Engineer W.M. Bowers  
 Engineer's Registration No. 900 SC  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 12-30-48 Scale 1"=80 Poles

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. LCW-458-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



1470  
35

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 46 58-A

Oil or Gas Well \_\_\_\_\_ (KIND)

Company Hope Natural Gas Company.  
 Address 445 West Main St. Clarksburg, W. Va.  
 Farm Ferry T. Woofter Acres 387  
 Location (waters) \_\_\_\_\_  
 Well No. 8355 Elev. 1228  
 District Freemans Creek County Lewis  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced October 10, 1918  
 Drilling completed December 1, 1918  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water 220 feet \_\_\_\_\_ feet  
 Salt water none recorded feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	108	Pulled	Size of
8 1/4	966	Pulled	
6 5/8	1810	1810	Depth set
5 3/16	2390	2390	
3			Perf. top
2	2682	Pulled	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

NOT  
 CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT 180 FEET 60 INCHES  
240 FEET 60 INCHES FEET INCHES  
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			180	185			
Pittsburgh Coal			240	245	water	220	
Little Dunkard			400	425			
Big Dunkard			525	600			
First Salt			950	1060			
Second Salt			1075	1250			
Little Lime			1685	1705			
Pencil cave			1705	1715			
Big Line			1715	1775			
Big Injun			1775	1885			
Squaw			1925	1980			
Berea			2000	2044			
Gantz			2120	2140			
Fifty foot			2200	2250			
Thirty foot			2310	2340			
Gordon stray			2362	2375	show gas	2435	
Gordon			2450	2470	gas	2466	
Fifth			2607	2620	gas	2609	
Total depth				2682			



