



39°02'30"

Latitude



30470

Longitude



Topo Location

7.5' Loc. _____ 15' Loc. _____
 _____ (calc.) _____

Company _____

Farm _____

15' Quad _____
(sec.)

7.5' Quad Vadis

District Freemans Creek

WELL LOCATION PLAT

County OH Permit 30470

Latitude 39° 05'

2.89 S
.88 W

Longitude 80° 40'

B.J. Rinehart

W.B. Maxwell 50a

Walnut Fork (part of 1278a)

7128

Large flat rock on knob

Woofter Hrs.

- New Location
- Drill Deeper
- Abandonment

Company Pittsburgh & W.Va. Gas Co
 Address Clarksburg W.Va.
 Farm W.B. Maxwell
 Tract _____ Acres 1200 Lease No. 7642
 Well (Farm) No. 2 Serial No. 7128
 Elevation (Spirit Level) 1075 VA.
 Quadrangle Vadis SW 4-
 County Lewis District Freemans Crk
 Engineer James D. Jeffries
 Engineer's Registration No. 1084
 File No. 153/107 Drawing No. _____
 Date 7-6-48 Scale 1"=500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

FILE NO. LeW-470-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

557

WELL RECORD

Permit No. Ab 470-A Oil or Gas Well "GAS"
(KIND)

Company Pittsburgh & West Va Gas Company.
Address Clarksburg, West Va.
Farm W. B. Maxwell Acres 1200
Location (waters) Vadis S/W. 4-1
Well No. 7128 Elev. 1075'
District Freemans Creek County Lewis
The surface of tract is owned in fee by B. J. Rinehart
Address Vadis, West Va.
Mineral rights are owned by Wm. B. Maxwell et al.
Address Clarksburg, West Va. 5 3/16


Drilling commenced November 19, 1916
Drilling completed December 13th, 1916
Date Shot From To
With

Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	101'	101'	Size of
8 1/4	820'	820'	
6 5/8	1698'	1698'	Depth set
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT 184 FEET 72 INCHES
FEET INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate	Light	Soft	0	60			
Lime	"	Hard	60	184	Water	70'	Hole full.
Pgh. Coal			184	190			
Lime	Light	Hard	190	210			
Slate	"	Soft	210	260			
Red Rock	Red	"	260	425			
Lime	Light	Hard	425	475	Water	450'	
Slate	"	Soft	475	520			
Lime	"	Hard	520	600			
Slate&Shells	Dark	H.&.S.	600	650			
Big Dunkard	White	Hard	650	700			
Slate	Dark	Soft	700	750			
Gas Sand	Light	Hard	750	828			
Slate	"	Soft	828	850			
Lime	"	Hard	850	900			
Slate	Dark	Soft	900	910			
1st.Salt Sand	Light	Hard	910	1070			
Slate	Dark	Soft	1070	1100			
2nd.Salt Sand	Light	Hard	1100	1160			
Slate&Shells	Dark	H.&.S.	1160	1340			
3rd.Salt Sand	Light	Hard	1340	1452			
Slate	Dark	Soft	1452	1549			
4th.Salt Sand	Light	Hard	1549	1564			
Red Rock	Red	Soft	1564	1615			
Little Lime		Hard	1615	1635			
Slate	Dark	Soft	1635	1650			
Big Lime	Light	Hard	1650	1693			
Big Injun Sand	"	"	1693	1853	Gas	1760-1768'	
Slate	Dark	Soft	1853	1860			
Lime	"	Hard	1860	1900			
Slate&Shells	"	Hard&Soft	1900	1909			
Total Depth.....				1909			



COMPANY

Abt 2-18-49

Record of Well No. 7178 Located on W B Maxwell Farm Sept 10 1916
 Sherman Co District Lewis County W Va State
 Division K District No. 13 Drilled under Well Order 699
 Rig built by J M Craig Began 6 Nov 1916 Completed Nov 1916
 Well drilled by C W McCall Began Nov 19 1916 Completed Dec 5 1916
 Depth of Well 1409 feet Size of Hole 6 7/8 Producing Gas
 Filled to 1841

Elevz 1075

CASED WITH

REMARKS

AMOUNT	SIZE	KIND	REMARKS
16'	13"	wood	
101	10"	cast	Left in 101'
870'	8 1/4"	"	Pulled 752' Left 53' 15' 48 1/4' previously pulled
1698	6 7/8"	"	BS&P Pulled 1600' Left in 98'

COAL VEINS

FORMATIONS

NAME	Top	Bottom	OIL	GAS	WATER	REMARKS
Big Lewis	1650	1693				
Big Sycamore	1693	1850				
Squaw Sand	1860	1890		17%		10/10 Mar 3' 169' Act

Plugged 5-4-49 to 6-1-49:

- Aguezel 1969-1725
- Cement 1725-1715
- Aguezel 1715-860
- Cement 860-850
- Aguezel 850-440
- Cement 440-430
- Aguezel 430-240
- Stone 240-230
- 2" Redstone 230-225
- Cement 225-164
- Aguezel 164-5
- Cement 5-Surface

Mar 1, 1942

Pulled tubing
 Closed out to 1841
 Shot with 40 lbs
 from 1700 1768
 Did not resume 2" tubing

(Ran 230' of 2" Vent Pipe on Special Packer Set at 225'.
 Vent Pipe extending through well marker.)

FIRST PRESSURE TEST IN

CASING

REMARKS

30 Sec. 10 lbs. 525 42 24/10W 1 1/2
 1 Min. 18 " 300 2# after blowed 1 hr.
 2 " 30 40/48 1 Min. 4#
 5 " 55 " 2 Min. 6# 3" 8# 4" 10#
 10 " 100 " 5 Min. 12#
 15 " 155 " 10 Min. 22#
 30 40-735 " 20 Min. 38#
 30 54#
 Rock Pressure 725 " in 24 RP 184# 60 hrs
 Taken here 5 19 16 Bert Gump
 By R J Crane

WELL TUBED AND PACKED here 14 19 16

VIZ:- 84 ft to 174' - 2" July
 10 " 184' - 3" "
 678 x 3" wire packer
 size 1722' - 2" above all
 49" 23' - 3" below packer
 9" 164' - 3" "

FIRST PRESSURE TEST IN 2 X 3 TUBING

REMARKS

30 Sec. 50 lbs. 78/10 MAX 2"
 1 Min. 75 "
 2 " 125 170/205
 5 " 245 "
 10 " 325 "
 250 " 350 "
 30 " "
 Rock Pressure 735 " in 24 hrs
 Taken here 14 19 16
 By R J Crane

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

1- Old Rig - Lumber - 4000 - Stack 7097
 7257 1/2' NW Lumber from A & S
 5-1-42 Keystone Machine to Red Fibre Co.

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Slate	00	60				
Lime	60	210			70	
Slate	210	260				
Red Rock	260	425				
Lime	425	475				
Slate	475	520				
Lime	520	600				
Slate & Shells	600	650				
Sand	650	700				
Slate	700	750				
Gas Sand	750	828				
Slate	828	850				
Lime	850	900				
Slate	900	910				
1st Salt Sand	910	1070				
Slate	1070	1100				
2nd Salt Sand	1100	1160				
Slate	1160	1340				
3rd Salt Sand	1340	1452				
Slate	1452	1547				
Sand	1547	1564				
Red Rock	1564	1615				
Little Lime	1615	1635				
Slate	1635	1650				
Big Lime	1650	1693				
Big Injun	1693	1853			1760&1768	
Slate	1853	1860				
Lime	1860	1900				
Slate & Shells	1900	1909 F.D.				