



New Location
 Drill Deeper
 Abandonment - 7205 - 7279

Company Pittsburgh & W.Va. Gas Co.
 Address Clarksburg, W.Va.
 Farm John Finster
 Tract _____ Acres 455 Lease No. 4447
 Well (Farm) No. _____ Serial No. 1969
 Elevation (Spirit Level) As Shown 7205
 Quadrangle Burnsville N.E. 14 7279
 County Lewis District Court House 7292
 Engineer James D. Jeffries
 Engineer's Registration No. 1084
 File No. D-32/125 Drawing No. _____
 Date 3-11-49 Scale 1"=1000'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

FILE NO. LEW-477-A-#7205
LEW-478-A-#7279

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



553

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

"GAS"


Permit No. 477-A Oil or Gas Well (KIND)

Company Pittsburgh & West Va Gas Company. Address Clarksburg, West Va. Farm John Finster Acres 455 Location (waters) Burnsville N/E. 1-4 Well No. 7205 Elev. 1058' VA District Court House County Lewis The surface of tract is owned in fee by Mrs. Garret Finster Center Street Address Weston, W. Va. Mineral rights are owned by Ada Finster 347 Center St. Address Weston, W. Va. Drilling commenced July 12th, 1918 Drilling completed August 20, 1918 Date Shot From To With Open Flow /10ths Water in Inch /10ths Merc. in Inch Volume Cu. Ft. Rock Pressure lbs. hrs. Oil bbls., 1st 24 hrs. Fresh water feet feet Salt water feet feet

Table with columns: Casing and Tubing, Used in Drilling, Left in Well, Packers. Rows include sizes 16, 13, 10, 8 1/4, 6 1/2, 5 3/16, 3, 2 and packer details like Kind of Packer, Size of, Depth set, Perf. top/bottom.

CASING CEMENTED SIZE No. Ft. Date COAL WAS ENCOUNTERED AT 317 FEET 84 INCHES FEET INCHES FEET INCHES FEET INCHES

Main geological log table with columns: Formation, Color, Hard or Soft, Top, Bottom, Oil, Gas or Water, Depth Found, Remarks. Lists various rock layers like Red Rock, Line, Slate, Sand, etc., with depths and notes like 'sh. oil' and 'Gas'.



JUL 10 1940

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
50 Ft. Sand	Dark	Hard	2154	2164			
Slate&Shells		Hard&Soft	2164	2235			
30 Ft. Sand	Gray	Hard	2235	2243			
Slate&Shells		H.&S.	2243	2317			
Gordon Stray	Gray	Hard	2317	2332			
Slate	Dark	Soft	2332	2346			
Gordon Sand	"	Hard	2346	2390	Gas	2362-2367'	
Slate	"	Soft	2390	2400	Gas	2382'	
Total depth.....				2400			

February 21, 1949

Date _____ 19____
PITTSBURGH & WEST VA GAS COMPANY.

APPROVED _____ Owner
By W. J. [Signature]
(Title)

COMPANY

Nbd 2-12-49

Record of Well No. 7205 Located on John Finster Farm May-18.18 19
 Court House District Lewis County West Va. State 1212
 Division K District No. 13 Drilled under Well Order
 Rig built by John Craig Began June 19 18 Completed June 18 19
 Well drilled by R.T.Goe Began July 12th 19 18 Completed Aug 19th.18 19
 Depth of Well 2400 feet Slate Size of Hole 6-5/8" Producing Gas

Elev: 1058 G

CASED WITH			REMARKS
AMOUNT	SIZE	KIND	
16'	13"	Wood	Pulled 126' - Left in 32' of 10" Pulled 915' of 8 1/4" B.H.P. Pulled 1403' - Left in 390' of 6 1/8"
158'	10"	Casg	
915'	8 1/4"	"	
1793'	6 1/2"	"	

COAL VEINS

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Maxon Sand	1645	1680				
Big Lime	1720	1778				
Big Injun	1778	1907		1895	show	
Squaw Sand	1907	1947				
50 foot sand	2154	2164		2160	show	
Gordon stray	2317	2332		2326	light	
Gordon Sand	2346	2392		2362		
				2382		30/10ths Merc 2"

Phugged 4-26-49 to 5-3-49

Aquacel 2400-2303
 Cement 2303-2293
 Aquacel 2293-1825
 Cement 1825-1815
 Aquacel 1815-950
 Cement 950-940
 Aquacel 940-354
 Cement 354-297
 Aquacel 297-5
 Cement 5-Surface

1917 M.F

FIRST PRESSURE TEST IN 6-5/8" CASING

REMARKS

30 Sec.	10	lbs.
1 Min.	20	"
2 "	32	47# 65#"
5 "	76	"
10 "	110	"
15 "	270#	"
30 "		"

Rock Pressure

" in

Taken Aug 19th 19 18

By Claud Wilt.

WELL TUBED AND PACKED Aug 27 1918

VIZ:-

~~939 to 1888 2" tubing~~
~~6 7/8 x 2 1/2" packer~~
~~597 to 77 2" in anchor~~

*Pulled
2303'
Left in
102' of 2"*

FIRST PRESSURE TEST IN 3" TUBING

REMARKS

30 Sec.	35	lbs.
1 Min.	70	"
2 "	120	150/180
5 "	202	"
10 "	315	"
15 "	490	"
30 "		"

32/10. More 2"

Rock Pressure

749# in 24 Mes

Taken *Aug 27* 1918

By *Claud Wilt*

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

1-Old rig irons and wood work, Lumber and timbers from Carroll 7144

1-Part SetvRig Irons and wood work from Stock.

5624' New Rig Lumber from G. L. *Canningham*

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Red Rock	00	20				
Lime	20	120				
Red Rock	120	210				
Lime	210	315				
Slate	315	355				
Lime	355	405				
Red Rock	405	425	425			
Sand	425	496				
Slate	496	520				
Sand	520	580				
Slate	580	595				
Sand	595	715	725			
Slate	715	760				
Sand	760	960				
Slate	960	967				
Lime	967	1025				
Slate	1025	1031				
Lime	1031	1103				
Slate	1103	1110				
Sand	1110	1205				
Slate	1205	1310				
Sand	1310	1340				
Slate	1340	1360				
Lime	1360	1420				
Slate	1420	1490				
Lime	1490	1578				
Red Rock	1578	1627				
Maxon Sand	1627	1639				
Slate	1639	1680				
Little Lime	1680	1700				
Slate	1700	1720				
Lime Big	1720	1793				
Big Injun	1793	1907		1895		
Lime	1907	1947				
Slate & Shells	1947	2055				
Sand Gantz	2055	2066				
Slate & Shells	2066	2154				
50 foot Sand	2154	2164				
Slate & Shells	2164	2235				
20 foot Sand	2235	2243				
Slate & Shells	2243	2311				
Gordon Stray	2311	2332				
Slate	2332	2346				
Gordon Sand	2346	2390		2362 to 2367		
Slate	2390	2400 T.D.		2382		