

**Latitude**

**Longitude**

280s  
1.06w

**Topo Location**

7.5' Loc. \_\_\_\_\_ 15' Loc. \_\_\_\_\_  
\_\_\_\_\_ (calc.) \_\_\_\_\_

Company \_\_\_\_\_

Farm \_\_\_\_\_

15' Quad \_\_\_\_\_  
(sec.)

7.5' Quad Big Isaac

District Freemans Creek

**WELL LOCATION PLAT**

County 041 Permit 30486





Surface owned by P. W. Arbogast, Valley Chapel, W. Va.  
Coal owned by the Gauley Co., Address, S. D. Brady, Jr.  
Con. Engr., The Gauley Co., Sommersville, W. Va.

New Location   
Drill Deeper   
Abandonment

South Penn Map No. 9 - S23 E3

Company Oil & Gas Leasing Co.  
 Address Hamlin, West Va.  
 Farm Serrepta Nutter  
 Tract Acres 113 Lease No. \_\_\_\_\_  
 Well (Farm) No. 5 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 1475'  
 Quadrangle Vadis  
 County Lewis District Freemans Creek  
 Engineer M. Stoltz  
 Engineer's Registration No. 1227  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date January, 1949 Scale 1 inch = 500 Feet

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. LEW-486-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

601

WELL RECORD

Permit No. 488-A Oil or Gas Well X (KIND)

Company South Penn Natural Gas Co.  
Address Parkersburg, W. Va.  
Farm Sarepta Nutter Acres 113  
Location (waters) \_\_\_\_\_  
Well No. 5 Elev. \_\_\_\_\_  
District Freemans Ck. County Lewis  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Drilling commenced \_\_\_\_\_  
Drilling completed 1-14-1908  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure (W) lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4		1450	
6 3/4		2320	Depth set
5 3/16	8 1/2" casing not visible		
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pgh Coal			517	519			
Dunkard Sand			1025	1055			
Salt Sand			1445	1500			
Maxon Sand			1840	1870			
Big Lime			2005	2060			
Big Injun			2060	2215			
Gantz Sand			2345	2360			
Thirty Foot			2552	2567	1908	20 qts. Top	2894
Stray Sand			2620	2635	1919	20 qts. Top	?
Gordon Sand			2652	2697			
Fourth Sand			2714	2718			
Fifth Sand			2892	2900			
1st pay			2896	2898			
Total depth				2914			
Initial Production							
Fifth Sand -- 12 bbls							
							Supt.

