

- New Location..
- Drill Deeper.....
- Abandonment.....

Formerly Hope Natural Gas Co. Well No 8466

Company <u>LURAY LAND INC.</u>	
Address <u>POINT PLEASANT, W. VA.</u>	
Farm <u>JOHN MURRAY</u>	
Tract _____	Acres <u>130</u> Lease No. _____
Well (Farm) No. _____	Serial No. <u>Nº1</u>
Elevation (Spirit Level) <u>1159'</u>	
Quadrangle <u>VADIS</u>	
County <u>LEWIS</u>	District <u>COURT HOUSE</u>
Engineer <u>H. P. SUTOR</u>	
Engineer's Registration No. <u>1805</u>	
File No. _____	Drawing No. _____
Date <u>JUNE 30, 1958</u>	Scale <u>1" = 40 POLES</u>

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

**WELL LOCATION MAP**  
FILE NO. LEW-687-B

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

DME



719

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Vader  
Permit No. LEW-687-A

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Company Hope Natural Gas Company  
Address Clarksburg, West Virginia  
Farm John Murray Acres 130  
Location (waters) \_\_\_\_\_  
Well No. 8466 Elev. 1139  
District Court House County Lewis  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced Oct. 17, 1917  
Drilling completed Mar. 27, 1918  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
WELL ACIDIZED \_\_\_\_\_  
WELL FRACTURED \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	115	Pulled	Size of
8 1/4	890	Pulled	
6 5/8	2070		Depth set
5 3/16			
3	2958		Perf. top
2	2974	Pulled	Perf. bottom
Liners Used			Perf. top
			Perf. bottom


CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_

ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_

Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Pittsburgh Coal			415	420			
Dunkard Sand			660	800			
Salt Sand			1075	1700			
Maxon Sand			1825	1860			
Injun Sand			2045	2209			
Berea Sand							
Gantz Sand							
Fifty Foot Sand							
Thirty Foot Sand							
Stray Sand							
Gordon Sand			2653	2668			
Fourth Sand			2695	2705			
Fifth Sand			2869	2880	Gas at 2872'		
Total Depth			2933'				



(over) DEC 20 1958

