



No Coal:
Surface: Harrison Porter
Yawkey, W. Va.

New Location
Drill Deeper
Abandonment

✓ FEB - 4 1941

2166 W
1.7 P

582 W 77

Company South Penn Natural Gas Co.
 Address Parkersburg, West Virginia.
 Farm Austin Griffith
 Tract _____ Acres 375 Lease No. 56489
 Well (Farm) No. 5 Serial No. _____
 Elevation (Spirit Level) 846.08
 Quadrangle Madison
 County Lincoln District Duval
 Engineer E. C. Tabler
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date Nov 25, 1940 Scale 1" = 800'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. LIN-237A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

546

WELL RECORD

Permit No. 237-A

Oil or Gas Well OIL
(KIND)

Company: South Penn Natural Gas Company
 Address: Union Trust Bldg. Parkersburg, W. Va.
 Farm: Austin Griffith Acres: 375
 Location (waters): Straight Fork
 Well No.: 5 Elev.: 846.08
 District: Duval County: Lincoln
 The surface of tract is owned in fee by: Harrison Porter
 Address: Yawkey, W. Va.
 Mineral rights are owned by: A.C. Griffith et al.
 Address: Madison, W. Va.
 Drilling commenced: June 17, 1908
 Drilling completed: August 4, 1908
 Date shot: May 2-1912-100qt Depth of shot: Berea
 Open Flow /10ths Water in: --- Inch
 /10ths Merc. in: --- Inch
 Volume: --- Cu. Ft.
 Rock Pressure: 35 lbs. --- hrs.
 Oil: 285 bbls., 1st 24 hrs.
 Fresh water: 1042 feet. 1060 feet
 Salt water: --- feet. --- feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer: Hook Wall
13			Size of: 2" X 6-5/8"
10	26' 10" (Pulled)		Depth set: 1679'
8 1/2	1666'		
6 1/2			
5 3/16			
3			Perf. top: ---
2			Perf. bottom: ---
Liners Used			Perf. top: ---
			Perf. bottom: ---

CASING CEMENTED: --- SIZE: --- No. Ft.: --- Date: ---
 COAL WAS ENCOUNTERED AT 280 FEET 60 INCHES
 430 FEET 60 INCHES
 --- FEET --- INCHES
 --- FEET --- INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Dirt			0	24			
Slate			24	160			
Sand			160	280			
Coal			280	285			
Sand			285	430	Water	285	
Coal			430	435			
Slate			435	470			
Sand			470	580			
Slate			580	700			
Sand			700	725			
Slate			725	750			
Sand			750	770			
Slate			770	860			
Sand			860	885			
Line & Slate			885	965			
Salt Sand			965	1530	Water	1042	
Slate			1530	1570	Water	1060	
Maxon Sand			1570	1590			
Pencil Cave			1590	1600			
Little Lime			1600	1632			
Pencil Cave			1632	1640			
Big Lime			1640	1830			
Red Rock			1830	1835			
Slate			1835	1845			
Big Injun Sand			1845	1900			
Slate			1900	1956			
Squaw Sand			1956	2045			
Slate & Shells			2045	2325 1/2	Hole reduced 5-3/16-2310'		
Berea Grit			2325 1/2	2347	Oil & Gas	2326 1/2 to 2330	
Total Depth				2347			



