



New Location
Drill Deeper
Abandonment ... X

Company	UNITED FUEL GAS CO.		
Address	CHARLESTON, W.VA.		
Farm	GUYAN LAND ASSOCIATION		
Tract	55A.	Acres	200
Lease No.	24688		
Well (Farm) No.		Serial No.	2030
Elevation (Spirit Level)	607.5		
Quadrangle	MIDKIFF		
County	LINCOLN	District	SHERIDAN
Engineer	<i>A. Cunningham</i>		
Engineer's Registration No.	659		
File No.	30-47	Drawing No.	
Date	MAR 5, 1942		
Scale	1" = 660'		

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. LIN-287-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

GUYAN LAND ASSN, No. 2030 - UNITED FUEL GAS CO. - LIN-287-A

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

594

WELL RECORD

Permit No. 287-A

Oil or Gas Well GAS
(KIND)

Company UNITED FUEL GAS COMPANY
Address Box 1256, Charleston, West Virginia
Farm Guyandotte Land Ass'n. Acres 35,000
Location (waters) Four Mile Creek
Well No. 2030 Elev. 607.56
District Sheridan County Lincoln
The surface of tract is owned in fee by Didema Davis
Address Branchland, W.Va.
Mineral rights are owned by Guyandotte Land Ass'n.
Address Charleston, W.Va.
Drilling commenced August 12, 1908
Drilling completed August 12, 1908
Date Shot Aug. 12, 1928 From 1825 To 1835
With 40 qts.

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>Anchor</u>
13			Size of <u>2" x 6-5/8"</u>
10	<u>20</u>	<u>20</u>	<u>x 16"</u>
8 1/4			Depth set <u>1675</u>
6 5/8	<u>1016</u>	<u>1016</u>	
5 3/16			Perf. top
3			Perf. bottom
2	<u>1935</u>	<u>1935</u>	Perf. top
Liners Used			Perf. bottom

Open Flow Gas Well /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure 542 lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet
Salt water feet

CASING CEMENTED SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT 170 FEET 24 INCHES
 FEET INCHES 304 FEET 24 INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			0	20			
Sand&Slate			<u>70</u>	170			
Coal			170	172			
Dunkard			180	215			
Slate			215	304			
Coal			304	306			
Slate&Shells			306	375			
Gas Sand			375	420			
Salt Sand			575	835			
Big Lime			1016	1232			
Big Injun			1259	1280			
Total Depth				1286			

DRILLED DEEPER 1928

Slate&Shells			1286	1823			
Berea			1823	1835			
Slate&Shells			1835	1915			
Total Depth				1915			



