

Company Frick-Reid Supply Corporation
 Address Sandyville, West Virginia
 Farm Mary E. Mason
 Tract _____ Acres 218 Lease No. _____
 Well (Farm) No. 1-3-4-5-7-10-12 Serial No. _____
 Elevation (Spirit Level) 836-1109-989-686-890-723-837
 Quadrangle Madison
 County Lincoln District Union
 Engineer A. K. Westfall
 Engineer's Registration No. Co. Surveyor, Ritchie, Co.
 File No. _____ Drawing No. _____
 Date May 23, 1942 Scale 1" = 50 Poles

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 Lin-319-A-Well # 5
 FILE NO. Lin-320-A-Well # 7
 Lin-321-A-Well # 10
 Lin-322-A-Well # 12

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

617

WELL RECORD

Permit No. 3225 A


Oil or Gas Well Oil Well
(KIND)

Company Frick-Reid Supply Corporation
 Address Drawer 2481, Tulsa, Okla.
 Farm Mary Mason Acres 218
 Location (waters) Sugartree Br. Str. Fk. Mud R.
 Well No. Twelve Elev. 837
 District Union County Lincoln
 The surface of tract is owned in fee by Gordon Mason et al
Griffithsville, Address W. Va.
 Mineral rights are owned by Gordon Mason et al
Griffithsville, Address W. Va.
 Drilling commenced July 1, 1916
 Drilling completed August 4, 1916
 Date Shot 8/7/1916 From 2300 To 2318
 With 90 Qts. Nitro-glycerine
 Open Flow /10ths Water in _____ Inch
 /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil 4 bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water 975 feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	<u>450</u>		
6 5/8	<u>1615</u>	<u>1615</u>	Depth set
5 3/16			
3			Perf. top
2		<u>2318</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT 258 FEET ----- INCHES
260 FEET ----- INCHES 300 FEET ----- INCHES
305 FEET ----- INCHES ----- FEET ----- INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			0	16			
Slate			16	160			
Sand			160	258			
Coal			258	260			
Slate			260	300			
Coal			300	305			
Sand			305	375			
Slate			375	410			
Sand			410	570			
Slate			570	620			
Sand			620	712			
Slate			712	780			
Sand			780	860			
Slate			860	910			
Salt sand			910	1572	Water	975	Hole full
Black lime			1572	1608			
Pencil cave			1608	1611			
White lime			1611	1800			
Slate			1800	1810			
Injun sand			1810	1870			
Slate & shells			1870	2030			
Slate			2030	2256			
Black slate			2256	2276			
Brown shale			2276	2296			
Berea sand			2296	2318			
Slate			2318	2320			



AUG 22 1916

