



New Location   
 Drill Deeper   
 Abandonment

#3 4,25 W 3,06 f  
 #9 4,14 W 3,08 f  
 4,13 W  
 #10 4,09 W  
 #12 4,117 W 3,09 f  
 #14 4,133 W 2,8 f

Company Frick-Reid Supply Corporation  
 Address Sandyville, West Va.  
 Farm Horse Creek Coal & Land Co.  
 Tract \_\_\_\_\_ Acres 115 Lease No. \_\_\_\_\_  
 Well (Farm) No. 3-9-12-14 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 842-932-1159-1030-1265  
 Quadrangle Madison  
 County Lincoln District Duval  
 Engineer A.T. Westfall  
 Engineer's Registration No. Co. Surveyor, Ritchie Co.  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date May 23 1942 Scale 1" = 50 Feet

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 LIN-337-A-#3  
 FILE NO. LIN-338-A-#9  
 LIN-346-#14 LIN-339-A-#10  
 LIN-345-A-#12

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Duval District, Lincoln County, W. Va.  
 By Frick-Reid Supply Corp., Drawer 2481, Tulsa, Okla.  
 Abandoned under permit Lin-346-A.  
 On 115 acres, on Laurel Fork of Horse Creek.  
 Elevation, 1265' L.

346A  
 section 336A

Surface and minerals owned by Horse Creek Coal & Land Co.,  
 Charlottesville, W. Va.

Drilling commenced June 10, 1916; completed, Aug. 7, 1916.

Salt water at 1300 and 1328'.

13" casing, 10'; 8 $\frac{1}{4}$ " , 808' (pulled); 6 $\frac{3}{8}$ " , 2034'; 2" tubing, 2710'.

Coal was encountered at 620-625, 770-773, and 1160-1163'.

Oil, well. Abandonment reported to Dept. of Mines Aug. 1, 1942.

Record to RCT from Mrs. Griffith Dec. 19, 1942.

	Top.	Bottom.
Soil	0	10
Sand	10	90
Red rock	90	140
Sand	140	180
Slate	180	240
Sand	240	315
Slate	315	370
Red rock	370	420
Sand	420	560
Slate	560	620
Coal	620	625
Sand	625	700
Slate	700	720
Sand	720	770
Coal	770	773
Slate	773	778
Sand	778	885
Slate and shells	885	990
Sand	990	1020
Slate and shells	1020	1160
Coal	1160	1163
Slate and shells	1163	1180
Gas Sand	1180	1203
Slate	1203	1240
Salt Sand (water, 1300 and 1328')	1240	1882
Red rock	1882	1895
Lime shells	1895	1926
Red rock	1926	1944
Slate	1944	1952
Maxton Sand	1952	1968
Slate	1968	1978
Little Lime	1978	2010
Pencil Cave	2010	2021?
Big Lime	2021?	2204
Big Injun Sand	2204	2270
Slate and shells	2270	2670
Coffee slate	2670	2694
Berea Sand (oil and gas, 2696-2710')	2694	2710
Total depth		2710

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

642

WELL RECORD

Permit No. 346-A on plat 337-A

Oil or Gas Well Oil Well  
(KIND)

Company Frick-Weid Supply Corporation  
Address Drawer 2481, Tulsa, Okla.  
Farm Horse Ck/ Coal & Land Co. Acres 115  
Location (waters) Laurel Fk. of Horse Creek  
Well No. Fourteen Elev. 1265  
District Duval County Lincoln  
The surface of tract is owned in fee by Horse Ck. C&L Co.  
Address Charlottesville, Va.  
Mineral rights are owned by Same  
Address \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13	10	10	
10			Size of
8 1/4	808		
6 5/8	2034	2034	Depth set
5 3/16			
3			Perf. top
2		2710	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced June 10, 1916  
Drilling completed August 7, 1916  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water 1300 feet 1328 feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 620 FEET \_\_\_\_\_ INCHES  
625 FEET \_\_\_\_\_ INCHES 770 FEET \_\_\_\_\_ INCHES  
773 FEET \_\_\_\_\_ INCHES 1160 FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			0	10			
Sand			10	90			
Red rock			90	140			
Sand			140	180			
Slate			180	240			
Sand			240	315			
Slate			315	370			
Red rock			370	420			
Sand			420	560			
Slate			560	620			
Coal			620	625			
Sand			625	700			
Slate			700	720			
Sand			720	770			
Coal			770	773			
Slate			773	778			
Sand			778	885			
Slate & shells			885	990			
Sand			990	1020			
Slate & shells			1020	1160			
Coal			1160	1163			
Slate & shells			1163	1180			
Gas sand			1180	1203			
Slate			1203	1240			
Salt sand			1240	1882	Water	1300 & 1328	
Red rock			1882	1895			
Lime shells			1895	1926			
Red rock			1926	1944			
Slate			1944	1952			
Maxoh sand			1952	1968			
Slate			1968	1978			
Little Lime			1978	2010			
Pencil cave			2010	2012			
Big lime			2021	2204			
Injun sand			2204	2270			
Slate & shells			2270	2670			
Coffee slate			2670	2694			
Berea sand			2694	2710	Oil & gas	2696-2710	





