



Company Frick-Reid Supply Corporation
 Address Sandyville, West Virginia
 Farm W. S. May
 Tract _____ Acres 75 Lease No. _____
 Well (Farm) No. 3-4-7-8 Serial No. _____
 Elevation (Spirit Level) 1011-946-827-986
 Quadrangle Madison
 County Lincoln District Duval
 Engineer A. T. Westfall
 Engineer's Registration No. Co. Surveyor, Putskie, Ca.
 File No. _____ Drawing No. _____
 Date May 21, 1942 Scale 1" = 40 Fols

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 LIN-362-A-#3
 FILE NO. LIN-363-A-#8
 LIN-365-A-#7
 LIN-366-A-#4
 + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

659

WELL RECORD

Permit No. 365 A *on plat 362 A*

Oil or Gas Well Oil Well
(KIND)

Company Brick-Seed Supply Corporation
Address Drawer 2481, Tulsa, Okla.
Farm H. S. May Acres 75
Location (waters) Dear Pt. of Str. Pt. of Mud R
Well No. Seven Elev. 827
District Duval County Lincoln
The surface of tract is owned in fee by G. E. Lemasters
Address Yawkey, W. Va.

Mineral rights are owned by H. S. May
Address St. Ibens, W. Va.
Drilling commenced July 17, 1909
Drilling completed August 25, 1909
Date Shot 8/27/09 From 2314 To 2332
With 90 lbs. Nitro-glycerine

Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water 1075 feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13 Wood	16	16	Size of
10			
8 1/4			Depth set
6 5/8	1635	1635	
5 3/16			Perf. top
3			Perf. bottom
2		2332	Perf. top
Liners Used			Perf. bottom

CASING CEMENTED SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT FEET INCHES
 FEET INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal & slate			250	280			
Line & shells			280	350			
Sand			350	400			
Slate & lime			400	480			
Sand			480	525			
Line			525	600			
Red rock			600	680			
Sand, line & slate			680	915			
Black slate			915	935			
Slate & lime			935	950			
Salt sand			950	1602	Water	1075	
Little lime			1602	1632			
Brake			1632	1635			
Big lime			1635	1720			
Injun sand			1720	1780			
Slate & red rock			1780	2264			
Slate & shells			2264	2312			
Berea sand			2312	2332			



