



New Location...   
 Drill Deeper...   
 Abandonment...

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W.VA.  
 Farm T.A. GRIFFITH  
 Tract Acres 160 Lease No. 1207  
 Well (Farm) No. 2, 10, 14, 17 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) SEE ABOVE  
 Quadrangle MADISON  
 County LINCOLN District DUVAL  
 Engineer [Signature]  
 Engineer's Registration No. 662  
 File No. 44-49 Drawing No. \_\_\_\_\_  
 Date 2-17-49 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 LIN-597-A-#2  
 FILE NO. LIN-601-A-#10  
 LIN-612-A-#14  
 LIN-613-A-#17  
 + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

Duval District, Lincoln County, W. Va.

The Ohio Fuel Oil Co. (Big Creek Development Co.)

Drilling commenced Jan. 31, 1910, and completed March 9, 1910.

Contractor, Pratt Drilling Co., Charleston, W. Va.

Drillers: Joe Triplett and Bruce Duncan.

Elevation, 830'.

Record copied by C.E.Krebs from record book of O.F.O.Co.Nov. 14, 1911.

612A

a plot  
597A

	Top.	Bottom.	Thickness.
Coal	200 -	205	5
Sand	205 -	300	95
Slate	300 -	400	100
Sand	400 -	460	60
Slate	460 -	575	115
Sand	575 -	700	125
Slate	700 -	885	185
Salt Sand	885 -	1586	701
Little Lime	1586 -	1623	37
Pencil Cave	1623 -	1628	5
Big Lime	1628 -	1808	180
Red rock	1808 -	1878	70
Slate	1878 -	1928	49
Squaw Sand	1928 -	2000	72
Slate and shells	2000 -	2290	290
Black slate	2290 -	2307	17
Berea and (oil)	2307 -	2325	18
Bottom of hole (2' pocket)		2327	

Duval District, Lincoln County, W. Va.

By United Fuel Gas Co., Box 1273, Charleston, W. Va.

Abandoned under permit Lin-.....-A?

On.....acres.

Elevation, .....' L.

Shot March 11, 1910, with 90 qts.

6 $\frac{5}{8}$ " casing, 1631'.

Oil? well. Record to Dept. of Mines stamped Feb. 24, 1949.

Record to RCT from Mrs. Griffith May 21, 1949. Old File No. 858.

	Top.	Bottom.
Coal	200	206
Sand	205	300
Slate	300	885
Salt Sand	885	1586
Little Lime	1586	1623
Pencil Cave	1623	1628
Big Lime	1628	1808
Red rock	1808	1878
Slate	1878	1928
Squaw Sand	1928	2000
Slate and shells	2000	2290
Black slate	2290	2307
Berea Sand	2307	2325
Total depth		2327



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

858

Oil or Gas Well \_\_\_\_\_  
(KIND)

Permit No. 677-A

Company United Fuel Gas Company  
 Address P. O. Box 1273-Charleston, W. Va.  
 Farm T. A. Griffith Acres \_\_\_\_\_  
 Location (waters) \_\_\_\_\_  
 Well No. 14 Elev. \_\_\_\_\_  
 District Duval County Lincoln  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed \_\_\_\_\_  
 Date Shot 3/11/1910 From \_\_\_\_\_ To \_\_\_\_\_  
 With 90 qts.  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			Size of
10			Depth set <u>1260</u>
8 1/4			Perf. top
6 5/8	<u>1631</u>	<u>1631</u>	Perf. bottom
5 3/16			Perf. top
3			Perf. bottom
2			
Liners Used			

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			200	205			
Sand			205	300			
Slate			300	885			
Salt Sand			885	1586			
Little Lime			1586	1623			
Pencil Cave			1623	1628			
Big Lime			1628	1808			
Red Rock			1808	1878			
Slate			1878	1928			
Squaw Sand			1928	2000			
Slate & shells			2000	2290			
Black Slate			2290	2307			
Berea Sand			2307	2325			
Total Depth				2327'			

