

Latitude 38° 15'

Longitude 81° 55'



1.96 S  
2.12 W

New Location   
 Drill Deeper   
 Abandonment

Company G. S. & H. SUPPLY CO.  
 Address TULSA, OKLA.  
 Farm C. C. GRIFFITH  
 Tract \_\_\_\_\_ Acres 40 Lease No. \_\_\_\_\_  
 Well (Farm) No. 2 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 703.66  
 Quadrangle MADISON  
 County LINCOLN District DUVAL  
 Engineer L. F. Rye  
 Engineer's Registration No. 804  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 2-2-49 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. LIN-663-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

C. C. GRIFFITH NO. 2 WELL.

663A

Duval District, Lincoln County, W. Va.  
By G. S. H. Supply Co., Box 895, Tulsa, Okla.  
Abandoned under permit Lin-.....-A?

On 40 acres.

Elevation, 703.66' L.

Date of completion, etc., not given.

10" casing, 37'; 8 $\frac{1}{4}$ "", 180'; 6 $\frac{5}{8}$ "", 1506'; 5 $\frac{3}{8}$ "", 1568'; 2" tubing, 2186';  
liner, 341'; all left in.

Oil well. Record to Dept. of Mines stamped March 7, 1949.

Record to RCT from Mrs. Griffith May 21, 1949. Old File No. 853.

	Top.	Bottom.
Salt Sand	750	- 1405
Little Lime	1455	- 1490
Pencil Cave	1490	- 1495
Big Lime	1495	- 1685
Big Injun Sand	1685	- 1745
Brown shale	2155	- 2175
Berea Sand (oil)	2175	- 2196
Total depth		2196

Duval District, Lincoln County, W. Va.  
Big Creek Development Co.  
1/2 mile north of Amy.  
Elevation, 700' B.

663A

	Top.	Bottom.	Thickness.
Soil and quicksand	0	- 37	37
Sand	37	- 57	20
Slate and shells	57	- 140	83
Coal	140	- 142	2
Sand	142	- 158	16
Slate	158	- 168	10
Coal	168	- 169	1
Slate	169	- 190	21
Sand	190	- 270	80
Slate and sand	270	- 710	440
Slate	710	- 750	40
Salt Sand (hole full water, 830')	750	- 1405	655
Slate	1405	- 1415	10
Red rock	1415	- 1425	10
Lime	1425	- 1445	20
Slate	1445	- 1455	10
Little Lime	1455	- 1490	35
Pencil Cave	1490	- 1495	5
Big Lime	1495	- 1685	190
Big Injun Sand	1685	- 1745	60
Slate	1745	- 1805	60
Lime shells	1805	- 1955	150
Slate	1955	- 2155	200
Black slate	2155	- 2175	20
Berea Sand (oil)	2175	- 2196	21
Slate	2196	- 2200	4

In original record the thickness of the Salt Sand is given as 665 feet, but from the top and bottom, figures only 655 feet. In the Cabell-Wayne-Lincoln Report 10' was added all the way from bottom of Salt Sand to bottom of well, probably on account of error in thickness of Salt Sand.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

853

WELL RECORD

Permit No. 663A

Oil or Gas Well Oil

(KIND)

Company <u>G. S. &amp; H. Supply Co.</u>	Casing and Tubing	Used in Drilling	Left in Well	Packers
Address <u>Box 895, Tulsa, Okla.</u>	Size			
Farm <u>C. C. Griffith</u> Acres <u>40</u>	16			Kind of Packer
Location (waters)	13			
Well No. <u>2</u> Elev. <u>703.66</u>	10		<u>37</u>	Size of
District <u>Duval</u> County <u>Lincoln</u>	8 1/4		<u>180</u>	Depth set
The surface of tract is owned in fee by	6%	<u>all</u>	<u>1506</u>	
Address	5 3/16	<u>all</u>	<u>1568</u>	
Mineral rights are owned by	3			Perf. top
Address	2		<u>2186</u>	Perf. bottom
Drilling commenced	Liners Used	<u>none</u>	<u>341</u>	Perf. top
Drilling completed				Perf. bottom
Date Shot From To				
With				
Open Flow /10ths Water in Inch				
/10ths Merc. in Inch				
Volume Cu. Ft.				
Rock Pressure lbs. hrs.				
Oil bbls., 1st 24 hrs.				
Fresh water feet				
Salt water feet				

CASING CEMENTED	SIZE	No. Ft.	Date
COAL WAS ENCOUNTERED AT	FEET	INCHES	
	FEET	INCHES	
	FEET	INCHES	

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt sand			750	1405			
Little lime			1455	1490			
Pencil cave			1490	1495			
Big lime			1495	1685			
Big Inj <del>n</del>			1685	1745			
Brown shale			2155	2175			
Berea			2175	2196	Oil		

