



New Location..   
 Drill Deeper.....   
 Abandonment.....

S 5.10  
 W 2.75

Company G. S. & H. SUPPLY CO.  
 Address TULSA, OKLA.  
 Farm O. F. BELL  
 Tract \_\_\_\_\_ Acres 75 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 1046.46  
 Quadrangle SAINT ALBANS  
 County LINCOLN District DVVAL  
 Engineer L. F. Page  
 Engineer's Registration No. 809 **SW**  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 1-22-49 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. 41N-880-A-1

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



Duval District, Lincoln County, W. Va.  
 Big Creek Oil & Dev. Co.  
 1½ mi. N. W. of Yawkey.  
 Elevation, 1035'.

880A

	Top.	Bottom.	Thickness.
(Hole <u>drawed</u> in 260 water)			
Salt Sand (hole full water, 1250')	1220	- 1803	583
Little Lime	1803	- 1833	30
Break	1833	- 1836	3
Big Lime (gas at 1984'; break in Lime at 1894-1990')	1836	- 2040	204
Slate	2040	- 2070	30
Big Injun Sand	2070	- 2145	75
Slate and shells	2145	- 2520	375
Brown shale	2520	- 2533	13
Berea Sand (oil)	2533	- 2555	22





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1100

WELL RECORD

Permit No. CIN-880-A

Oil or Gas Well Oil  
(KIND)

Company G. S. & H. Supply Co.  
Address Tulsa Okla  
Farm O. F. Bell Acres 75  
Location (waters) \_\_\_\_\_  
Well No. I Elev. 1046.46  
District Duval County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Drilling commenced \_\_\_\_\_  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4			
6 5/8	1862	1862	Depth set
5 3/16	1892	1892	
3			Perf. top
2	2 555	2555	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt Sand	1220	1803					
Little Lime	1803	1833					
Big Lime	1836	2040					
Big Injun	2070	2145					
Brown Shale	2520	2533					
Berea Sand	2533	2555					



(Over)

SEP - 9 1950