



Company G. S. & H. SUPPLY CO.  
 Address TULSA, OKLA.  
 Farm T. J. McDOWELL  
 Tract \_\_\_\_\_ Acres 46 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 936.83  
 Quadrangle SAINT ALBANS  
 County LINCOLN District DUYAL  
 Engineer L. F. Dye  
 Engineer's Registration No. 804 SW  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 1-24-49 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. LIN-881-A-1

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 — Denotes one inch spaces on border line of original tracing.



W  
T. J. McDODD (?) NO. 1 WELL.

881A

Duval District, Lincoln County, W. Va.

By G. S. H. Supply Co., Tulsa, Okla.

Abandoned under permit Lin-.....-A?

On 77 acres.

Elevation, 936.83' L.

Date of completion, etc., not given.

6 $\frac{5}{8}$ " casing, 1760'; 5 $\frac{3}{16}$ "<sup>3</sup>, 1812'; 2" tubing, 2250'; all left in.

Oil well. Record to Dept. of Mines stamped June 26, 1950.

Record to RCT from Mrs. Griffith Sept. 9, 1950. Old File No. 1114.

	Top.	Bottom.
Salt Sand	1145	- 1525
Black slate	1525	- 1535
Black lime	1535	- 1630
Maxton Sand	1630	- 1670
Black slate	1670	- 1683
Little Lime	1683	- 1713
Pencil Cave	1713	- 1723
Big Lime	1723	- 1915
Red rock	1915	- 1940
Big Injun Sand	1940	- 1990
Slate	1990	- 2409
Berea Sand	2409	- 2427
Total depth		2427





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1114

WELL RECORD

Permit No. LIN-881-A Oil or Gas Well Oil  
(KIND)

Company G. S. & H. Supply Co.  
Address Tulsa Okla  
Farm T. J. Mc Dodell DOWELL Acres 77  
Location (waters) \_\_\_\_\_  
Well No. \_\_\_\_\_ Elev. 936.83  
District Duval County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced \_\_\_\_\_  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			Size of
10			
8 1/4	1760	1760	Depth set
6 5/8	1812	1812	
5 3/16			Perf. top
3	2250	2250	Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt Sand			1145	1525			
Black Slate			1525	1535			
Black Lime			1535	1630			
Maxon Sand			1630	1670			
Black Slate			1670	1683			
Little Lime			1683	1713			
Pencil Cave			1713	1723			
Big Lime			1723	1915			
RedRock			1915	1940			
Big Injun			1940	1990			
Slate			1990	2409			
BereaSand			2409	2427			

1526 27 28 29 30 31 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26  
JUN 1950  
WEST VIRGINIA  
DEPARTMENT OF MINES

(Over)

SEP - 9 1950