



New Location   
 Drill Deeper   
 Abandonment

FEB 11 1953

Company G. S. H. SUPPLY CO.,  
 Address TULSA, OKLA.  
 Farm OLIVER HILL  
 Tract \_\_\_\_\_ Acres 204.5 Lease No. \_\_\_\_\_  
 Well (Farm) No. 3-18-19-11 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) SEE ABOVE  
 Quadrangle MADISON  
 County LINCOLN District DUVAL  
 Engineer L. H. Dye  
 Engineer's Registration No. 804  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 10-23-50 Scale 1" = 800'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

FILE NO. 043-1036-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

-- Denotes one inch spaces on border line of original tracing.

OLIVER HILL NO. 11 WELL.

1040A

Duval District, Lincoln County, W. Va.  
 By G. S. & H. Supply Co., Griffithsville, W. Va.  
 Abandoned under permit Lin-.....-A?  
 On 20<sup>4</sup> acres, on Straight Fork.  
 Elevation, 895.58' L.  
 Drilling completed May 27, 1913.  
 Shot May 27, 1913, with 80 qts.  
 6<sup>5</sup>/<sub>8</sub>" casing, 1690'; 5<sup>3</sup>/<sub>16</sub>" 1744'; 2" tubing, 2385'; all left in.  
 Oil well. Record to Dept. of Mines stamped Aug. 1, 1951.  
 Record to RCT from Mrs. Griffith Feb. 29, 1952. Old File No. 1292.

	Top.	Bottom.
Salt Sand	1000	- 1640
Little Lime	1640	- 1675
Pencil Cave	1675	- 1680
Big Lime	1680	- 1860
Big Injun Sand	1860	- 1920
Brown shale	2355	- 2375
Berea Sand	2375	- 2393
Total depth		2393



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1292

Permit No. UN-1040-A <sup>on plat 103-A</sup>

WELL RECORD

Oil or Gas Well \_\_\_\_\_ (KIND)

Company G. S. & H. Supply Company  
 Address Griffithville, W. Va.  
 Farm Oliver Hill Acres 204  
 Location (waters) Straight Fork  
 Well No. 11 Elev. 895.50'  
 District Duval County Lincoln  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed May 27, 1913  
 Date Shot 5/27/13 From \_\_\_\_\_ To \_\_\_\_\_  
 With 80 qts.  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4			
6 5/8	1690	1690	Depth set
5 3/16	1744	1744	
3			Perf. top
2	2395	2395	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt Sand			1000	1640			
Little Lime			1640	1675			
Pencil Cave			1675	1680			
Big Lime			1680	1860			
Big Injun			1860	1920			
Brown Shale			2355	2375			
Berea Sand			2375	2395			
Total Depth				2395			

