

Latitude 38° 15'

Longitude 82° 10'

KENOVA COAL CO. MINERAL

U.F.G. CO. MINERAL

KENOVA COAL CO. MINERAL

U.F.G. CO. MINERAL

From Stake of Call of Foot of White Oak of Hill (Gone)

Stake in Old Road by Drain with Elm Pointers



S45°30'W 390'

5932

U.F.G. CO. MINERAL S52°30'E 1674'

N59°30'W 1470'

GUYANDOT RIVER

5933

N76°30'W 510'

Stake 30' North of Drain of Call of Beech & Maple (Gone)

S49°W 256'

Stake 75' East of River of Call of Beech & Gum (Gone)

STONECOAL BR.

New Location
Drill Deeper
Abandonment

AUG 8 1954

1.5
2137

Company UNITED FUEL GAS CO.
 Address CHARLESTON, W.VA.
 Farm U.F.G. CO. MINERAL
 Tract 9 Acres 232 1/2 Ref. Case No. 24687
 Well (Farm) No. _____ Serial No. 5932
 Elevation (Spirit Level) 582.3'
 Quadrangle MIDKIFF
 County LINCOLN District SHERIDAN
 Engineer Stephen R. Ferrell
 Engineer's Registration No. 2529
 File No. 30-49 Drawing No. _____
 Date 7-27-54 Scale 1"=400'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. LIN-1106-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1994

Quadrangle Midkiff

Permit No. 1105-A

WELL RECORD

Oil or Gas Well GAS
(KIND)

Company UNITED FUEL GAS CO.
Address P.O. Box 1273, Charleston 25, W. Va.
Farm U. F. G. Co. Min. #9 Acres 1,371.07
Location (waters) Guyandot River
Well No. 5932 Elev. 582.3
District Sheridan County Lincoln

The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by U. F. G. Co.
Address _____

Drilling commenced _____
Drilling completed 7-15-13
Date Shot 8-15-13 ? From _____ To _____
With 40 qts.

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10		65'	Size of
8 1/4			
6 5/8		1062'	Depth set
5 3/16			
3			Perf. top
2		1300'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 150 FEET 60 INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Quick Sand & Gravel			0	65	Gas from	Big Injun	
Slate			65	80			
Sand & Lime Shells			80	125			
Slate			125	150			
Coal			150	155			
Slate			155	185			
Sand			185	240			
Slate			240	375			
Sand			375	400			
Slate & Shells			400	490			
Salt Sand			490	880			
Slate & Shells			880	985			
Red Rock			985	1000			
Slate & Shells			1000	1030			
Little Lime			1030	1052			
Pencil Cave			1052	1055			
Big Lime			1055	1244			
Slate			1244	1251			
Red Rock			1251	1271			
Big Injun			1271	1300			
Total depth			1300'				

RECEIVED
WEST VIRGINIA
DEPT. OF MINES
JUL 1954

JAN 7 1955

