

UNITED FUEL GAS CO. (MIN. TR. 9) NO. 5931 WELL.

Sheridan District, Lincoln County, W. Va. 1206A
 By United Fuel Gas Co., Box 1273, Charleston, 25, W. Va.
 Abandoned under permit Lin-.....-A(?); Midkiff Quadrangle.
 On 1371.07 acres, on Guyandot River.
 Elevation, 577.20' L.
 Minerals owned by United Fuel Gas Co., Charleston, W. Va.
 Drilling commenced July 1, 1913; completed July 21, 1913.
 Shot July 21, 1913, with 30 qts.
 Volume, 1,250,000 cu. ft.
 10" casing, 66'; 6 $\frac{3}{8}$ "", 1071'; 2" tubing, 1298 $\frac{1}{2}$ ' (all left in).
 Coal was encountered at 150-153'.
 Gas well. Record to Dept. of Mines dated Sept. 20, 1955.
 Record to RCT from Mrs. Griffith Jan. 23, 1956. Old File No. 1484.

	Top.	Bottom.
Quicksand and gravel	0	65
Slate	65	75
Sand	75	130
Slate	130	150
Coal	150	153
Slate	153	160
Sand	160	230
Slate	230	360
Sand	360	395
Slate	395	490
Salt Sand	490	900
Slate	900	930
Lime	930	942
Slate	942	960
Lime	960	970
Slate	970	1005
Red rock	1005	1020
Slate	1020	1045
Little Lime	1045	1063
Pencil Cave	1063	1066
Big Lime	1066	1260
Slate	1260	1265
Red rock	1265	1281
Big Injun Sand (gas)	1281	1298 $\frac{1}{2}$
Total depth		1298 $\frac{1}{2}$



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1484

Quadrangle Midkiff

WELL RECORD

Permit No. LIN-1204-A

Oil or Gas Well Gas
(KIND)


Company UNITED FUEL GAS CO.
 Address P. O. Box 1273, Charleston 25, W. Va.
 Farm U.F.G.Co. Min. Tr. #9 Acres 1,371.07
 Location (waters) Guyan River
 Well No. 5931 Elev. 577.20'
 District Sheridan County Lincoln
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by United Fuel Gas Co.
 Address Charleston, W. Va.
 Drilling commenced 7-1-13
 Drilling completed 7-21-13
 Date Shot 7-21-13 From _____ To _____
 With 30 qts.
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume 1,250,000 Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10		66'	Size of
8 3/4			
6 3/4		1071'	Depth set
5 3/16			
3			Perf. top
2		1298 1/2'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 150 FEET 36 INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Quick Sand & Gravel			0	65	Gas from Injun		
Slate			65	75			
Sand			75	130			
Slate			130	150			
Coal			150	153			
Slate			153	160			
Sand			160	230			
Slate			230	360			
Sand			360	395			
Slate			395	490			
Salt Sand			490	900			
Slate			900	930			
Lime			930	942			
Slate			942	960			
Lime			960	970			
Slate			970	1005			
Red Rock			1005	1020			
Slate			1020	1045			
Little Lime			1045	1063			
Pencil Cave			1063	1066			
Big Lime			1066	1260			
Slate			1260	1265			
Red Rock			1265	1281			
Big Injun Sand			1281	1298 1/2			
Total depth			1298 1/2'				



(Over)

JAN. 23 1956

