



New Location  X  
 Drill Deeper   
 Abandonment

Company United Producing Co. Inc.  
 Address Charleston, W. Va.  
 Farm Elk Creek Coal Land Co.  
 Tract \_\_\_\_\_ Acres 7600 Lease No. 5658  
 Well (Farm) No. 3 Serial No. 1575  
 Elevation (Spirit Level) 1330.6 Gr.  
 Quadrangle Gilbert  
 County Logan District Triadelphia  
 Engineer C. G. Withrow  
 Engineer's Registration No. 1377 Ky.  
 File No. 15-B Drawing No. \_\_\_\_\_  
 Date Oct. 22, 1948 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. LOG-217

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

6-6-266

WEST VIRGINIA DEPARTMENT OF MINES  
OIL & GAS DIVISION  
W E L L R E C O R D.

Permit No. Log 217

Gilbert Quad.

Company United Producing Company, Inc.  
Address Box 1913, Charleston 27, W.Va.  
Farm Elk Creek Coal Land Company A 7600  
Location Sandlick Creek  
Well No. 3 (1575) Elev. 1330.6' Gr.  
District Triadelphia Wyoming County  
Surface Elk Creek Coal Land Co.

Mineral Same  
Commenced June 14, 1949  
Completed Nov. 10, 1949  
Date shot 11-11-49 Depth 3383 to 3423  
with 200 qts. nitroglycerine  
Open flow 20/10ths W in 2"  
Volume 189,000 C.F.  
Rock Pressure 620 lbs. 48 hrs.  
Fresh Water 120° H.F.  
Salt Water 945-950° 1/2 blr. per hr.  
2006° 1 blr.

Gas Well  
CASING & TUBING  
13 3/8 16 1/2 16 1/2  
10 1/2 620 620  
8 5/8 1889 1889  
7 OD 2554 2554  
2 3/8 3432 3432

Depth 2795'  
Perf. top 3391'  
bot 3432'

Coal at 221' 48";  
422' 24"; 505' 48"

Sand	8	30	Sand	2350	2395
Slate	30	48	Slate	2395	2438
Sand	48	79	Little Lime	2438	2500
Slate	79	105	Pencil Cave	2500	2528
Sand	105	125	Big Lime	2528	2849
Slate	125	145	Injun Sand	2849	2893
Sand	145	221	Slate & Shells	2893	2925
Coal	221	225	Sand Red	2925	2940
Slate	225	369	Slate & Shells	2940	3371
Sand	369	422	Shale Brown	3371	3380
Coal	422	424	Lime Blk	3380	3382
Slate	424	450	Berea Grit	3382	3423
Sand	450	505	Slate	3423	
Coal	505	509	Total depth		3432
Sand	509	516			
Slate	516	549	Gas 1400' show		
Lime	549	650	Gas 2618-2524' 7/10 W 1" 28 MCF		
Slate	650	705	Gas 2624-2635' 5/10 W 1" 23 M		
Sand	705	820	Gas 2965-2971' 64/10 W 1" 84 M		
Slate	820	835	Gas 2986 7/10 W 1" 28 M		
Sand	835	880	Gas 3022' 2/10 W 1" 15 M		
Slate	880	945	Gas 3395-3400' 2/10 W 1" 15 M		
Sand	945	1125	Gas 3400-3405' 3/10 W 1" 18 M		
Slate-Lime	1125	1150	Gas 3405-3409 4/10 W 1" 21 M		
Sand	1150	1315	Gas 3409-3415' 4/10 W 1" 21 M		
Slate	1315	1335	Gas 3415-3423' 4/10 W 1" 21 M		
Sand	1335	1450			
Slate	1450	1458			
Sand	1458	1490			
Slate	1490	1525			
Sand	1525	1684			
Slate	1684	1695			
Red Rock	1695	1697			
Lime-Slate	1697	1860			
Sand	1860	2020			
Red Rock	2020	2025			
Lime Sandy	2025	2050			
Slate & Shells	2050	2080			
Red Rock	2080	2110			
Slate & Shells	2110	2163			
Red Rock	2163	2170			
Slate & Shells	2170	2200			
Lime	2200	2242			
Red Rock	2242	2255			
Slate & Shells	2255	2266			
Sand	2266	2273			
Slate	2273	2300			
Red Rock	2300	2350			