

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

**CONSOLIDATION COAL CO.**  
Coal Operator or Owner  
**1 BRIDGE STREET MONONGAH, WV 26554**  
Address  
**CONSOLIDATION COAL CO.**  
Coal Operator or Owner  
**1 BRIDGE STREET MONONGAH, WV 26554**  
Address  
**JEFFREY MICHAEL**  
Lease or Property Owner  
**P.O BOX 211 MANNINGTON, WV 26582**  
Address

**CONSOLIDATION COAL CO.**  
Name of Well Operator  
**1 BRIDGE STREET MONONGAH, WV 26554**  
Complete Address  
**GLOVER GAP 7.5'**  
Well Location  
**MANNINGTON**  
District  
**MARION**  
County  
**5259**  
Well No.  
**MICHAEL JEFFERY**  
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bill Handshert*

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

**DELBERT MOORE** and **KEVIN WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 31<sup>st</sup> day of October, 2012 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Removed all 2 3/8" tubing from the surface to 2783'. Cleaned 4 1/2" hole through existing 5 1/2" casing from the surface to 2793'. Removed 5 1/2" casing from the surface to 1887'. Left 553' of 5 1/2" casing in the hole from 1887' to 2440'. Cut remaining 5 1/2" casing at 1997'. Cemented bottom hole from 2793' back to 1887' with 185 sacks of Class A Cement. Removed 7" casing from the surface to 1145'. Left 740' of 7" casing in the hole from 1145' to 1885'. Cut remaining 7" casing at the following depths; 1785', 1685', 1585', 1502', 1402', 1302' and 1205'. Cleaned 9 7/8" hole from the surface to 1145'. Cleaned 6 1/2" hole from 1145' to top of bottom hole plug at 1887'. Cleaned 9 7/8" hole through Pittsburgh Coal (962' to 970'). Left 20' of 16" conductor pipe in the hole from 20' to surface. <b>Cemented hole from 2793' back to surface as follows:</b> From 2793' to 1887' with 185 sacks of Class A Cement. From 1887' to 1170' with 100 sacks of SuperLite Cement. From 1170' to 862' with 160 sacks of Thixotropic Cement with dye. From 862' to surface with 562 sacks of SuperLite Cement. A total of 1007 sacks of cement were used to fill the hole from 2793' back to surface. Cement did circulate at the surface.	16" Conductor	0'	20'	
	7" Casing	1145'	740'	
	5 1/2" Casing	1887'	553'	
	2 3/8" Tubing	2783'	0'	
<b>Coal Seams</b> Pittsburgh	(962' - 970')	<b>Description of Monument</b> 77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED  
Office of Oil & Gas  
JAN 28 2013  
WV Department of  
Environmental Protection

...and that the work of plugging and filling said well was completed on the 20<sup>th</sup> day of December, 2012

And further deponents saith not.


*Delbert Moore*  
Delbert Moore  
*Kevin S. Wright*  
Kevin S. Wright

Sworn to and subscribed before me this 14<sup>th</sup> day of January 2013

*Jacqueline L. Shriver*  
Notary Public

My commission expires:

March 18, 2020



Permit No. 47-049-00876-P  
Well No. 5259