

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE ST. MONONGAH WV 26554  
Address

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE ST. MONONGAH WV 26554  
Address

JAMES D. ATKINSON  
Lease or Property Owner  
15 SMOKEY VALLEY ROAD MANNINGTON, WV 26582  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE ST. MONONGAH, WV 26554

Complete Address  
CLOVER GAP 7.5'

Well Location  
MANNINGTON

District

MARION

County

5154

Well No.

ATKINSON, JAMES D.  
Farm

STATE INSPECTOR SUPERVISING PLUGGING

*Bill Hord*

5-5-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

DELBERT MOORE and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 2<sup>nd</sup> day of February, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
<p>Cleaned 14 1/2" hole from the surface to 30'. Drilled Cement with 14 1/2" bit from 30' to 76'. Removed junk casing with 13 3/8" Junk Basket from 44' to 82'. Removed 64' of 10 3/4" casing from 82' to 146'. Cleaned 12 1/2" hole from 82' to 146'. Reduced hole to 8 7/8". Cleaned 9 7/8" hole from 146' to 202'. Tag top of 8 5/8" casing at 202'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 202' to 1189'. Tag solid plug at 1189'. Cut 8 5/8" casing at the following depths: 1185', 1115', 1015', 915', 820', 816', 814', 812', 808', 806', 804', 803', 710', 510', 410' and 310'. Bottom of 8 5/8" casing is at unknown depth. Cleaned 7 7/8" hole inside 8 5/8" casing through the Pittsburgh Coal seam from 808' to 815'.</p> <p><u>Cemented hole from 1189' back to surface as follows:</u> From 1189' to 1015' with 35 sacks of Expandable Cement. From 1015' to 708' with 85 sacks of Thixotropic Cement with green dye. From 708' to the surface with 260 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.</p>	<p><u>PITTSBURGH</u> 808' to 815'</p>	16" Conductor	0'	20'
		10 3/4" Casing	64'	Unknown
		8 5/8" Casing	0'	Unknown
Coal Seams		Description of Monument		
(Name)		(Name), (Monument Name), well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
		cement plug at ground level.		

RECEIVED  
Office of Oil & Gas  
MAY 06 2014  
WV Department of  
Environmental Protection

... And that the work of plugging and filling said well was completed on the 18<sup>th</sup> day of March, 2014

And further deponents saith not.

*Delbert Moore*  
Delbert Moore


*Kevin S. Wright*  
Kevin S. Wright

Sworn to and subscribed before me this 5<sup>th</sup> day of May 2014

*Kara Beth Forst*  
Notary Public

My commission expires: 11/4/23

Permit No. 47-49-00887-P  
Well No. 5154



05/09/2014