

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
ALLEGHENY FORESTLAND, LLC
Lease or Property Owner
3001 EMERSON AVE, PARKERSBURG, WV 26104
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5457
Well No.
ALLEGHENY FORESTLANDS, LLC
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bill Hudson*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 3rd day of March, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Removed all cable from the surface to 2125'. Removed all 2 3/8" tubing from the surface to 2141'. Removed 1948' of 5 1/2" casing from the surface to 1948'. Left 181' of 5 1/2" casing in the hole from 1948' to 2129'. Tagged solid plug at 2145'. Removed 1604' of 7" casing from the surface to 1604'. Left unknown amount of 7" casing in the hole from 1604' to an unknown depth. Cut remaining 7" casing at the following depths: 1728', 1829' and 1948'. Cement bottom hole from 2145' to 1826' with 50 sacks of Expandable Cement. Removed 1243' of 8 5/8" casing from the surface to 1243'. Left 252' of 8 5/8" casing in the hole from 1243' to 1495'. Cut remaining 8 5/8" casing at the following depth: 1345'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1007' to 1014'. <u>Cemented hole from 1826' back to surface as follows:</u> From 1826' to 1219' with 105 sacks of Expandable Cement. From 1219' to 907' with 175 sacks of Thixotropic Cement with Dye. From 907' to the surface with 390 sacks of Expandable Cement. A total of 720 sacks of cement were used to fill the hole from 2145' back to surface. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.	16" Conductor	0'	20'	
	8 5/8" Casing	1243'	252'	
	7" Casing	1604'	Unknown	
	5 1/2" Casing	1948'	181'	
	2 3/8" Tubing	2141'	0'	
	Cable	2125'	0'	
Coal Seams		Description of Monument	<p>RECEIVED Office of Oil and Gas JUN 23 2014 WV Department of Environmental Protection</p>	
<u>Pittsburgh</u>	<u>(1007' - 1014')</u>	<u>77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.</u>		

... and that the work of plugging and filling said well was completed on the 7th day of April, 2014

And further deponents saith not.


Mark Wilson
Mark Wilson

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 12th day of May 2014

Kena Beth Forst
Notary Public

... My commission expires: 11/4/23



Permit No. 47-049-01658-P
Well No. 5457

06/27/2017