



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary
www.dep.wv.gov

Thursday, September 26, 2024
WELL WORK PLUGGING PERMIT
Coal Bed Methane Well Plugging

DIVERSIFIED PRODUCTION LLC
101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re: Permit approval for 6-D-1
47-049-01723-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.

James A. Martin
Chief

A blue ink signature of James A. Martin, written in a cursive style, is located to the right of his name and title. The signature is somewhat stylized and difficult to read.

Operator's Well Number: 6-D-1
Farm Name: POSTLETHWAIT, CARL & CH
U.S. WELL NUMBER: 47-049-01723-00-00
Coal Bed Methane Well Plugging
Date Issued: 9/26/2024

Promoting a healthy environment.

09/27/2024

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
3. Well work activities shall not constitute a hazard to the safety of persons.
4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

WW-4B
Rev. 2/01

1) Date July 30, , 20 24
2) Operator's
Well No. 8-D-1
3) API Well No. 47-840 - 01723

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

- 4) Well Type: Oil / Gas / Liquid injection / Waste disposal /
(If "Gas, Production or Underground storage) Deep / Shallow
- 5) Location: Elevation 1382.5' Watershed Big Run of Pyles Fork
District Mannington County Marion Quadrangle Mannington 7.5'
- 6) Well Operator Diversified Production, LLC 7) Designated Agent Chris Veazey
Address 414 Summers Street Address 414 Summers Street
Charleston, WV 25301 Charleston, WV 25301
- 8) Oil and Gas Inspector to be notified 9) Plugging Contractor
Name Kenny Willett Name Next LVL Energy (Diversified Owned)
Address 2393 Tallmansville Rd. Address 104 Hellport Loop Rd
Buckhannon, WV 26201 Bridgeport, WV 25330

10) Work Order: The work order for the manner of plugging this well is as follows:

See Attached

RECEIVED
Office Of Oil and Gas



AUG 13 2024

WV Department of
Environmental Protection

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.


Work order approved by inspector Ky Willett Date 8/7/24

09/27/2024



LINE	BEARING	DISTANCE
L1	N 28°45'26" E	495.97'
L2	N 18°45'26" E	404.25'
L3	N 24°03'56" E	116.91'
L4	S 06°44'34" E	132.00'
L5	S 41°29'34" E	437.25'
L6	N 78°45'26" E	453.75'
L7	S 21°14'34" E	82.50'
L8	S 11°45'26" W	495.00'
L9	S 00°15'26" W	284.00'
L10	S 06°15'26" W	387.75'
L11	N 34°14'34" W	334.13'
L12	N 38°29'34" W	561.00'
L13	N 54°44'34" W	198.00'
L14	N 89°44'34" W	288.75'
L15	N 58°44'34" W	210.38'
L16	S 59°23'26" E	509.55'
L17	S 48°50'16" W	197.81'
L18	S 54°26'05" E	253.45'
L19	S 47°13'38" E	174.73'
L20	N 42°12'12" E	280.88'
L21	N 61°18'52" W	286.61'
L22	N 59°05'36" W	50.10'
L23	N 56°53'43" E	122.10'
L24	N 25°39'27" E	89.18'
L25	N 39°24'29" E	231.41'
L26	S 55°22'37" E	281.71'
L27	S 56°53'43" W	380.53'
L28	N 55°22'37" W	61.21'
L29	S 56°53'43" W	131.29'
L30	N 27°09'55" W	88.74'

LINE	BEARING	DISTANCE
R1	N 09°33'51" E	87.98'
R2	N 43°44'23" E	90.86'
R3	S 75°44'46" E	88.89'



Blue Mountain Engineering
 11023 MASON DIXON HIGHWAY
 BURTON, WV 26562
 PHONE: (304) 662-8486



I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE REGULATIONS ISSUED AND PRESCRIBED BY THE DEPARTMENT OF ENERGY.

P.S. *George D. Six*
 No. 2000

(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS
 DATE APRIL 4, 20 06
 OPERATOR'S WELL NO. 6D1
 API WELL NO. 47 - 049 - 01723C
 STATE COUNTY PERMIT

MINIMUM DEGREE OF ACCURACY: 1/2500 FILE No.: 6D1
 SCALE: 1" = 600'
 PROVEN SOURCE OF ELEVATION: U.S.G.S. MONUMENT - THOMAS 1498.81'

STATE OF WEST VIRGINIA
 DIVISION OF ENVIRONMENTAL PROTECTION
 OFFICE OF OIL AND GAS
 AUG 1 2024

WELL TYPE: OIL: GAS LIQUID INJECTION WASTE DISPOSAL "GAS" PRODUCTION STORAGE DEEP WV Department of Environmental Protection

LOCATION: ELEVATION: 1393.50' WATERSHED: BIG RUN
 DISTRICT: MANNINGTON COUNTY: MARION QUADRANGLE: GLOVER GAP, WV 7.5'
 SURFACE OWNER: CARL A. & CHARLOTTE S. POSTLETHWAIT ACREAGE: 81.011±
 ROYALTY OWNER: CARL A. & CHARLOTTE S. POSTLETHWAIT LEASE ACREAGE: _____
 PROPOSED WORK: _____ LEASE No.: 09/27/2024
 DRILL: _____ CONVERT: DRILL DEEPER: _____ REDRILL: _____ FRACTURE OR STIMULATE: _____ PLUG OFF OLD: _____

Plugging Prognosis

API #: 47-049-01723

West Virginia, Marion County

Lat/Long – 39.620021, -80.394409

Nearest ER: United Hospital Center Emergency Room – 327 Medical Park Dr, Bridgeport, WV 26330

Casing Schedule

9-5/8" @ 21' (CTS)

7" @ 1085' (CTS from 885') – Slotted from 1085' to 885'

TD @ 1085'

Fresh Water: None Listed

Salt Water: None Listed

Gas Shows: None Listed

Oil Shows: None Listed

Coal: Pittsburgh Coal Seam – Depth Not Listed in Well File

Elevation: 1393.50'

1. Notify Inspector Kenny Willett @ 681-990-2567, 48 hrs prior to commencing operations.
2. Check and record pressures on csg/tbg.
3. Physically/visually verify CTS on 7" csg.
4. Check TD w/ sandline/tbg.
5. Run in to 1075', or 10' above TD. Kill well as needed with 6% bentonite gel and fill rat hole with gel. Pump at least 10 bbls gel. TOO H w/ tbg.
6. Slowly add gravel from surface by hand to fill up from TD to 935'. Should take approximately 3802 lbs of ¼"-2" gravel. Tag top of gravel. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
7. TIH w/ tbg to just above top of gravel. Pump 200' (48.3 cu ft) Class L cement plug from 935' to 735'. 43 sks @ 1.14 yield. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
8. TOO H w/ tbg to top of plug. Pump 6% bentonite gel from 735' to 100'.
9. TOO H w/ tbg to 100'. Pump 100' (24.2 cu ft) Class L cement plug from 100' to surface. 22 sks @ 1.14 yield. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
10. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

RECEIVED
Office Of Oil and Gas

Ky Willett 3 2024

WV Department of
Environmental Protection

09/27/2024

CBM-6D1

44-01723-C


ORIGINAL CASING
PROPOSED PLUGGING AND ABANDONMENT SCHEMATIC

SURFACE

RECEIVED
Office of Oil & Gas
JUN 02 2006
WV Department of
Environmental Protection



HYDRAULIC CEMENT
(CLASS A)



RECEIVED
Office Of Oil and Gas
AUG 13 2024
WV Department of
Environmental Protection

TOTAL DEPTH - 1085'

NOT TO SCALE

3/24/06

09/27/2024

44-01723-C

RECEIVED
 Office of Oil & Gas
 JUN 02 2006
 WV Department of
 Environmental Protection

EXISTING
CASING AND TUBING PROGRAM

TYPE	SPECIFICATIONS		FOOTAGE INTERVALS		CEMENT	
	Size	Grade	Weight per ft.	For Drilling	Left in Well	Fill-up (cu. ft.)
Conductor	9 5/8"				21'	Surface
Fresh Water	7"				1085'	160 sks
Coal	7"				1085'	160 sks
Intermediate						
Production	7"				1085'	160 sks
Tubing						
Liners						

o K
 M B

PACKERS:

For Office of Oil and Gas Use Only

Fee(s) paid:
 Well Work Permit
 Reclamation Fund
 WPCP
 Plat
 WW-9
 WW-5B
 Bond _____
 Agent
 (Type)

RECEIVED
 Office Of Oil and Gas
 AUG 13 2004
 WV Department of
 Environmental Protection

1) Date: 07/30/2024
2) Operator's Well Number 6-D-1

3) API Well No.: 47 - 049 - 01723

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Owner(s) to be served:	5) (a) Coal Operator
(a) Name <u>Carl A. & Charlotte S. Postlewait</u>	Name _____
Address <u>483 Big Run Rd.</u>	Address _____
<u>Metz, WV 26585</u>	_____
(b) Name _____	(b) Coal Owner(s) with Declaration
Address _____	Name <u>CNX RCPC, LLC c/o Property Tax Division</u>
_____	Address <u>275 Technology Dr. Ste 101</u>
_____	<u>Canonsburg, PA 15317</u>
(c) Name _____	Name <u>Carl A. & Charlotte S. Postlewait</u>
Address _____	Address <u>483 Big Run Rd.</u>
_____	<u>Metz, WV 26585</u>
6) Inspector <u>Kenny Willett</u>	(c) Coal Lessee with Declaration
Address <u>2393 Tallmansville Rd.</u>	Name _____
<u>Buckhannon, WV 26201</u>	Address _____
Telephone <u>(681) 990-2567</u>	_____

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.



Well Operator Diversified Production, LLC
 By: Chris Veazey
 Its: Director of Administration
 Address 414 Summers Street
Charleston, WV 25301
 Telephone 304-590-7707

RECEIVED
Office Of Oil and Gas

AUG 13 2024

WV Department of
Environmental Protection

Subscribed and sworn before me this 30 day of July, 2024
Jeffrey Bush Notary Public

My Commission Expires 9/28/28

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

09/27/2024

Diversified Gas & Oil Corporation
Permitting Department
414 SUMMERS STREET
2ND. FLOOR
CHARLESTON WV 25301

USPS CERTIFIED MAIL™



9407 1362 0855 1593 5628 67



CNX RCPC, LLC
C/O PROPERTY TAX DIVISION
275 TECHNOLOGY DR STE 101
CANONSBURG PA 15317-9565

US POSTAGE AND FEES PAID
2024-07-30
25301
C4000004
Retail
4.0 OZ FLAT



RECEIVED
Office Of Oil and Gas
AUG 13 2024
WV Department of Environmental Protection

0901000010742

09/27/2024

Diversified Gas & Oil Corporation
Permitting Department
414 SUMMERS STREET
2ND. FLOOR
CHARLESTON WV 25301

USPS CERTIFIED MAIL™



9407 1362 0855 1593 5350 76



CARLA & CHARLOTTE S POSTLEWAIT
483 BIG RUN RD
METZ WV 26585-7050

US POSTAGE AND FEES PAID
2024-07-30
26301
C4000004
Retail
4.0 OZ FLAT

Office of Oil and Gas
West Virginia Department of Environmental Protection

0901000010742



easyPost

09/27/2024

SURFACE OWNER WAIVER

Operator's Well
Number

4704901723

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

**NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:**

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have **FIVE (5) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective.
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies.
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

RECEIVED
Office Of Oil and Gas
AUG 13 2024
DEPARTMENT OF ENVIRONMENTAL PROTECTION

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

FOR EXECUTION BY A NATURAL PERSON
ETC.

FOR EXECUTION BY A CORPORATION,

_____	Date _____	Name _____
Signature		By _____
		Its _____

		Signature _____
		Date 09/27/2024

API No. 4704901723
Farm Name Postlewait
Well No. 6-D-1

**INSTRUCTIONS TO COAL OPERATORS
OWNERS AND LESSEE**

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less than five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

WAIVER

The undersigned coal operator / owner / lessee / of the coal under this well location has examined this proposed plugging work order. The undersigned has no objection to the work proposed to be done at this location, provided, the well operator has complied with all applicable requirements of the West Virginia Code and the governing regulations.

Date: _____

By: _____

Its _____

RECEIVED
Office Of Oil and Gas
AUG 13 2024
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS
FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name: Diversified Production, LLC OP Code 494524121

Watershed (HUC 10)Big Run of Pyles Fork QuadrangleMannington 7.5'

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No

If so, please describe anticipated pit waste: Production fluid and cement returns.

Will a synthetic liner be used in the pit? Yes No If so, what ml.? 20

Proposed Disposal Method For Treated Pit Wastes:

- Land Application (if selected provide a completed form WW-9-GPP)
- * Underground Injection (UIC Permit Number 2D03902327 002)
- Reuse (at API Number _____)
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain _____)

Will closed loop system be used? If so, describe: N/A

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A

-If oil based, what type? Synthetic, petroleum, etc. N/A

Additives to be used in drilling medium? N/A

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? N/A

RECEIVED
Office Of Oil and Gas

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

WV Department of
Environmental Protection

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature [Signature]
Company Official (Typed Name) Chris Veazey
Company Official Title Director of Administration



Subscribed and sworn before me this 30 day of July, 20 24

[Signature] Notary Public

My commission expires September 28, 2028

09/27/2024

Proposed Revegetation Treatment: Acres Disturbed +/- 1 ac. Prevegetation pH N/A

Lime 3 Tons/acre or to correct to pH 6.5

Fertilizer type 10-20-20 or Equivalent

Fertilizer amount 500 lbs/acre

Mulch 2 Tons/acre

Seed Mixtures

Temporary		Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alsike Clover	5
Annual Rye	15		

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Ky Willits

Comments: _____

RECEIVED
Office Of Oil and Gas

AUG 13 2024

WV Department of
Environmental Protection

Title: Inspector Date: 8/2/24

Field Reviewed? Yes No






Diversified Gas & Oil Corporation
100 Diversified Way
Plexville KY, 41051

47-049-01723

Well Plugging Map

Legend

- Well
- Access Road
- Pits
- Pad
- Public Roads



Sources: Esri, Maxar, Earthstar Geographics, and the GIS User Community

09/27/2024






Diversified Gas & Oil Corporation
 100 Diversified Way
 Pheville KY, 41051

47-049-01723

Well Plugging Map

Legend

- Well
- Access Road
- ▨ Pits
- Pad
- Public Roads



Copyright © 2013 National Geographic Society, i-cubed

WW-7
8-30-06



West Virginia Department of Environmental Protection
Office of Oil and Gas
WELL LOCATION FORM: GPS

API: 4704901723 WELL NO.: 6-D-1

FARM NAME: Postlewait

RESPONSIBLE PARTY NAME: Diversified Production, LLC

COUNTY: Marion DISTRICT: Mannington

QUADRANGLE: Mannington 7.5'

SURFACE OWNER: Carl A. & Charlotte S. Postlewait

ROYALTY OWNER: Carl A. & Charlotte Postletwait

UTM GPS NORTHING: 4385755.62

UTM GPS EASTING: 551980.04 GPS ELEVATION: 1382.5'

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

- Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.
- Accuracy to Datum – 3.05 meters
- Data Collection Method:

Survey grade GPS ___ : Post Processed Differential ___
Real-Time Differential ___

Mapping Grade GPS X : Post Processed Differential X
Real-Time Differential ___

- Letter size copy of the topography map showing the well location.**

I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.


Signature

Chris Veazey - Director of Administration
Title


Date

09/27/2024

RECEIVED
Office Of Oil and Gas
AUG 13 2024
WV Department of
Environmental Protection



DIVERSIFIED
energy

Date: 07/30/2024

James Martin
Office of Oil and Gas
601 57th Street, SE
Charleston, WV 25304
(304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOE will be utilizing Class L cement to plug the following well:

API Number 4704901723 Well Name 6-D-1

Attached is the approved variance order for use of Class L cement.

Sincerely,

Diversified Energy Permitting Department

RECEIVED
Office Of Oil and Gas

AUG 13 2024

WV Department of
Environmental Protection



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, SE
Charleston, WV 25304
Phone (304) 926-0450

Harold D. Ward, Cabinet Secretary
dep.wv.gov

**BEFORE THE OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
STATE OF WEST VIRGINIA**

**IN THE MATTER OF A VARIANCE FROM)
LEGISLATIVE RULE 35CSR4)
SECTION 14.1. AND LEGISLATIVE RULE)
35CSR8 SECTION 20.1,)
RELATING TO THE CEMENTING)
OF OIL AND GAS WELLS)**

ORDER NO. 2022-13

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

RECEIVED
Office of Oil and Gas
AUG 13 2024
WV Department of
Environmental Protection

FINDINGS OF FACT

1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
2. Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

4. On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogrammed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OF THE STATE OF WEST VIRGINIA



James Martin, Chief
Office of Oil and Gas

RECEIVED
Office Of Oil and Gas

AUG 13 2024

WV Department of
Environmental Protection

09/27/2024

11/10/2016

PLUGGING PERMIT CHECKLIST
4704901723

CBM

Plugging Permit

- WW-4B
- WW-4B signed by inspector
- WW-4A
- SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL
- COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL
- WW-9 PAGE 1 (NOTARIZED)
- WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
- WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
- RECENT MYLAR PLAT OR WW-7
- WELL RECORDS/COMPLETION REPORT
- TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
- MUST HAVE VALID BOND IN OPERATOR'S NAME
- CHECK FOR \$100 IF PIT IS USED

RECEIVED
Office Of Oil and Gas

AUG 13 2024

WV Department of
Environmental Protection

09/27/2024



Kennedy, James P <james.p.kennedy@wv.gov>

plugging permit issued 4704901723

1 message

Kennedy, James P <james.p.kennedy@wv.gov>

Thu, Sep 26, 2024 at 10:20 AM

To: Nicholas Bumgardner <nbumgardner@dgoc.com>, Chris Veazey <CVeazey@dgoc.com>, Kenny S Willett <kenny.s.willett@wv.gov>, mtrach@wvassessor.com

To whom it may concern, a plugging permit has been issued for 4704901723.

James Kennedy

WVDEP OOG

 **4704901723.pdf**
2170K

09/27/2024