

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Jim Justice , Governor Austin Caperton , Cabinet Secretary www.dep.wv.gov

Tuesday, June 13, 2017 WELL WORK PERMIT Horizontal 6A / New Drill

EQT PRODUCTION COMPANY (A) 120 PROFESSIONAL PLACE BUILDING II BRIDGEPORT, WV 26330

Re: Permit approval for GLO 168H17

47-049-02441-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: GLO 168H17

Farm Name: EQUITRANS LP

U.S. WELL NUMBER: 47-049-02441-00-00

Horizontal 6A / New Drill

Date Issued: 6/13/2017

Promoting a healthy environment.

API Number:	

# PERMIT CONDITIONS, 0 4 9 0 2 4 4 1

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: PERMIT CONDITIONS 7049024

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

## 4704902441 APINO. 47-49

API NO. 47-49

OPERATOR WELL NO. GLO168H17

Well Pad Name: GL0168

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Opera	ator: EQT Proc	duction Cor	npany	306686	Marion	Manning	Glover Gap
2) Operator's	Well Number:	GLO168H17	7	Operator ID Well Pa	County ad Name: GLO	District	Quadrangle
3) Farm Name	e/Surface Owner	: Equitrans	LP	Public Ro	ad Access: C	O Rt 7/4	
4) Elevation, o	current ground:	1357	Ele	evation, proposed	nost-construc	tion: 1316	
5) Well Type	(a) Gas x Other		Oil	Unc	derground Stor	age	
	the state of the s	nallow x		Deep			5Dw
6) Existing Pac	d: Yes or No No	The state of the s					3/2/2017
7) Proposed Ta	-	s), Depth(s).	Antici	pated Thickness	and Expected l	Pressure(s):	
8) Proposed To	otal Vertical Dep	th: 7722					
9) Formation a	t Total Vertical I	Depth: Ma	rcellus				
10) Proposed 7	Total Measured I	Depth: 126	12				
11) Proposed F	lorizontal Leg L	ength: 426	1		,		
12) Approxima	nte Fresh Water S	Strata Depth:	s:	369	47041	0244	
	Determine Fresh		,	y offset wells		0246	4
	ite Saltwater Dep					7	
	te Cool Coom D.	epths: 513,	667, 93	35, 1032			
	ic Coal Seal De						
15) Approxima		ible Void (co	oal min	e, karst, other):	none		
<ul><li>15) Approxima</li><li>16) Approxima</li><li>17) Does Propo</li></ul>	te Depth to Poss  sed well location  ng or adjacent to	contain coa	al seam	-	none No	,	
<ul><li>15) Approxima</li><li>16) Approxima</li><li>17) Does Propodirectly overlying</li></ul>	te Depth to Poss	an active m	al seam: ine?	S			
15) Approxima 16) Approxima 17) Does Propo directly overlyin (a) If Yes, pro	te Depth to Possosed well location or adjacent to ovide Mine Info:	n contain coa an active m	al seam: ine?	Yes X			
15) Approxima 16) Approxima 17) Does Propodirectly overlyin (a) If Yes, pro	te Depth to Possosed well location ng or adjacent to vide Mine Info:	n contain coa an active m Name: Depth:	al seams ine? Harriso	Yes X on County Mine			
15) Approxima 16) Approxima 17) Does Propo directly overlyin (a) If Yes, pro	te Depth to Possosed well location or adjacent to ovide Mine Info:	n contain coa an active m Name: Depth:	al seam: ine? Harriso 1032' Pittsbu	Yes X on County Mine	No		

WV Department of Environmental Protection

WW-6B	
(04/15)	

API NO. 47- 049 . 02441

OPERATOR WELL NO. GLO168H17

Well Pad Name: GLO168

O 4 9 0 2

18)

## CASING AND TUBING PROGRAM

TYPE		3.1						
	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	Fill-up	4
Conductor	20	New	A-500	78.6	40		(Cu. Ft.)/CTS	
Fresh Water	13 3/8	New	J-55	54.5		40	60 ft^3 / CTS	
Coal				04.0	449	449	417 R^3 / CTS	
Intermediate	9 5/8	New	A-500	40	3090			
Production	5 1/2	New	P-110				1225 R^3 / CTS	
		INCM		20	12612	12612	SOOT above top producing time	
Tubing	2 3/8		J-55	4.7		May run be run, of run act 407		
Liners						above top perfor EU chelannos		

SDW 6/9/2017

		397-11				2011
Size (in)	Wellbore Diameter (in)	<b>Thickness</b>	Burst Pressure (psi)	Max. internal	Cement Type	<u>Cement</u> <u>Yield</u>
20	26		1378			(cu. ft./k)
13 3/8	17 1/2			<del></del>	Class A	1.18
	111,2	.30	2700	2160	See Variance	1.19
9 5/8	12 3/8	305	2050	2400		···
5 4 M				3160	Class A	1.07
3 1/2	8 1/2	.361	12640	10112	Class A/H	1.123/2.098
2 3/8	NA	.19	7700			
	20	20 26 13 3/8 17 1/2 9 5/8 12 3/8 5 1/2 8 1/2	Diameter (in)         Thickness (in)           20         26         .375           13 3/8         17 1/2         .38           9 5/8         12 3/8         .395           5 1/2         8 1/2         .361	Size (in)         Diameter (in)         Thickness (in)         Burst Pressure (psi)           20         26         .375         1378           13 3/8         17 1/2         .38         2700           9 5/8         12 3/8         .395         3950           5 1/2         8 1/2         .361         12640	Size (in)         Diameter (in)         Thickness (in)         Burst Pressure (psi)         Max. Internal Pressure (psi)           20         26         .375         1378         1102           13 3/8         17 1/2         .38         2700         2160           9 5/8         12 3/8         .395         3950         3160           5 1/2         8 1/2         .361         12640         10112	Size (in)         Wellbore Diameter (in)         Wall Thickness (in)         Burst Pressure (psi)         Anticipated Max. Internal Pressure (psi)         Cement Type           20         26         .375         1378         1102         Class A           13 3/8         17 1/2         .38         2700         2160         See Variance           9 5/8         12 3/8         .395         3950         3160         Class A           5 1/2         8 1/2         .361         12640         10112         Class A/H

#### **PACKERS**

Kind:		
Sizes:		
Depths Set:		
(		

WW-6B
(10/14)

API NO. 47- 49 OPERATOR WELL NO. GLO168H17 Well Pad Name: GLO168

19)	Describe	proposed	well	work,	including	the drilling	g and	plugging	back	of any	pilot hole:
-----	----------	----------	------	-------	-----------	--------------	-------	----------	------	--------	-------------

Drill and complete a new horizontal well in the Marcellus Formation. Drill the vertical to an approximate depth of 6058'. Kick off and drill curve. Drill the lateral in the Marcellus. Cement casing.

#### 20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Hvdraulic fracturing is completed in accordance with state regulations using water recycled from previously fractured wells and obtained from freshwater sources. This water is mixed with sand and a small percentage (less than 0.3%) of chemicals (including 15% Hydrochloric acid, gelling agent, gel breaker, friction reducer, biocide, and scale inhibitor), referred to in the industry as a "slickwater" completion. Maximum anticipated internal casing pressure is expected to be approximately 10000 psi, maximum anticipated treating rates are expected to average approximately 100 bpm. Stage lengths vary from 150 to 300 feet. Average approximately 200,000 barrels of water per stage. Sand sizes vary from 100 mesh to 20/40 mesh. Average approximately 200,000 pounds of sand per stage.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 66.70
- 22) Area to be disturbed for well pad only, less access road (acres): 6.40
- 23) Describe centralizer placement for each casing string:
- Surface: Bow spring centralizers One at the shoe and one spaced every 500'.
- Intermediate: Bow spring centralizers— One cent at the shoe and one spaced every 500'.
- Production: One solid body cent spaced every joint from production casing shoe to KOP

24`	Describe all	cement additives	associated with	each cement type:
	Describe an	ociniont additives	associated With	cach confont type.

Conductor: Class A no additives

Conductor. Class A no additives

Surface (Type 1 Cement): 0-3% Calcium Chloride Used to speed the setting of cement slumes, .25% Flake Loss Circulation Material (LCM) is used to combat the loss circulation the loss circulation that the loss circulation the loss circulation that the loss the loss of whole drilling fluid or cement slurry (not filtrate) to a thief zone.

Lead (Type H Cement): 0.2% CD-20 (dispersant makes cement easier to mix). .15% SuperFL-300 (fluid loss/lengthens thickening time) .15% SEC-10 (fluid loss) 50:50 POZ (extender) Tail (Type H Cement): 0.2% Super CR-1 (Retarder). Lengthens thickening time. .3% Super FL-200 (fluid loss) .2% SEC-10 (Fluid loss) .2% SuperFL-350 (fluid loss) Reduces amount of wat 60 % Calcuim Carbonate. Acid solubility.

#### 25) Proposed borehole conditioning procedures:

Surface: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at surface. Intermediate: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at surface.

Production: Pump marker sweep with nut plug to determine actual hole washout. Calculate a gauge holes bottoms up volume. Perform a cleanup cycle by pumping 3-5 bottoms up or until the shakers are clean. Check volume of cuttings coming across the shakers every 15 minutes.

\*Note: Attach additional sheets as needed.

Received Office of Oil & Gas Well

GLO168H17

**EQT Production** 

Glover Gap Quad Marion County, WV

Azimuth 337 4328 Vertical Section

Note: Diagram is not to scale						174			
-	Тор	Base			Casing and Cementing	0		Deepest Fresh Water	369'
Formations	TVD	TVD			Туре	Conductor	Surface	Intermediate	Production
Conductor		40			Hole Size, In.	26	17 1/2	12 3/8	8 1/2
Barrie Branch Mark				_	Casing Size, OD In.	20	13 3/8	9 5/8	5 1/2
Base Fresh Water	3	169	11111		Casing Wall Thickness, In.	0.375	0.380	0.395	0.361
Cuntage Casino		40	31111		Depth, MD	40'	449'	3,090'	12,612'
Surface Casing	4	149	4		Weight	78.6#	54.5#	40#	20#
					Grade	A-500	J-55	A-500	P-110
Maxton	0040				New or Used	New	New	New	New
	2248		1111		Burst (psi)	1378	2,700	3,950	12.640
Big Lime	2382		1111		Cement Class	Α	A / Type 1	Н	A/H
Big Injun Weir	2542		1111		Cement Yield	1.18	1.19	1.07	1.123 / 2.098
Gantz		- 3040	1111		Top of Cement (Planned)	Surface	Surface	Surface	500' above top Producing Zone
Intermediate Casing		090	4     1		Method	Displacement	Displacement	Displacement	Displacement
Fifty foot		- 3157			Est. Volume (cu ft)	60	417	1,225	1,364
Thirty foot	3212		1.1					Calcium Chloride, Fluid	Calcium Carbonate, Fluid Loss,
Gordon	3269				The second secon	3.7	Calcium	Loss, Defoamer, Dispersant,	Extender, Dispersent, Viscosifier
Forth Sand	3337		11		Possible Additives	N/A	101000000000000000000000000000000000000	POZ, Bonding Agent,	Defoamer, POZ, Bonding Agent
Bayard	3420	- 3462	- 11				Chloride	Extender, Retarder, Flake/LCM	Retarder, Anti-Settling/Suspension
Warren	3904	- 3994							Agent
Speechley	4086	- 4170							
Balltown A	4459	- 4888	11						
Riley	4950	- 5019	- 11						Deceived
Benson	5542	- 5593							Hecore Cas
Alexander	5944	- 6014	. 11	KOP @ 6,058'				OFF	on of Oll & 1303
Sonyea	7237	- 7392	- 11					Onio	Received ce of Oil & Gas FEB 24 2017
Middlesex	7392	7448							a 4 2017
Genesee	7448	7536	- 11						FEB Z = ZO.
Geneseo	7536	7570	1.1						
Tully		7596							
Hamilton	7596	7696	11						
Marcellus	7696	7749	11						2
Production Casing	12612								<b>4</b>
Onondaga	7749		10.00	Contract of the last	A STATE OF THE STA	all street,	The same of the sa		
			Land curve @	7,722' TVD			Est. TD @	7,722'	TVD
				8,351' MD				12,612'	MD
Proposed Well Work:			,						

Proposed Well Work:
Drill and complete a new horizontal well in the Marcellus formation. Drill the vertical to an approximate depth of 6058'.

Kick off and drill curve. Drill lateral in the Marcellus. Cement casing.

4,261' Lateral

## **EQT Production**

**Hydraulic Fracturing Monitoring Plan** 

Pad ID: GLO168

**Marion County, WV** 

12/21/16

4704902449

Received Office of Oil & Gas FEB 24 2017

#### **Purpose**

The purpose of this pad-specific Hydraulic Fracturing Monitoring Plan is to identify and notify conventional well operators near EQT hydraulic fracturing in Marion County, WV prior to hydraulic fracturing at the following EQT wells on GLO168 pad: GLO168H1, GLO168H2, GLO168H3, GLO168H4, GLO168H5, GLO168H6, GLO168H7, GLO168H16, GLO168H17, GLO168H18, GLO168H19, GLO168H20, GLO168H21.

Due to the requirements under 35CSR8 5.11, the permittee is required to review the area surrounding the proposed well pad so as to identify and evaluate potential conduits for unintended fracture propagation. A report is required to be submitted along with a well work permit application.

The plan is being implemented as an additional safety measure to be utilized in conjunction with existing best management practices and emergency action plans for the site. These additional measures include coordination with well operators of the timing and location of the hydraulic fracturing, establishment of measures well operators should implement, and assurance that the OOG is notified of the timeline, as well as any issues that may arise during fracturing.

## 1. Communications with Well Operators

EQT, using available data (WV Geological Survey, WVDEP website, and IHS data service), has identified all known wells and well operators within 500 feet of this pad and the lateral sections that are known or could reasonably be expected to be within range of the fracture propagation. A map showing these wells along with a list of the wells and operators is included in Attachment A.

EQT will notify these operators of the hydraulic fracturing schedule for these wells, and coordinate with them throughout the fracturing process.

EQT will recommend to these operators at a minimum to:

- 1. Inspect their surface equipment prior to fracturing to establish integrity and establish pre-frac well conditions
- 2. Observe wells closely during and after fracturing and monitor fgr abnormal increases in water,
- gas or pressure
  3. Inspect or install master valves or other necessary equipment for wellhead integrity capable of a pressure recommended by EQT
- 4. Notify the OOG and EQT if any changes in water, gas production, pressure, or other anomalies are identified

#### 2. Reporting

EQT will provide information relating to the hydraulic fracturing schedule, communication with other operators, and ongoing monitoring of the work upon request of OOG or immediately in the event of any noted abnormalities.

> Office of QII & Gas FEB 24 2017

	80.4215 UNKNOWN	39.5078 -8	UNKWN	0 GR	CONSOLIDATION CON	12/19/2008	47049019860000
	-80.4300 UNKNOWN	39.5155 -8	NAXNO	O GR	OKNOWN		47049723270000
	-80.4382 UNKNOWN	39.5202 · E	UNKWN	0 GR	OWNOWN		47049723260000
	-80.4480 UNKNOWN	39.5160 -8	UNKWN	O GR	CIANTOCANIA		47049723230000
	80.4478 UNKNOWN	39.5128	UNKWN	0 GR	CINCOVA CONTRACTOR		47049723220000
	80,4481 UNKNOWN	39.5045	UNKWN	0 GR			4704972321000C
	80.4598 HOPE NATURAL GAS	39.5287	UNKWN	0 GR	HOPE NATURAL GAS		47049723190000
-	-80.4573 UNKNOWN	39.5280 -1	UNKWN	O GR	CONTROL OF		47049722950000
FFR <b>9.4</b> 2017	-80.4410 UNKNOWN	39.5330 -	UNKWN	0 GR	CINTACONIA		4704972294000C
	-80.4636 UNKNOWN	39.5372	UNKWN	O GR	CONTROLL		4704972290000C
	-80.4215 UNKNOWN		CNKWN	e e	LINKNOWN		47049722870000
PACE HAMPSHIRE	-80.4258 RAAD SUPPLY COMPANY		ABO-OW	12007	INKNOWN		47049708940000
	30.4388 HOPE CONSTRUCTION & REFINING		AD 000	1338 GB	RAAD SUPPLY COMPANY	12/10/1949	47049306420000
	-80.4Z19 SOUTH PENN OIL		ABOOM	1011 66	HOPE CONSTRUCTION & REFINING	12/16/1931	47049300500000
	SOUTE CONSOCIONION COAL		ARDGW	1412 GB	SOUTH PENN OIL	7/29/1931	47049300340000
	20 A318 CONSOLIDATION COAL			O GR	CONSOLIDATION COAL	8/17/1999	4/049011260000
	80 4217 CONSOLIDATION COAL	39.5003		0 GR	CONSOCIDATION COAL	6561/03/3	4704001125000
1) 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/	80.4285 GREENRIDGE OIL	39.5093	일	1220 GR	INVITATION ENERGY	7/76/1000	47049011350000
1/3	-80.4493 EQUITABLE GAS COMPANY	39.5207	6516	1248 GR	INSTATION CASCO		4704901017000C
	80.4403 EQUITABLE GAS COMPANY			1748 60	2/1/1969 EQUITABLE GAS COMPANY	3/18/1969	47049003000000
	SOCIATION CONTRACT		6170	0 02	EQUITABLE GAS COMPANY		4/049019400000
8/2/1953 GORDON	-80 ASON EOUTABLE GAS COMPANY		GSTG	0 GR	EQUITABLE GAS COMPANY		00006561064074
9/1/1931 GURUUN	80 4349 FOLITABLE GAS COMBANY		GSTG	1316 GR	9/1/1953 EQUITABLE GAS COMPANY		470404440000
6/1/3	-80.4367 EQUITABLE GAS COMPANY	39.5158	GSTG	12/0 GR	PAI ADEC CONTROL ON CONTRACT		47049002250000
5/2/1951 GORDON	-80.4313 EQUITABLE GAS COMPANY		936	11000	7/1/1951 FOUITABLE GAS COMBANY		47049002210000
10/2/1950 GORDON	CO. 1210 CONTANT	30 5144	CTC .	1318 GB	6/1/1951 EQUITABLE GAS COMPANY		47049002200000
11/1/190 GOKDON	- 80 A370 EOUTABLE CAS COMPANY	39 5151	GSTG	1270 GR	11/1/1950 EQUITABLE GAS COMPANY		0000/12006h0/+
11/1/10	-80.4388 EQUITABLE GAS COMPANY	39.5205	GSTG	1011 GR	12/1/1990 EUDITABLE GAS COMPANY		4704000170000
1/30/1950 GOBDON	-80.4448 EQUITABLE GAS COMPANY	39.5150	GSTG	1013 GK	12/1/1000 CONTABLE ON CONFAMI		47049007170000
7/2/1952 GORDON	-80.4481 EQUITABLE GAS COMPANY	39.5195	6516	1239 GR	3/1/1950 FOUTABLE GAS COMBANY	1/26/2008	4704900211000C
5/2/1950 GORDON	-80.4378 EQUITABLE GAS COMPANY	39.51/3	6516	130 CB	8/1/1952 EQUITABLE GAS COMPANY	11/5/2009	47049002080000
	SO 1200 EQUITABLE GAS COMPANY	20 5122	0.130	1232 GB	6/1/1950 EQUITABLE GAS COMPANY		47049002070000
//2/1949 BIG (NJUN /SD/	- SO ASSO CONTRACTOR OF THE STATE OF THE STA	39 5717	GSTG	0 GR	EQUITABLE GAS COMPANY		470490020100000
	- RO 4406 FOLITABLE GAS COMBANIA	39.5200	GSTG	1156 GR	8/1/1949 EQUITABLE GAS COMPANY		470400000000000
	80.4524 EQUITABLE GAS COMPANY	39.5141	ABD-GW	1140 GR	EQUITABLE GAS COMPANY	1561/11/0	4704900200000
	80.4339 EQUITABLE GAS COMPANY	39.5184	ABD-GW	1158 GR	EQUITABLE GAS COMPANY	9/13/1031	47049000350000
,	80.4397 EQUITABLE GAS COMPANY	39.5193	GSTG	CGX	CONTACT CONTACT	8/25/1031	47049002230000
2/12/1954 HAMPSHIRE	-80.4258 EQUITABLE GAS COMPANY	39.5155	9316	1200 07	FOLUTABLE GAS COMPANY		47049002020000
WN 6/7/1917 BIG INJUN /SD/	-80.4252 SOUTH PENN OIL UNKNOWN	39.5139	9	1366 65	4/28/1954 EQUITABLE GAS COMPANY		4704900234000C
1/2/1918 GORDON	80.4435 EQUITABLE GAS COMPANY	30 5130		1399 GB	7/6/1917 SOUTH PENN OIL		47049010200000
5/23/1918 CHEMUNG	SO AASS SOUTABLE CAS SOUTABLE	39 5 196	ABD-GW	1203 GR	2/8/1919 EQUITABLE GAS COMPANY	8/4/2009	4/049010090000
3/12/1914   AIRIY FOOT SD	80 4326 PITTSBIBGH & WWA GAS	39.5161	ABD-OW	1309 GR	//12/1918 PITTSBURGH & W VA GAS	0/28/1950	4704930000000
5/13/18:1 THE TOTAL OF THE TOTA	-80.4236 RAAD SUPPLY COMPANY	39.5105	ABD-OW	1216 GR		C#C1/1/0	4704930669000
6/6/1	-80.4251 RAAD SUPPLY COMPANY	39.5151	ABD-GW	1298 GR	6/11/1011 DATO SOFFET COMPANY	6/7/10/0	47049306330000
	-80.4423 HOPE NATURAL GAS	39.5266	PSEUDO	o GR	7/6/1917 BAAD SLIPPLY COMPANY	1/1/1949	47049306220000
	-80.419S CONSOLIDATION COAL	39.5010	PSEUDO	9 6			47049702490000
	-80.4380 DELMAR OIL CORPORATION	39.5049	PSEUDO	9 6		4/5/1999	4704901123000C
	80.4275 CONSOLIDATION COAL	39.30/6	71000				4704970113000C
7/29/1918 DEVONIAN /SD/		20 50 50	965 00	0.00		7/30/1999	4704901131000C
	Î	30 6104	ARD.GW	1020 GR	10/17/1918 N G PENN CO	9/30/1997	4704901021000C
		39 5013	PSFLIDO	0 GR	UNKNOWN		4/049300120000
	80 4753 HINKNOWN	39 5065	PSEUDO	0 GR	UNKNOWN	1/1/1930	DOCUMENT OF THE PARTY OF THE PA
		39.4991	PSEUDO	0 GR	_	6661/2/2	4704001169000
	80.4257 UNKNOWN	39.5018	PSEUDO	0 GR		2/2/200	470400112000
1		39.5042	PSEUDO	O GR		6/6/1000	4704901107000
8/2/1967 BIG INII IN /SD/	-80.4453 EQUITABLE GAS COMPANY	39.5237	戶	1046 GR	-7-1-1-01	1/1/1930	47049011020000
3/2/1967 GORDON	80.4397 EQUITABLE GAS COMPANY	39.5153	2	10000	9/1/1967 HNKNOWN		4704900292000C
		33.3130	200	1738 GB	4/1/1967 EQUITABLE GAS COMPANY		47049002900000
5/2/1964	CONTACT CONTACT CONTACT	30 5150	ABOOK	1038 GB	EQUITABLE GAS COMPANY	1/1/1940	47049002810000
9/1//1918 I HIRI POOL SD		39 5178	GSTG	1063 GR	6/1/1964 EQUITABLE GAS COMPANY	11/14/2008	00001970065075
SALL STATE OF THE SALL STATE O	80.4281 SOUTH PENN OII	39.5128	ABD-OW	1172 GR	=		470400000000000000000000000000000000000
9/9/1		39.5208	ABD-GW	1156 GR			4704030346000
12/27/1917 HAMPSHIRE	-80.4356 RAAD SUPPLY COMPANY	39.5070	ABD-GW	1206 GR			47049302390000
3/30/1918 GORDON	₹	39.5173	ABD-GW	1300 GR			47049011490000
3/11/1918 THIRTY FOOT SD	80.4316 FILLSBURGH & W VA GAS	20.11	A90 CW	1312 GB		10/9/1954	47049010120000
6/25/1918 CHEMUNG		30 5173	ARD.OW	1260 GR	0 4/17/1918 PITTSBURGH & W VA GAS	1/1/1950	47049010110000
1/22/1918 HAMPSHIRE	-80 A393 EQUITABLE CAS CONTAIN	39 5206	ABD-GW	1013 GR		_	4/049010100000
8/29/196/ FIFTH SAND		39.5166	ABD-GW	1161 GR	9 12/22/1918 EQUITABLE GAS COMPANY		47049010080000
	SU 4322 FOUTABLE GAS COMPANY	22.24					
		30 6716	D&A	1112 GR			200000000000000000000000000000000000000
8/8/1918 BIG INITIN /SO/		39.5180	ABD-GW	1013 GR 1112 GR			47049002940000

47049020760000 47049020780000 47049004550000 47049772288 4/15/2010 7/23/2010 8/5/2009 CONSOLIDATION COAL

1/1/1981 UNKNOWN

UNKNOWN 0 GR 0 GR 1086 GR UNKWN
ABD-GW
UNKWN 39.5261 39.5288 39.5349 39.5356 -80.4425 CONSOLIDATION COAL
-80.4597 CONSOLIDATION COAL
-80.4400 EQUITABLE GAS COMPANY
-80.4602 UNKNOWN 4704902441 UNKNOWN
UNKNOWN
GORDON STRAY /SD/
12/18/1980 GORDON STRAY /SD/

Offic: ...
FEB **2 4** 2017

Ç


0 0 00076 0 00078 72288 06/16/2017

	UWI	Name	Depth Top	Base Depth
	47049010210000	PITTSBURGH COAL	885	892
	47049010210000	MURPHY /SD/	1007	1055
	47049010210000	DUNKARD LITTLE /SD/	1220	1254
	47049010210000	FREEPORT	1382	1515
	47049010210000	SALT SD /GROUP/	1672	1907
	47049010210000	MAXTON/SD/	2059	2113
	47049010210000	BIG LIME	2118	2172
	47049010210000	KEENER /SD/	2179	2200
	47049010210000	BIG INJUN /SD/	2210	2314
	47049010210000	FIFTY FOOT SD	2804	2847
	47049010210000	THIRTY FOOT SD	2884	2907
	47049010200000	PITTSBURGH COAL	935	941
	47049010200000	MURPHY /SD/	1066	1097
	47049010200000	DUNKARD LITTLE /SD/	1286	1322
	47049010200000	DUNKARD BIG/SD/	1359	1385
	47049010200000	FREEPORT	1489	1522
	47049010200000	SALT SD 1	1727	1757
	47049010200000	SALT SD 2	1792	1834
	47049010200000	SALT SD 3	1918	2011
	47049010200000	MAXTON/SD/	2144	2161
	47049010200000	BIG LIME	2190	2235
	47049010200000	KEENER /SD/	2248	2270
4	47049010200000	BIG INJUN /SD/	2274	2270
	47049004550000	PITTSBURGH COAL	843	
			7.7	

\*Perforated formations

470490246.

Office of Oil & Gas





west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax

Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary dep.wv.gov

March 18, 2014

Nabors Completion & Production Services Company 1380 Route 286 Hwy E #121 Indiana PA 15701

Re: Cement Variance Request

Dear Sir or Madam,

This agency is approving a variance request for the cement blend listed below to be used on surface and coal protection strings for the drilling of oil and gas wells in the state of West Virginia. The variance cannot be used without requesting its use on a permit application and approval by this agency:

Type 1 (2% Calcium Chloride-Accelerator, 0.25% Super Flake-Lost Circulation, 5.2% Water, 94% Type "1" Cement)

If you have any questions regarding this matter feel free to contact me at 304-926-0499, ext. 1653.

Sincerely,

James Peterson

Environmental Resources Specialist / Permitting

Promoting a healthy environment.

Received Office of Qil & Gas

FEB 2 4 2017



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax

Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary dep.wv.gov

#### BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM	)	ORDER NO.	2014 - 17
REGULATION 35 CSR § 4-11.4/11.5/14.1	)		
AND 35 CSR § 8-9.2.h. 4/5/6/8 OF THE	)		
THE OPERATIONAL	í		
REGULATIONS OF CEMENTING OIL	í		
AND GAS WELLS	16.		
	7/	040	
REPORT OF T	HE OFFI	CE 902	6 ,
Nabors Completion & Production Services	Со надион	nta ammuoval af a 4:66	7 4 1

Nabors Completion & Production Services Co. requests approval of a different cement blend for use in cementing surface and coal protection casing of oil and gas wells.

#### FINDINGS OF FACT

- 1.) Nabors Completion & Production Services Co. proposes the following cement blend:
  - 2% Calcium Chloride (Accelerator)
  - 0.25 % Super Flake (Lost Circulation)
  - 94% Type "1" Cement
  - 5.20 % Water
- 2.) Laboratory testing results indicate that the blend listed in Fact No.1 will achieve a 500 psi compressive strength within 6 hours and a 2,435 psi compressive strength within 24 hours.

Promoting a healthy environment.

Received Office of Oil & Gas

FEB 2 4 2017

#### CONCLUSIONS OF LAW

Pursuant to Articles 6 and 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter embraced in said notice, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to 35 CSR § 4-11.5 and 35 CSR § 8-9.2.h.8 the Chief of the Office of Oil and Gas may approve different cement blends upon the well operator providing satisfactory proof that different cement types are adequate.

#### ORDER

It is ordered that Nabors Completion & Production Services Co. may use the cement blend listed in Findings of Fact No.1 for the cementing of surface and coal protection casing of oil and gas wells in the State as may be requested by oil and gas operators. The waiting time on the cement blend shall be 8 hours. The cement blend shall be mixed in strict accordance with the specifications for each blend and weight measurements made on-site to assure the cement slurries meet the minimum weight specifications. A sample shall be collected and, if after 8 hours the cement is not set up, additional time will be required. Nabors Completion & Production Services Co. shall keep a record of cement blend jobs in which the cement blend approved under this order is to be used and made available to the Office of Oil and Gas upon request.

Dated this, the 18th day of March, 2014.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

704902441

James Martin, Chief Office of Oil and Gas

> Received Office of Oil & Gas FEB 2 4 2017



October 27, 2016

Mr. Gene Smith West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street SE Charleston, WV 25304

Re: Casing plan on Wells (GLO168)

Dear Mr. Smith,

EQT is requesting the 13-3/8" surface casing be set at 449' KB, 80' below the deepest fresh water. We will set the 9-5/8" intermediate string at 3090' KB, 50' below the base of the Gantz formation.

If you have any questions, please do not hesitate to contact me at (304) 848-0076.

Sincerely,

Vicki Roark

Permitting Supervisor

Enc.

4704902441

Received Office of Oil & Gas FEB 2 4 2017

## 4704902441

API Number 47 - 49

Operator's Well No. GLO168H17

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### FLUIDS/CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name EQT Production Company OP Code 306686
Watershed (HUC 10) Laurel Run Quadrangle Glover Gap
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No ✓
If so, please describe anticipated pit waste:
Will a synthetic liner be used in the pit? Yes No V If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application \(\begin{align*} \begin{align*} align
Underground Injection (UIC Permit Number 0014, 8462, 4037
Reuse (at API Number Various
Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain
Yes, The closed loop system will remove drill cuttings from the drilling fluid. The Will closed loop system be used? If so, describe:  Yes, The closed loop system will remove drill cuttings from the drilling fluid. The drill cuttings are then prepared for transportation to an off-site disposal facility.
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. See Attached
-If oil based, what type? Synthetic, petroleum, etc. Synthetic Mud
Additives to be used in drilling medium? See Attached  Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Landfill
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? See Attached List
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.  Company Official Signature  Company Official Title Permitting Supervisor
Subscribed and sworn before me this 2 day of February . 20 17
Reliced Wornstreet Notary Public
My commission expires 4-7-2026 GEVICIAL SEAL NOVARY PUBLIC STATE OF IVEST VIRGINIA SEAL WANSTRIETY SEAL WANSTRIETY SEAL WANSTRIETY SEAF PRODUCTION COMPANY

#### WW-9 Attachment

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.

 Air is used to drill the top-hole sections of the wellbore (surface, intermediate, and pilot). Water based mud may be necessary depending on hole conditions to stabilize and drill the intermediate section. The pilot hole, curve, and lateral sections will be drilled with either air, water based mud, or oil based mud.

#### Additives to be used in drilling medium?

Air - biodegradable oil lubricant, detergent, defoaming, water. Water based mud – Barite, viscosifer, alkalinity control, lime, filtration control, deflocculates, biodegradable oil lubricant, defoaming, walnut shell, salt, x-cide, carbonates. Oil based mud – synthetic base oil, emulsifier, salt, lime, viscosifer, alkalinity control, filtration control, deflocculates, biodegradable oil lubricant, defoaming, carbonates.

Received
Office of Oil & Gas
FEB 2 4 2017

	atment: Acres Disturbed _6	Prevegetation pl-	6.2
Lime 3	Tons/acre or to corre	ect to pH 6.5	
Fertilizer type Gr	ranular 10-20-20		
Fertilizer amount_	1/3	lbs/acre	
Mulch 2		_Tons/acre	
		0 100	
т	emporary	Seed Mixtures	A.
Seed Type	lbs/acre	Perman	
KY-31	40	Sced Type Orchard Grass	lbs/acre 15
Alsike Clover	5	Alsike Clover	5
Annual Rye	15		<u> </u>
Maps(s) of road, location, pi provided). If water from the acreage, of the land applicat Photocopied section of invol	ion area.	d application (unless engineered plans include clude dimensions (L $\times$ W $\times$ D) of the pit, and	ing this info have dimensions (L x V
acreage, of the land applicat	lved 7.5' topographic sheet.	nude dimensions (L x W x D) of the pit, and	dimensions (L x V
Plan Approved by:	lved 7.5' topographic sheet.	thude dimensions (L x W x D) of the pit, and	dimensions (L x V
Photocopied section of invol	lved 7.5' topographic sheet.	turbed areas as soon as	Ceasonab!
Photocopied section of invol	Ived 7.5' topographic sheet.  Ochanic	turbed areas as soon as	Ceasonab!
Photocopied section of involution Approved by:  Comments: Pre-Secol Approved for the per re-	Ived 7.5' topographic sheet.  Ochanic	turbed areas as soon as	Ceasonab
Photocopied section of involution Approved by:  Comments: Pre-Secol Approved for the per re-	Ived 7.5' topographic sheet.  Ochanic	turbed areas as soon as	Ceasonabl
Photocopied section of involution Approved by:  Comments: Pre-Secol Approved for the per re-	Ived 7.5' topographic sheet.  Ochanic	turbed areas as soon as	Ceasonab!
Photocopied section of involution Approved by:  Comments: Pre-Secol Approved for the per re-	Ived 7.5' topographic sheet.  Ochanic	turbed areas as soon as	Ceasonab!
Photocopied section of involutional photocopied section in photocopi	ion area.  Ived 7.5' topographic sheet.  Ollanda  Mulch all dist  gulation. Upg  peeded.	turbed areas as soon as	reasonab

## **EQT Production Water plan**

## Offsite disposals for Marcellus wells

#### **CWS TRUCKING INC.**

P.O. Box 391 Williamstown, WV 26187 740-516-3586 Noble County/Noble Township Permit # 3390

#### LAD LIQUID ASSETS DISPOSAL INC.

226 Rankin Road Washington, PA 15301 724-350-2760 724-222-6080 724-229-7034 fax Ohio County/Wheeling Permit # USEPA WV 0014

#### TRI COUNTY WASTE WATER MANAGEMENT, INC.

1487 Toms Run Road Holbrook, PA 15341 724-627-7178 Plant 724-499-5647 Office Greene County/Waynesburg Permit # TC-1009

#### **Waste Management - Meadowfill Landfill**

Rt. 2, Box 68 Dawson Drive Bridgeport, WV 26330 304-326-6027 Permit #SWF-1032-98 Approval #100785WV

#### **Waste Management - Northwestern Landfill**

512 E. Dry Road Parkersburg, WV 26104 304-428-0602 Permit #SWF-1025 WV-0109400 Approval #100833WV

#### **BROAD STREET ENERGY LLC**

37 West Broad Street
Suite 1100
Columbus, Ohio 43215
740-516-5381
Washington County/Belpre Twp.
Permit # 8462

#### **TRIAD ENERGY**

4704002649

P.O. Box 430
Reno, OH 45773
740-516-6021 Well
740-374-2940 Reno Office Jennifer
Nobel County/Jackson Township
Permit # 4037

#### KING EXCAVATING CO.

Advanced Waste Services 101 River Park Drive New Castle, Pa. 16101 Facility Permit# PAR000029132

Received
Office of Oil & Gas

FEB 24 2017




# Site Specific Safety Plan

# EQT GLO 168 Pad

# Glover Quadrant Marion County, WV


GLO168H1 _GLO168H2 _GLO168H3 _G	For Wells: LO168H4 _GLO168H5 GLO168H6_ GLO168H7_
GLO168H16 GLO168H17 GLO168H18 GL	
EOT Production Dem. Cing Spences or Title	Date Prepared: July 28, 2016  SDW 3/2/2017  WV Oil and Gas Inspector
1-26-17 Date	Date




#### GLO168H17 GLO 168 EQT Production Company

Tract I.D.	Tax Map No.	Parcel No.	County	District	Surface Tract Owner	Acres
1	49	37	Marion	Mannington	Equitrans LP	51.50
2	49	39	Marion	Mannington	John H. Musgrave, et al.	28.96
3	49	38	Marion	Mannington	Thomas B. Wright	30.00
4	49	36	Marion	Mannington	Frederic R. & Kimberly P. Steele	16.25
5	49	35	Marion	Mannington	Mannington Church of Christ Trustees	13.00
6	49	39,1	Marion	Mannington	John H. Musgrave, et al.	23.90
7	48	13,1	Marion	Mannington	Gary A. & Sheila D. Earl	2.02
8	48	14	Marion	Mannington	Roger & Pauline Eshelman	25.09
9	48	15.0	Marion	Mannington	Elmer O. Duncan, et al.	23.50
10	49	40	Marion	Mannington	Marshall & Dick Cartright	36.00
11	50	14	Marion	Mannington	Melvin L. Gooch	28.00
12	50	15	Marion	Mannington	Perry R. & Janice M. Thorne	5.61
13	50	16	Marion	Mannington	Richard H. & Lucy M. Lambert	0.46
14	48	13	Marion	Mannington	Harlen O. & Diana S. Batson	1.10
15	49	33	Marion	Mannington	Consolidation Coal Company	51.53
16	49	14	Marion	Mannington	Consolidation Coal Company	61.00
17	49	16	Marion	Mannington	Larry Baker, et al.	44.00
18	49	33.0	Marion	Mannington	Consolidation Coal Company	61.00
19	49	17	Marion	Mannington	Consolidation Coal Company	4.88
20	49	18	Marion	Mannington	Consolidation Coal Company	0.75
21	49	19	Marion	Mannington	Consolidation Coal Company	0.25
22	37	9	Marion	Mannington	Chad & Liberty Glover	27.22
23	48	19	Marion	Mannington	Roger & Betty Sponaugle	105.45
24	49	31	Marion	Mannington	Samuel M. & Rosemary A. Snodgrass	50.08
25	49	32	Marion	Mannington	Consolidation Coal Company	64.38
26	49	12	Marion	Mannington	S. C. & Jennie Thorne, et al.	116.83
27	50	12	Marion	Mannington	Perry R. & Janice M. Thome	180.09

Notes:
GL0168H17 coordinates are
NAD 27 N: 374,214.07 E: 1,735,734.29
NAD 27 Lat: 39.523654 Long: -80.436827
NAD 83 UTM N: 4,375,050.51 E: 548,421.05
GL0168H17 Landing Point coordinates are
NAD 27 N: 374,499.22 E: 1,736,381.64
NAD 27 Lat: 39.524455 Long: -80.434543
NAD 83 UTM N: 4,375,140.67 E: 548,616.83
GL0168H17 Bottom Hole coordinates are
NAD 27 N: 378,421.18 E: 1,734,716.86
NAD 27 N: 378,421.18 E: 1,734,716.86
NAD 27 Lat: 39.535175 Long: -80.440590
NAD 83 UTM N: 4,376,327.09 E: 548,089.74
West Virginia Coordinate system of 1927 (North Zone)
based upon Differential GPS Measurements.
Plat orientation, corner and well ties are based upon
the grid north meridian.
Well location references are based upon the grid north
meridian.
UTM coordinates are NAD83, Zone 17, Meters.



Lease No.	Acres	Owner
Lease No. 124799 124801	135	Anita K. Stanley, et al.
124801	36	Paula Diane Dennison, et al.
988606	42	Jeanette S. & S. Miles Cunningham
125132	71	Consolidation Coal Company, et al.



Well References

14" Scarlet Oak

A2300°56, 40", A2107°26'5/8" Rebar
313.91'

1" = 500'

15" Scarlet Oak



Proposed Gas Well Located Corner, as noted

**Surface Tract Lines** 

Reference Line

Lease Boundary Creek or Drain WV County Route

WV State Route

I, the undersigned, hereby certify that this plat is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Department of Environmental Protection.

P.S. 2089SU

DATE: January 16 20 17

OPERATOR'S WELL NO.: GLO168H17

No. 2089 SU

API WELL NO

47 - 49 - 02441

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS DIVISION

NGS CORS Station		ALONDON DE		STATE	COUNTY	PERMIT
(IF GAS) PRODUCTIO	LIQUID INJECTION  STORAGE  WATERSHED	□ DEEP ⊠ S	HALLOW	ANOLE:	Glover Gen	
	WATERSHED			KANGLE:	Glover Gap	
DISTRICT: Mannington		COUNTY	: Marion		00/4/	0/0047
SURFACE OWNER: Equitrans LP				A	CREACE/5	3/2017
ROYALTY OWNER: EQT Mineral Purch	nasing Group, et al.	LEAS	E NO: 124805	A	CREAGE: 81	
PROPOSED WORK: ☑ DRILL ☐ CONVERT ☐ DRILL DEEPER ☒ FRACTURE OR STIMULATE ☐ PLUG OFF OLD FORMATION ☐ OTHER PHYSICAL CHANGE IN WELL (SPECIFY)						
☐ PLUG AND ABANDON ☐ CLEAN O				ESTII	MATED DEPTI	H:
WELL OPERATOR: EQT Production Co	mpany	DESIGNATED AG	ENT: Rex C. Ray			
ADDRESS: 115 Professional PI	ace PO Box 280	ADDRESS:	115 Profess	ional Place	PO Box 280	
Bridgeport, WV 263			Bridgeport, \	NV 26330		

#### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number

Grantor, Lessor, etc.

Grantee, Lessee, etc.

Royalty

Book/Page

See Attached

\$70 FOO2 FF,

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity/is initiated.

Well Operator: EQT Production Company

By:

Victoria J Roark

Its:

Permitting Supervisor


Received Office of Oll & Gas

Page 1 of 2

FEB 2 4 2017

Lease No.	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
	EQT Mineral Purchasing Group, et al. (Current Royalty O	wner)	***	
<u>124805</u>	Howard Wright, et ux, et al. (Original Lessor)	Equitable Gas Company		DB 667/33
	Equitable Gas Company	Equitrans, Inc.		AB 12/279
	Equitrans, Inc.	Equitrans, LP		DB 46/660
	Equitrans, LP	EQT Production Company		DB 1114/130
	Anita K. Stanley, et al. (current royalty owner)		***	
<u>124799</u>	Guy F. Musgrave, et al.	Pittsburgh & West Virginia Gas Company		DB 465/312 DB 510/487,
	Pittsburgh & West Virginia Gas Company	Equitable Gas Company		511/539
	Equitable Gas Company	Equitrans, Inc.		AB 12/279
	Equitrans, Inc.	Equitrans, LP		DB 46/660
	Equitrans, LP	EQT Production Company		DB 1114/130
	Paula Diane Dennison, et al. (Current Royalty Owner)	·	***	
<u>124801</u>	Marshall Cartwright, et al.	Equitable Gas Company		DB 724/970
	Equitable Gas Company	Equitrans, Inc.		AB 12/279
	Equitrans, Inc.	Equitrans, LP		DB 46/660
	Equitrans, LP	EQT Production Company		DB 1114/130
	Jeanette S. Cunningham & S. Miles Cunningham (current	rovalty owner)	***	
<u>988606</u>	Jeanette S. Cunningham & S. Miles Cunningham	EQT Production Company		DB 1110/245
	CNX (current royalty owner)			
<u>125132</u>	Consolidation Coal Company, et al.	EQT Production Company	***	DB 228/586

<sup>\*\*\*</sup>We certify that we will pay a minimum one-eighth of the total amount paid to or received by or allowed to the owner of the working interest at the wellhead for the oil or gas so extracted, produced or marketed before deducting the amount to be paid to or set aside for the owner of the oil or gas in place, on all such oil or gas to be extracted, produced or marketed from the well.



Received Office of Oil & Gas

FEB 24 2017



January 13, 2017

Mr. James Martin West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street SE Charleston, WV 25304

Re: GLO168 well pad, wells: GLO168H1, GLO168H2, GLO168H3, GLO168H4, GLO168H5, GLO168H6, GLO168H7, GLO168H16, GLO168H17, GLO168H18, GLO168H19, GLO168H20, GLO168H21

Mannington District, Marion County

Dear Mr. Martin,

EQT Production Company is submitting an application for a new well work permit for the above well number. Upon information and belief, Operator's lease and/ or other real property rights permit it to conduct drilling operations for the subject well in the location shown on the plat, including under any public roads that the well lateral crosses.

Sincerely,

Vicki Roark

Permitting Supervisor-WV

4704902441

Received Office of Oil & Gas FEB 2 4 2017

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notic	ce Certification: 2/2//	API No. 47-	40	
Date of Notice Certification: 2211			Well No. GLO	168H17
			ame: GLO16	
Notice has	heen given:	Well I au IV	ameccoro	<u> </u>
		§ 22-6A, the Operator has provided the requ	uired parties v	with the Notice Forms lister
below for the	tract of land as follows:	\$ 22 or i, the operator has provided the requ	inea parties v	with the Proffee Forms fished
State:	w	LITMANAD 82 Easting:	548421.05	
County:	Marion	UTM NAD 83 Pasting. Northing:	4375050.51	
District:	Mannington	Public Road Access:	C/O Rt 7/4	
Quadrangle:	Glover Gap	Generally used farm name:	Equitrans LP	
Watershed:	Laurel Run			
requirements Virginia Codo of this article	of subsection (b), section sixteen e § 22-6A-11(b), the applicant shall have been completed by the applicant		he surface ov hat the notice	wner; and Pursuant to Wes
	West Virginia Code § 22-6A, the O rator has properly served the requir	perator has attached proof to this Notice Ce ed parties with the following:	rtification	
*PLEASE CHI	ECK ALL THAT APPLY			OOG OFFICE USE ONLY
☐ 1. NO	TICE OF SEISMIC ACTIVITY OF	NOTICE NOT REQUIRED BECAU SEISMIC ACTIVITY WAS CONDUCT	The second secon	RECEIVED/ NOT REQUIRED
■ 2. NO	TICE OF ENTRY FOR PLAT SUR	VEY or   NO PLAT SURVEY WAS CO	NDUCTED	☐ RECEIVED
☐ 3. NO	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED BECAU NOTICE OF ENTRY FOR PLAT SURV WAS CONDUCTED or	2742	☐ RECEIVED/ NOT REQUIRED
		WRITTEN WAIVER BY SURFAC (PLEASE ATTACH)	E OWNER	
■ 4. NO	ΓΙCE OF PLANNED OPERATION		N N	☐ RECEIVED
■ 5. PUE	BLIC NOTICE	Received Office of Qil & Ga	as	☐ RECEIVED
■ 6. NO	TICE OF APPLICATION	FEB 2 4 2017		☐ RECEIVED

#### Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given!

THEREFORE, I , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: EQT Production Company Address: By: Victoria J Roark

Bridgeport WV 26330 Permitting Supervisor Facsimile:

Its: 304-848-0041 Telephone: 304-848-0076 Email: vroark@egt.com

NOTARY SEAL

Subscribed and sworn before me this 2 day of February<sup>2017</sup>.

115 Professional Place PO Box 280

Notary Public

My Commission Expires

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

4704902441

Received Office of QII & Gas FEB 2 4 2017

WW-6A (9-13)

API NO. 47- 49 OPERATOR WELL NO. GL0168H17
Well Pad Name: GL0168

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requi	irement: notice shall be prov	ided no later than the filing date of permit application.
Date of Notice: 2	21/17Date Permit Applica	ntion Filed: 2/21/17
PERMIT FOR WELL WORL		ICATE OF APPROVAL FOR THE RUCTION OF AN IMPOUNDMENT OR PIT
Delivery method p	oursuant to West Virginia C	ode § 22-6A-10(b)
☐ PERSONAL	☐ REGISTERED	✓ METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION
sediment control plate the surface of the trace oil and gas leasehold described in the erost operator or lessee, in more coal seams; (4) well work, if the surface a water well, sperovide water for coaproposed well work a subsection (b) of this records of the sheriff provision of this article Code R. § 35-8-5.7.a	on required by section seven of a ct on which the well is or is produced to make the proposition and sediment control plants the event the tract of land on well the owners of record of the seface tract is to be used for the plants described in section nine of bring or water supply source local interest in the last frequired to be maintained pursuel to the contrary, notice to a last requires, in part, that the open	quires a receipt or signature confirmation, copies of the application, the erosion and this article, and the well plat to each of the following persons: (1) The owners of record opposed to be located; (2) The owners of record of the surface tract or tracts overlying the sed well work, if the surface tract is to be used for roads or other land disturbance as submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, which the well proposed to be drilled is located [sic] is known to be underlain by one or urface tract or tracts overlying the oil and gas leasehold being developed by the proposed placement, construction, enlargement, alteration, repair, removal or abandonment of any this article; (5) Any surface owner or water purveyor who is known to the applicant to cated within one thousand five hundred feet of the center of the well pad which is used to stic animals; and (6) The operator of any natural gas storage field within which the fit more than three tenants in common or other co-owners of interests described in ands, the applicant may serve the documents required upon the person described in the suant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any ien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. rator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any not water testing as provided in section 15 of this rule.
☑ Application Not	tice WSSP Notice E&	des Plan Notice ☑ Well Plat Notice is hereby provided to:
SURFACE OWN	ER(s)	☐ COAL OWNER OR LESSEE
Name: See Attached Address:		Name: See Attached Address:
Name:		COAL OPERATOR
		Name:
Z SURFACE OWN	ER(s) (Road and/or Other Di	Address:
Name: See Attached	Eri(s) (roug una/or other Br.	- GUIDE LOE GUIDEN GERMANNE AUGUS
Address:		AND/OR WATER PURVEYOR(s)
		Name: See Attached
Name:		Address:
iddioss.		OPERATOR OF ANY NATURAL GAS STORAGE FIELD
SURFACE OWN	ER(s) (Impoundments or Pits	
Name: See Attached		Address:
Address:		
		*Please attach additional forms if necessary
		Received

Office of QII & Gas FEB 2 4 2017 06/16/2017

API NO. 47-49

OPERATOR WELL NO. GLO168H17

Well Pad Name: GLO168

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

#### This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (3045926;0450) or by visiting <a href="https://www.dep.wv.gov/oil-and-gas/pages/default.aspx">www.dep.wv.gov/oil-and-gas/pages/default.aspx</a>.

#### Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a scale of the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or ot office of Offic

API NO. 47-49 OPERATOR WELL NO. GLO168H17

Well Pad Name: GLO168

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

#### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

#### Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

#### Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

Received Office of Qil & Gas

WW-6A (8-13)

API NO. 47-49

OPERATOR WELL NO. GLO168H17

Well Pad Name: GLO168

#### Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

#### **Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

#### **Permit Denial or Condition**

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

(1) The proposed well work will constitute a hazard to the safety of persons;

(1) The proposed well work will constitute a hazard to the safety of persons;
(2) The plan for soil erosion and sediment control is not adequate or effective;
(3) Damage would occur to publicly owned lands or resources; or
(4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has a semicode and a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

> Received Office of QII & Gas

FEB 24 2017

API NO. 47-49 OPERATOR WELL NO. GL0168H17
Well Pad Name: GL0168

Notice is hereby given by:

Well Operator: EQT Production Company

Telephone: 304-848-0076

Email: vroark@eqt.com

Address: 115 Professional Place PO Box 280

Bridgeport WV 26330

Facsimile: 304-848-0041

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
HEBECCA L. WANSTREET
EQT PRODUCTION COMPANY
PO 802 280
SRIDGEPORT, WY 26330
My commission expires April 07, 2020


Subscribed and sworn before methis 21 day of February 2017.

Pelvecca & womstreet

My Commission Expires 4-7-2020

4704902441

Received
Office of QII & Gas
FEB 2 4 2017



#### Surface Owners:

Equitrans, LP 625 Liberty Ave., Suite 1700 Pittsburgh, PA 15222

Thomas B. Wright Heirs C/O Martha Arnold 808 Gaston Ave. Fairmont, WV 26554

Joseph V. Forte John H. Musgrave & Matilda Henry C/O Joseph Forte 11 Hutchinson Dr. Fairmont, WV 26554



For dollyon	y information, visit our websit	e at www.usns.com®
ror deliver	FFICIAL	. USE
Certified Mail F	00	18858000 B
Return Receip Return Receip Certified Mail Adult Signatu Adult Signatu Postage \$ Total P	ot (electronic) \$	Here 201
\$ Josep	h V Forte, John H Musgrave c/o Joseph Forte	
Street a	11 Hutchinson Dr	
Street &	Fairmont WV 2655 GLO168 Permit App and Plan	54
PS For	0.0203	17110

#### Surface Owners Access road & Other disturbance

Equitrans, LP 625 Liberty Ave., Suite 1700 Pittsburgh, PA 15222

Thomas B. Wright Heirs C/O Martha Arnold 808 Gaston Ave. Fairmont, WV 26554

Joseph V. Forte John H. Musgrave & Matilda Henry C/O Joseph Forte 11 Hutchinson Dr. Fairmont, WV 26554

1069	U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only For delivery information, visit our website at www.usps.	com®.
7460 L000	Certified Mail Fee  \$ Extra Services & Fees (check box, add fee as appropriate)  Return Receipt (electronic)  Return Receipt (electronic)  Certified Mail Restricted Delivery  Adult Signature Required  Adult Signature Restricted Delivery \$	
7016 2070	Postago S Total Pc S Sent To C/o Martha Arnold Sireet a 818 Gaston Ave.  City, Ste Fairmont WV 26554 GL0168 Permit App. and Planned Op.	ructions

9076	U.S. Postal Service™ CERTIFIED MAIL® RECEIPT  Domestic Mail Only
16	For delivery information, visit our website at www.usps.com®.
747	Certified Mail Fee
	\$
2070 0001 0947	Extra Services & Fees (check box, add fee as appropriate)   Return Receipt (hardcopy) \$     Return Receipt (electronic) \$     Certified Mail Restricted Delivery \$     Adult Signature Required \$     Adult Signature Required \$
2070	Adult Signature Restricted Delivery \$  Postage \$ Total P
7076	Sent To Sent To C/o Joseph Forte
~	Street : 11 Hutchinson Dr
H	City, St. Fairmont WV 26554 GLO168 Permit App and Planned Op.
	PS For

4704902441

Surface Owner, AST

Equitrans, LP 625 Liberty Ave., Suite 1700 Pittsburgh, PA 15222

Joseph V. Forte
John H. Musgrave &
Matilda Henry
C/O Joseph Forte
11 Hutchinson Dr.
Fairmont, WV 26554

RTIFIED MAIL® DECE	IPT
livery information, visit our website at	
Ces & Fees (check box, add fee as appropriate) lecelpt (hardcopy) \$ lecelpt (electronic) \$ Mail Restricted Delivery nature Renuired	Filipank 2017
eph V Forte, John H Musgrave, Mat c/o Joseph Forte 11 Hutchinson Dr. Fairmont WV 26554 GLO168 Permit App and Planned Op.	- Oz
	11 Hutchinson Dr. Fairmont WV 26554

4704902441

Consol Mining Company **Engineering Operations Support Dept Coal CNX Center** 1000 Consol Energy Drive Canonsburg, PA 15317-6506

Consolidation Coal Company C/O Murray Energy Corporation Attn: Alex O'Neill 46226 National Road St. Clairsville, OH 43950


Consolidation Coal Company C/O Murray Energy Corporation Attn: Troy Freels 1 Bridge Street Monongah, WV 26554


Legacy Minerals, LLC P.O. Box 23298 Pittsburgh, PA 15222-2006

#### **CBM** ownership

CNX Gas Company Engineering Operations Support Dept Coal **CNX** Center 1000 Consol Energy Drive Canonsburg, PA 15317-6506

#### U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only





St. Clairsville OH 43950 PS Form 38 GLO168 Permit App.

U.S. Postal Service CERTIFIED MAIL®

9021

PS Form 3800, April 2013 FSN

пі	Domest	ic Mail Only
吕	For deliv	ery information, visit our website at www.usps.com*.
~	(C	PERCIAL USE
0947	Certified Mail S	97/4
1000	Return Rec Return Rec Certified M	s & Fees (check box, add fee as appropriate) eipt (hardcopy) \$ eipt (electronic) \$ all Restricted Delivery \$ atture Restricted Delivery \$ atture Restricted Delivery \$
2070	Postage \$ Total F	ature Restricted Delivery \$
7076	Sent 7	Legacy Minerals, LLC PO Box 23298
2	Street City, E	Pittsburgh PA 15222-2006 Received  GLO168 Permit App  Office of Oil & Gas

FEB 2 4 2017

#### Coal Owners:

Consol Mining Company
Engineering Operations Support Dept Coal
CNX Center
1000 Consol Energy Drive
Canonsburg, PA 15317-6506

Consolidation Coal Company C/O Murray Energy Corporation Attn: Alex O'Neill 46226 National Road St. Clairsville, OH 43950


Consolidation Coal Company C/O Murray Energy Corporation Attn: Troy Freels 1 Bridge Street Monongah, WV 26554

Legacy Minerals, LLC P.O. Box 23298 Pittsburgh, PA 15222-2006


#### CBM ownership

CNX Gas Company
Engineering Operations Support Dept Coal
CNX Center
1000 Consol Energy Drive
Canonsburg, PA 15317-6506

4704902441











(I)

#### Water Well Owners:

Roger Eshelman 69 Lykac Road Mannington, WV 26582

Gary Earl 23 Lylac Road Mannington, WV 26582

Harlen Batson 484 Curtisville Road Mannington, WV 26582


Jason Batson 471 Curtisville, Road Mannington, WV 26582


Rick Lambert 459 Curtisville Road Mannington, WV 26582

Perry Thorne/Eric Efaw 93 Curtisville Road Mannington, WV 26582

Judith Myers 1032 Plum Run Road Mannington, WV 26582







WW-6A3 (1/12)

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Require	ment: Notice sha	all be provided at leas	t SEVEN (7) days but no more than	FORTY-FIVE (45) days prior to entry.	
Date of Notice: 12/4/2015			Date of Planned Entry: 12/11/2015		
Delivery method pur	suant to West V	irginia Code § 22-6	A-10(a):		
PERSONAL SER	VICE X C	CERTIFIED MAIL	METHOD OF DELIVERY THAT R	REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION	
tract to conduct any p prior to such entry to: pursuant to section the records. The notice st and gas exploration a	lat surveys requi (1) The surface nirty-six, article so nall include a stand nd production m	ired pursuant to this a owner of such tract; six, chapter twenty-twatement that copies of ay be obtained from t	rticle. Such notice shall be provided (2) to any owner or lessee of coal wo of this code; and (3) any owner of the state Erosion and Sediment Co	shall provide notice of planned entry on to the surface d at least seven days but no more than forty-five days seams beneath such tract that has filed a declaration r of minerals underlying such tract in the county tax ontrol Manual and the statutes and rules related to oil l include contact information, including the address for secretary.	
Notice is hereby pro	vided to:				
X SURFAC	E OWNER			COAL OWNER OR LESSEE	
Joseph					
Name: (John H	. Musgrave & Jo	seph V. Forte)	/ Name: _		
Address: 11 Hutc	hinson Drive, Fa	irmont, WV 26554	Address:		
				MINERAL OWNER(S)	
Name:			Al-		
Address:			Address:	0 / =	
				04902441	
Address:				No contract to the contract to	
Notice is hereby giv	en:		٠,	Pease attach additional forms if necessary	
Pursuant to West Virginia the tract of land as fo		6A-10(a), notice is he	reby given that the undersigned wel	Il operator is planning entry to conduct a plat survey or	
State: WV			Approx. Latitude & Longitu	de: 39.52384/-80.43652	
County: Mario	n		Public Road Acce		
District: Mann	ington, Tax Map	49, Parcel 39	Watersh	ed: Laurel Run	
Quadrangle: Glove	er Gap		Generally Used Farm Nar	me: Musgrave	
obtained from the Se	cretary, at the Woles of such doo	IV Department of Envoluments or additional	ironmental Protection headquarters information related to horizontal d	ed to oil and gas exploration and production may b, located at 601 57th Street, SE, Charleston, WV 2530 rilling may be obtained from the Secretary by visiting	
Notice is hereby give			Received		
Well Operator: EC		mpany	Office of Oil & Ga	ss: 115 Professional Place, Bridgeport, WV 26330	
	1-848-0074	mpan)	FEBE 14R 2047 entation		
	4-848-0040		TED-B 12 14045011UIII		
	TLandEntryNoti	ce@eqt.com	Signatu	re: 1860 0 0,502	
Oil and Gas Privace	Notice:				

The Office of Oil and Gas processes your personal information, such a name, address and telephone number, as part of regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our information, please contact DEP's Chief Privacy Officer at depprivacyofficer@WV.gov.

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time	Requirement: Notice shall be provided at	least SEVEN (7) days but no more than	FORTY-FIVE (45) days prior to entry.
Date of Notic	ce: 12/4/2015	Date of Planned	Entry: 12/11/2015
Delivery met	thod pursuant to West Virginia Code § 2.	2-6A-10(a):	
PERSO	NAL SERVICE X CERTIFIED MAIL	METHOD OF DELIVERY THAT RE	QUIRES A RECEIPT OR SIGNATURE CONFIRMATION
prior to such pursuant to s records. The and gas explo	entry to: (1) The surface owner of such tra section thirty-six, article six, chapter twent notice shall include a statement that copie	illing a permit application, the operator slais article. Such notice shall be provided act; (2) to any owner or lessee of coal so y-two of this code; and (3) any owner sof the state Erosion and Sediment Community of the Secretary, which statement shall in	hall provide notice of planned entry on to the surface at least seven days but no more than forty-five days eams beneath such tract that has filed a declaration of minerals underlying such tract in the county tax atrol Manual and the statutes and rules related to oil applied contact information, including the address for
Notice is her	eby provided to:		
	SURFACE OWNER Joseph Forte (John H. Musgrave, Joseph V. Forte & Ma Henry)		DAL OWNER OR LESSEE
Address:	11 Hutchinson Drive, Fairmont, WV 26554	Address:	
Name:		Name:	NERAL OWNER(S)
Address:		Address:	,
Name:			47040
Address:		Address:	470490248
Notice is her Pursuant to W the tract of lar	/est Virginia Code § 22-6A-10(a), notice is		e attach additional forms if necessary perator is planning entry to conduct a plat survey on
State:	WV	Approx. Latitude & Longitude	39.52384/-80.43652
County:	Marion	Public Road Access	
District:	Mannington, Tax Map 49, Parcel 39.1		Laurel Run
Quadrangle:	Glover Gap	Generally Used Farm Name	
(304-926-045)	the decretary, at the WV Department of E	nual and the statues and rules related nvironmental Protection headquarters, lo al information related to horizontal drilli	to oil and gas exploration and production may be cated at 601 57th Street, SE, Charleston, WV 25304 ng may be obtained from the Secretary by visiting
	eby given by:	Received	
	EQT Production Company	Office of Oil & Gas	115 Professional Place Printered Will access
Telephone		FEBE <b>2</b> AR20 Esentative:	115 Professional Place, Bridgeport, WV 26330  Jamie I. Barbour
Facsimile			odinie ii balboui
Email		Signature;	- Mus 1 3 50
Oil and Gas F	Privacy Notice:		7 - 1100

The Office of Oil and Gas processes your personal information, such a name, address and telephone number, as part of regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our 06/i1/6/20sbral Information, please contact DEP's Chief Privacy Officer at depprivacyofficer@WV.gov.

WW-6A3 (1/12)

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry. Date of Notice: 12/4/2015 Date of Planned Entry: 12/11/2015 Delivery method pursuant to West Virginia Code § 22-6A-10(a): METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION PERSONAL SERVICE CERTIFIED MAIL Pursuant to West Virginia Code § 22-6A-10(a), prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary. Notice is hereby provided to: SURFACE COAL OWNER OR LESSEE Thomas B. Wright c/o Martha Arnold Name: Name: Address: 808 Gaston Ave., Fairmont, WV 26554 Address: MINERAL OWNER(S) Name: Name: Address: Address: Name: Name: Address: Address: \*Floure attach additional forms if necessary Notice is hereby given: Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: WV Approx. Latitude & Longitude: 39.52384/-80.43652 Public Road Access: CR 7/3 (Lylac Road) County: Marion District: Mannington/Tax Map 49 Parcel 38 Watershed: Laurel Run Quadrangle: Glover Gap Generally Used Farm Name: Wright Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx. Notice is hereby given by: Received Well Operator: EQT Production Company 115 Professional Place, Bridgeport, WV 26330 Telephone: 304-848-0074 Jamie I. Barbour FEB 2 4 2017 Facsimile: 304-848-0040 Signature: Email: EQTLandEntryNotice@eqt.com Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@WV.gov.

Operator Well No. 124799	4	124799	No.	Well	ator	Opera
--------------------------	---	--------	-----	------	------	-------

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time	Requirement: Notice shall be provided at leas	t SEVEN (7) days but no more than	FORTY-	FIVE (45) days prior to entry.
	ce: <u>12/4/2015</u>	Date of Planne		
Delivery met	hod pursuant to West Virginia Code § 22-6A			
PERSON	NAL SERVICE X CERTIFIED MAIL	METHOD OF DELIVERY THAT F	REQUIRES	A RECEIPT OR SIGNATURE CONFIRMATION
prior to such pursuant to s records. The and gas explo	Vest Virginia Code § 22-6A-10(a), prior to filing act any plat surveys required pursuant to this a entry to: (1) The surface owner of such tract; section thirty-six, article six, chapter twenty-twen	a permit application, the operator rticle. Such notice shall be provide (2) to any owner or lessee of coal to of this code; and (3) any owne the state Erosion and Sediment Coal the Secretary, which statement shall	shall provi d at least s seams bei r of miner ontrol Mar	de notice of planned entry on to the surface seven days but no more than forty-five days neath such tract that has filed a declaration als underlying such tract in the county tax nual and the statutes and rules related to oil potent information, including the address formation including the address formation including the address formation.
	eby provided to:			
S	SURFACE OWNER	X	COAL OW	NER OR LESSEE
Name:				ion Coal Co.
_				g and Operations Support Coal Dept.
Address:			CNX Cente	er, 1000 Consol Energy Drive rg, PA 15317-6506
			MINERAL	OWNER(S)
Name:		Name:		
Address:		Address:		
Name:		Name:	- 6	9 11 2 6 6 4
Address:		Address:		4846441
Notice is her	ehy given		ease attach additi	ional forms if necessary
	/est Virginia Code § 22-6A-10(a), notice is here	eby given that the undersigned well	operator is	s planning entry to conduct a plat survey on
State:	WV	Approx. Latitude & Longitud	la. 30 50	2384/-80.43652
County:	Marion	Public Road Acces		//3 & 7 (Lylac & Curtisville Rds.)
District:	Mannington, Tax Map 49, Parcels 39 & 39,1	Watershe		el Run
Quadrangle:	The state of the s	Generally Used Farm Nam		
(304-926-045)	state Erosion and Sediment Control Manual the Secretary, at the WV Department of Environ 0). Copies of such documents or additional in gov/oil-and-gas/pages/default.aspx.	and the statues and rules relate     mental Protection headquarters	d to oil an	nd gas exploration and production may be
	eby given by:			
Well Operator		Received	: 115 D	rofessional Place Priderest MN/ 00000
Telephone		Office of City &	as Jamin	rofessional Place, Bridgeport, WV 26330  I. Barbour
Facsimile		FEB <b>2 4</b> 2017	и чанне	i. Daibour
Email		Signature		Vice 1 /3/16
Oil and Gas F	Privacy Notice:		-6	" 540

The Office of Oil and Gas processes your personal information, such a name, address and telephone number, as part of regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@WV.gov.

WW-6A3 (1/12)

Operator Well No. 124799

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time	Requirement: Notice shall be provided at lea	ast SEVEN (7) days but no more than	FORTY-FIVE (45) days prior to entry.
Date of Notic	ee: 12/4/2015	Date of Planne	d Entry: 12/11/2015
Delivery met	hod pursuant to West Virginia Code § 22-6		
PERSON	NAL SERVICE X CERTIFIED MAIL	METHOD OF DELIVERY THAT RE	EQUIRES A RECEIPT OR SIGNATURE CONFIRMATION
prior to such a pursuant to s records. The and gas explo	entry to: (1) The surface owner of such tract ection thirty-six, article six, chapter twenty-t notice shall include a statement that copies of	ng a permit application, the operator sarticle. Such notice shall be provided; (2) to any owner or lessee of coal sawo of this code; and (3) any owner of the state Erosion and Sediment Coather Secretary, which statement shall it	hall provide notice of planned entry on to the surface at least seven days but no more than forty-five days eams beneath such tract that has filed a declaration of minerals underlying such tract in the county tax ntrol Manual and the statutes and rules related to oil include contact information includes the address for
	eby provided to:		
S	SURFACE OWNER	x c	OAL OWNER OR LESSEE
			lurray American Energy, Inc.
Name:		Name: A	Attn.: Troy Freels
Address:			Bridge Street onongah, WV 26554
Name:			INERAL OWNER(S)
Address:		Address:	
Name:			
Ivaille.		Name:	670
Address:		Address:	4/049024
Notice is here	eby given:	*F'ea	se attach additional forms if necessary
	/est Virginia Code § 22-6A-10(a), notice is he	reby given that the undersigned well o	operator is planning entry to conduct a plat survey on
State:	WV	Approx. Latitude & Longitude	2: 39.52384/-80.43652
County:	Marion	Public Road Access	
District:	Mannington, Tax Map 49, Parcels 39 & 39.		(=) (=) (=) (=)
Quadrangle:	Glover Gap	Generally Used Farm Name	10 1 L 2 2 20 10 10 10 10 10 10 10 10 10 10 10 10 10
(304-926-0450	the Secretary, at the WV Department of Env	al and the statues and rules related	to oil and gas exploration and production may be ocated at 601 57th Street, SE, Charleston, WV 25304 ing may be obtained from the Secretary by visiting
Notice is here			
Well Operator	: EQT Production Company	Received Address:	115 Professional Place, Bridgeport, WV 26330
Telephone		Office of Oil & Gass:	Jamie I. Barbour
Facsimile		FEB 2 4 2017	Samo I. Barboar
Email	EQTLandEntryNotice@eqt.com	Signature:	Vittes 1 5 h
Oil and Gas F	Privacy Notice:		

The Office of Oil and Gas processes your personal information, such a name, address and telephone number, as part of regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@WV.gov.

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Date of Notice	Requirement: Notice shall be provided a ce:	it least TEN (10) days prior to filing a rmit Application Filed:	permit application.
Delivery met	thod pursuant to West Virginia Code §	22-6A-16(b)	
		(0)	
MAND	CERTIFIED MAIL		
DELIVE	ERY RETURN RECEIPT REC	QUESTED	
receipt request drilling a hore of this subsect subsection ma	sted or hand delivery, give the surface ow izontal well: <i>Provided</i> , That notice given stion as of the date the notice was provided.	ner notice of its intent to enter upon the pursuant to subsection (a), section ted to the surface owner: <i>Provided, hower.</i> The notice, if required, shall incl	an operator shall, by certified mail return ne surface owner's land for the purpose of on of this article satisfies the requirements vever, That the notice requirements of this ude the name, address, telephone number, or's authorized representative.
	reby provided to the SURFACE OV		
Name: see atta	ched	Name:	
Address:		Address:	
Notice is he		is hereby given that the undersigned	well operator has an intent to enter upon
Pursuant to V			well operator has an intent to enter upon sllows:  548,421.05  4,375,050.50  Co Rt. 7/4  Equitrans LP.
Pursuant to V the surface ov State: County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a howest Virginia  Marion  Mannington  Glover Gap  Laurel Run  Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the	orizontal well on the tract of land as for Easting:  Orizontal Well on the tract of land as for Easting:  Northing:  Public Road Access:  Generally used farm name:  notice shall include the name, addroperator and the operator's authorize e Secretary, at the WV Department of	548,421.05 4,375,050.50 Co Rt. 7/4
Pursuant to V the surface ov State: County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 60	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a howest Virginia  Marion  Mannington  Glover Gap  Laurel Run  Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the	orizontal well on the tract of land as for Easting:  Orizontal Well on the tract of land as for Easting:  Northing:  Public Road Access:  Generally used farm name:  notice shall include the name, addroperator and the operator's authorize e Secretary, at the WV Department of	ess, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters,
Pursuant to V the surface ov State: County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 60000  Notice is he	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a howest Virginia  Marion  Mannington  Glover Gap  Laurel Run  Shall Include:  West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 (compared to the content of th	orizontal well on the tract of land as for Easting:  Orizontal Well on the tract of land as for Easting:  Northing:  Public Road Access:  Generally used farm name:  notice shall include the name, addroperator and the operator's authorize e Secretary, at the WV Department of	ollows: 548,421.05 4,375,050.50 Co Rt. 7/4 Equitrans LP.  ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Pursuant to V the surface ov State: County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 601  Notice is he Well Operato	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a howest Virginia  Marion  Mannington  Glover Gap  Laurel Run  Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 (creby given by:	orizontal well on the tract of land as for the control of the cont	ollows: 548,421.05 4,375,050.50 Co Rt. 7/4 Equitrans LP.  ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Pursuant to V the surface ov State: County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 601  Notice is he Well Operato Address: Bridgeport, W	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a howest Virginia  Marion  Mannington  Glover Gap  Laurel Run  Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 (creby given by:  EQT Production Company  115 Professional Place	orizontal well on the tract of land as for Easting:  Northing: Public Road Access: Generally used farm name:  notice shall include the name, addroperator and the operator's authorize e Secretary, at the WV Department of (304-926-0450) or by visiting www.de	ollows: 548,421.05 4,375,050.50 Co Rt. 7/4 Equitrans LP.  ress, telephone number, and if available, and representative. Additional information of Environmental Protection headquarters, ap.wv.gov/oil-and-gas/pages/default.aspx.  Victoria J. Roark
Pursuant to V the surface ov State: County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 601  Notice is he Well Operato Address: Bridgeport, W	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a howest Virginia  Marion  Mannington  Glover Gap  Laurel Run  Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 (creby given by:  EQT Production Company  115 Professional Place	orizontal well on the tract of land as for UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, address: e Secretary, at the WV Department of (304-926-0450) or by visiting www.defeathers.  Authorized Representative: Address:	ollows: 548,421.05 4,375,050.50 Co Rt. 7/4 Equitrans LP.  ress, telephone number, and if available, and representative. Additional information of Environmental Protection headquarters, ap.wv.gov/oil-and-gas/pages/default.aspx.  Victoria J. Roark
Pursuant to V the surface ov State: County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 601  Notice is he Well Operato Address:	Vest Virginia Code § 22-6A-16(b), notice wner's land for the purpose of drilling a howest Virginia  Marion  Mannington  Glover Gap  Laurel Run  Shall Include:  West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 (coreby given by:  pr: EQT Production Company  115 Professional Place	Drizontal well on the tract of land as for the control of land as for land	ollows:  548,421.05  4,375,050.50  Co Rt. 7/4  Equitrans LP.  ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.  Victoria J. Roark  115 Professional Place

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information. Office of Oil & Gas DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

### WAIVER

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided, however*. That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Surface Own J. Relph Deer	er Waiver:	, hereby state that I have	read the notice pro	wisions listed	above and hereby waive the
notice require	ments under W	est Virginia Code § 22-6A	-16(b) for the tract	of land as fol	lows:
State:	w			Easting:	548421.05
County:	Marion		UTM NAD 83	Northing:	4375050.51
District:	Mannington		Public Road Acc		C/O Rt 7/4
Quadrangle:	Glover Gap		Generally used f		Equitrans LP
Watershed:	Laurel Run		Concratty used farm thance.		C400013 Er
Name: Equitrar	ns LP		Signature:	Repli	Oteen.
-	iberty Ave Suite170	0	orginature.	- / /	
Pittsburgh PA 152	222		Date:	2/2//1	7

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacy officer days nov.

WW-6A5 (1/12)

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE OF PLANNED OPERATION**

	vioark(d)eni com	racsimile.	304-848-0041	
Email:	304-848-0076 vroark@eqt.com	Facsimile:	Bridgeport WV 2633	0
Well Operator Telephone:	0.000	Address:	115 Professional Pla	
Pursuant to Woo be provide to rizontal well urface affects on formation releadquarters, tas/pages/defa	d by W. Va. Code § 22-6A-10(b) to l; and (3) A proposed surface use and ed by oil and gas operations to the explated to horizontal drilling may be old located at 601 57th Street, SE, Chault.aspx.	a surface owner whose compensation agreement tent the damages are contained from the Secret parleston, WV 25304 (contained)	land will be unt containing an impensable und ary, at the WV	code section; (2) The information required used in conjunction with the drilling of a offer of compensation for damages to the ler article six-b of this chapter. Additional Department of Environmental Protection or by visiting

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

#### Surface Owners:

Equitrans, LP 625 Liberty Ave., Suite 1700 Pittsburgh, PA 15222

Thomas B. Wright Heirs C/O Martha Arnold 808 Gaston Ave. Fairmont, WV 26554

Joseph V. Forte John H. Musgrave & Matilda Henry C/O Joseph Forte 11 Hutchinson Dr. Fairmont, WV 26554 47049024

Domes	TIFIED MAIL® RECEIF	21
For deliv	ery information, visit our website at ww	/w.usps.com®.
(2)	FFICIAL S	
Certified Mail	Fee	1.55
☐ Return Rec ☐ Return Rec ☐ Certifled M ☐ Adult Signs	S & Fees (check box, add fee as appropriate) elpt (hardcopy) elpt (electronic) s all Restricted Delivery S ture Required s ture Restricted Delivery \$	(Postmark Here
Postage \$		
Total Pc S Sent To	Thomas B. Wright Heirs c/o Martha Arnold	
Street a City, Ste	818 Gaston Ave. Fairmont WV 26554	0,
PS For	GLO168 Permit App. and Planned Op	o.

9D76	CERT	ostal Service <sup>™</sup> IFIED MAIL® RECEIPT Mail Only
10	For deliver	y information, visit our website at www.usps.com*.
~	0	FFICIAL WSE
0947	Certified Mail F	e se
2070 0001	Return Recei Return Recei Certified Mai	ot (electronic) \$ Programs Here 2017
2070	Postage \$ Total P	120
7076	\$ Josep Sent To	h V Forte, John H Musgrave, Matilda Henry c/o Joseph Forte
7	Street a	11 Hutchinson Dr.
	City, St	Fairmont WV 26554GL0168 Permit App and Planned Op.
	PS For	ructions

#### Surface Owners Access road & Other disturbance

Equitrans, LP 625 Liberty Ave., Suite 1700 Pittsburgh, PA 15222

Thomas B. Wright Heirs C/O Martha Arnold 808 Gaston Ave. Fairmont, WV 26554

Joseph V. Forte John H. Musgrave & Matilda Henry C/O Joseph Forte 11 Hutchinson Dr. Fairmont, WV 26554

CERT	ostal Service™ ⊓FIED MAIL® REC c Mail Only	EIPT
For delive	ry information, visit our website	at www.usps.com®.
- 0	FFIGIAL	. 452
Certified Mail	Fee	
\$	& Fees (check box, add fee as appropriate)	The second
Return Rece	lpt (hardoopy) \$ipt (electronic) \$ill Restricted Delivery \$	Postmark Here
Postage		
Postage  S Total Pc		
	Thomas B. Wright H	leirs
Sent To	c/o Martha Arno	
Street a	818 Gaston Ave	
City, Sta	Fairmont WV 265	
PS For	GLO168 Permit App. and Plan	ructions

2460	Certified Mail Fee	ormation, visit ou	ALI	W.usps.com	10
	\$ Extra Services & Fee	s (check box, add fee as ap		SE SEEL	
1000	Return Receipt (hard	copy) S	ppropriate)	Ver-	-
	☐ Certified Mail Restrict ☐ Adult Signature Requ	ted Delivery S		Posmark, Here	201
	Adult Signature Restr	lcted Delivery \$	1.5	1	-01/
2070	Postage	-		10	
LI I	Total P		.1		
4	Joseph V Fo	orte, John H Mus		a Henry	
12	Street :	c/o Joseph 11 Hutchins			0)
, -	Dity, St	Fairmont WV			
	G	LO168 Permit App ar	nd Planned Op.		
L	S For				ructio
	902				

Surface Owner, AST

Equitrans, LP 625 Liberty Ave., Suite 1700 Pittsburgh, PA 15222

Joseph V. Forte John H. Musgrave & Matilda Henry C/O Joseph Forte 11 Hutchinson Dr. Fairmont, WV 26554

1500	Domes	Postal Servi TIFIED MA fic Mail Only ery information, vi	AIL® REC		
747	Certified Mail	A The Mark II II	2 I A I	t www.usps.com	n°.
2070 0001, 11947	Littar orgital	Hpt (electronic) S_	(ee as appropriate)	Perfinance, Here 2	2017
7076	\$ Josep Sent 76 Street a City, St PS For	11 Huto Fairmont	Musgrave, Ma seph Forte shinson Dr. t WV 26554 app and Planned Op		On
				the state of the s	uctions

470490244

API NO. 47-49		
OPERATOR WI	ELL NO.	GLO168H17
Well Pad Name:	GLQ168	

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

#### Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

#### **Comment and Waiver Provisions**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*. That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the crosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

#### **VOLUNTARY STATEMENT OF NO OBJECTION**

State: County: District: Quadrangle: Watershed:	the well plat, all for proposed well work on the www  Marten  Mannington  Gover Gap  Lauret Run  that I have no objection to the planned work decomposition.	UTM NA		470
issued on tho	se materials.  k the box that applies			ION BY A NATURAL PERSON.
■ SURFA	CE OWNER			
■ SURFAC	CE OWNER (Road and/or Other Disturbanc	e)	Print Name:	
SURFACE	CE OWNER (Impoundments/Pits)		Ĺ	ION BY A CORPORATION, ETC.
☐ COAL C	OWNER OR LESSEE		Company: Equitran	s LP
□ COAL C	PPERATOR		By: Ralph Deer	
			1 //·	
☐ WATER	R PURVEYOR		Signature:	All Voen

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer wv.gov.

Office of Oil & Gas FEB 24 20176/16/2017



## WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

**Division of Highways** 

Jim Justice Governor 1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

February 17, 2017

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> Street, SE Charleston, WV 25304

Subj	ect: DOH Permit for GLO168H1 GLO168H5 GLO168H9 GLO168H13 GLO168H17 GLO168H21	or the GLO 168 Pad Sit GLO168H2 GLO168H6 GLO168H10 GLO168H14 GLO168H18 GLO168H22	GLO168H3 GLO168H7 GLO168H11 GLO168H15 GLO168H19 GLO168H23	GLO168H4 GLO168H8 GLO168H12 GLO168H16 GLO168H20 GLO168H24
------	--	--	---	--

Dear Mr. Martin,

This well site will be accessed from Permit # 04-2016-0799 issued to EQT Production Company for access to the State Road. The well site is located off of Marion County Route 7/3 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Nick Bumgardner

**EQT Production Company** 

CH, OM, D-4, File

Received Office of Oil & Gas

FEB 2 4 2017

06/16/2017

## Anticipated Frac Additives Chemical Names and CAS numbers


<u>Material</u>	<u>Ingredient</u>	<b>CAS Number</b>
Water		
Sand	Hydrotreated light petroleum distillate Tributyl tetradecyl phosphonium	14808-60-7
Friction Reducer	chloride	64742-47-8
Biocide	Ammonium chloride	81741-28-8
Scale Inhibitor	Hydrochloric Acid	12125-02-9
15% Hydrochloric Acid	Propargyl Alcohol	7647-01-0
Corrosion Inhibitor	Methanol	107-19-7
Corrosion Inhibitor	Guar Gum	67-56-1
Gelling Agent	Sodium Persulfate	9000-30-0
Oxidizing Breaker	Potassium Carbonate	7775-27-1
Buffering Agent		584-08-7

470 60000000

WELL LEGEND

GLO 168 H1 - LAT: 39.523705 / LONG. -80.436555 GLO 168 H2 - LAT: 39.523745 / LONG. -80.436545 GLO 168 H3 - LAT: 39.523785 / LONG. -80.436535 GLO 168 H4 - LAT: 39.523826 / LONG. -80.436524 GLO 168 H5 - LAT: 39.523866 / LONG -80.436514 GLO 168 H6 - LAT: 39.523907 / LONG. -80.436503 GLO 168 H7 - LAT: 39.523947 / LONG. -80.436493 GLO 168 H8 - LAT: 39.523987 / LONG. -80.436482 GLO 168 H9 - LAT: 39.524028 / LONG. -80.436472 GLO 168 H10 - LAT: 39.524068 / LONG. -80.436461 GLO 168 H11 - LAT: 39.524108 / LONG. -80.436451 GLO 168 H12 - LAT: 39.524149 / LONG. -80.436441 GLO 168 H13 - LAT: 39.524189 / LONG. -80.436430 GLO 168 H14 - LAT: 39.524230 / LONG. -80.436420 GLO 168 H15 - LAT: 39.524270 / LONG. -80.436409 GLO 168 H16 - LAT: 39.523698 / LONG. -80.436648 GLO 168 H17 - LAT: 39.523738 / LONG. -80.436637 GLO 168 H18 - LAT: 39.523779 / LONG. -80.436627 GLO 168 H19 - LAT: 39.523819 / LONG. -80.436616 GLO 168 H20 - LAT: 39.523859 / LONG. -80.436606 GLO 168 H21 - LAT: 39.523900 / LONG. -80.436595 GLO 168 H22 - LAT: 39.523940 / LONG. -80.523585 GLO 168 H23 - LAT: 39.523981 / LONG. -80.436574 GLO 168 H24 - LAT: 39.524021 / LONG. -80.436564 GLO 168 H25 - LAT: 39.524061 / LONG. -80.436554 GLO 168 H26 - LAT: 39.524102 / LONG. -80.436543 GLO 168 H27 - LAT: 39.524142 / LONG. -80.436533 GLO 168 H28 - LAT: 39.524182 / LONG. -80.436522 GLO 168 H29 - LAT: 39 524223 / LONG. -80 436512

EQT - GLO 168 FINAL SITE DESIGN, CONSTRUCTION PLANS, & **EROSION & SEDIMENT CONTROL PLANS** EOT PRODUCTION COMPANY




	E LOCATIONS NO FIT ROW VIN	6
	CATITUDE	LONGITUO
Proposed Well Pad	39 523903	-80 435440
Proposed 40 000 BBL AST	79.525860	-50.436113
Proposed 60,000 BBL AST	39.534954	-80.416160
Topoted Access Road Sile D+00	39.322937	-RO ARDA16

MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia. IT'S THE LAW!!

GLO 168 H30 - LAT: 39.524263 / LONG. -80.436501



Know what's below. Call before you dig.




WELL LOCATION RESTRICTIONS

1000" of surface of ground water intake to a public water supply

The drawings, construction notes, and reference diagrams attached hereto have been prepared in accordance with the West Virginia Code of State Rules, Division of Environmental Protection, Office of Oil and Gas 5354-21

The information reflects a 40,000 BBL. Above Ground Storage Tank (AST) Pad with secondary containment and a 60,000 BBL. Above Ground Storage Tank Pad

Hornor Brothers Engineers make no certifications relating to the Storage Tank (AST)



JOSEPH V FORTE TAX MAP 49 - PARCEL 39 26 96 ACRES SITE DISTURBANCE

TOPSOR STOCKPILE . 2 M ACRES EYCESS MATERIAL STOCKPILE = 3-13 A WELL PAD = 3-21 ACRES

POLITABLE GAS COMPANY

TAX MAP 48 - PARCEL 37 51.50 ACRES SITE DISTURBANCE MAIN ACCESS ROAD - 627 ACRES

ASTS PAD = 121 ACRES FIMBER / BRUSH STORAGE = 1 83 ACRES FORSOL STOCKPLE = 1 38 ACRES

TIMBER REMOVAL = 18 17 ACRES

THOMAS WRIGHT TAX NAP 49 - PARCEL 38 81 25 ACRES SITE DISTURBANCE

MAIN ACCESS ROAD - 7 OF ACRES TIMBER / BRUSH STORAGE + D 44 ACRES ENGESS MATERIAL STOCKPILES + 14 90 ACRES

TIMBER REMOVAL = 21 23 ACRES

JOSEPH V FORTE TAX MAP 41 - PARCEL 33 1 23 28 ACRES SITE DISTURBANCE

ASTE DAD - 112 ACGES EXCESS MATERIAL STOCKPLES - 11 15 ACRES WELL PAD - 1 11 ACRES





12/1 5/24/2017

Project Contacts

Justin Nixon- EQT Production Company 304-848-0037 Office

Surveyor & Engineer

Ben Singleton - PS - Allegheny Su 304-649-8606 Office

Tom Corathers - PE, PS - Hornor Brothers Engine

304-524-5445 Office

FLOODPLAIN CONDITIONS

DO SITE CONSTRUCTON ACTIVITIES TAKE PLACE IN FLOODPLAIN:		
PERMIT NEEDED FROM COUNTY FL	OODPLAIN COORDINATOR:	NO
HEC-RAS STUDY COMPLETED:		N/A
FLOODPLAIN SHOWN ON DRAWING	S	NA
FIRM MAP NUMBER(S) FOR SITE	54049C0065D & 54049C0070D	

ACREAGES OF CONSTRUCTION IN FLOODPLAIN

SHEET INDEX

COVER SHEET / LOCATION MAP1
EXISTING CONDITIONS PLAN2
SCHEDULE OF QUANTITIES3
CONSTRUCTION, GENERAL AND EAS NOTES4
OVERVIEW OF SITE DESIGN5
FINAL SITE DESIGN PLANS 5-11
WELL PAD PROFILE & CROSS SECTIONS12-14
AST PAD PROFILE & CROSS SECTIONS15-16
MAIN ACCESS ROAD PROFILE & CROSS SECTIONS 17-23
EXCESS MATERIAL STOCKPILES PROFILES & SECTIONS - 24-38
TOPSOIL STOCKPILE PROFILE & CROSS SECTIONS 39-40
CONSTRUCTION DETAILS 41-43
RECLAMATION PLANS

DATE	REVISIONS	Date: 12/7/2016
		Scale: As Noted
		Designed By: TBC
		Diffe No.
		files (tofat)




P.O. Birch 237



Engineers Hornor Since Bros. 1903 Bros. Civil, Mining, Sava Consulting Es



COVER LOCATION SHEET
GLO 168
WELL PAD SITE
MANNINGTON BYTHET





# WELL LEGEND

GLO 168 H1 - LAT 39 523705 / LONG -80 436555
GLO 168 H2 - LAT 39 523745 / LONG -80 436545
GLO 168 H3 - LAT 39 523785 / LONG -80 436535
200 430333
GLO 168 H5 - LAT 39 523866 / LONG -80 436514
GLO 168 H6 - LAT 39 523907 / LONG -80 436503
GLO 168 H7 - LAT 39 523947 / LONG -80 436493
GLO 168 HB - LAT 39 523987 / LONG -80 436482
GLO 168 H9 - LAT 39 524028 / LONG -80 436472
GLO 168 H10 - LAT 39 524068 / LONG -80 436461
GLO 168 H11 - LAT 39 524108 / LONG -80.436451
GLO 168 H12 - LAT 39 524149 / LONG -80 436441
GLO 168 H13 - LAT: 39.524189 / LONG -80 436430
GLO 168 H14 - LAT 39 524230 / LONG -80 436420
GLO 168 H15 - LAT 35 524270 / LONG -80 436409
GLO 168 H16 - LAT 39 523698 / LONG -80 436648
GLO 168 H17 - LAT 39 523738 / LONG -80 436637
GLO 168 H18 - LAT 39 523779 / LONG -80 436627
GLO 168 H19 - LAT 39 523819 / LONG -80 436616
GLO 168 H20 - LAT 39.523859 / LONG -80 436606
GLO 168 H21 - LAT 39 523900 / LONG -80 436595
GLO 168 H22 - LAT 39 523940 / LONG -80 523585
GLO 168 H23 - LAT 39 523981 / LONG -80 436574
GLO 168 H24 - LAT 39 523981 / LONG -80 436574
GLO 168 H24 - LAT 39 524021 / LONG -80 436564
GLO 168 H25 - LAT 39 524061 / LONG -80 436554
GLO 168 H26 - LAT 39 524102 / LONG -80 436543
GLO 168 H27 - LAT 39 524142 / LONG -80 436533
GLO 168 H28 - LAT. 39 524182 / LONG -80 436522
GLO 168 H29 - LAT 39 524223 / LONG -80 436512
GLO 168 H30 - LAT 39 524263 / LONG -80 436501

MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia. IT'S THE LAW!!





EQT - GLO 168 FINAL SITE DESIGN, CONSTRUCTION PLANS, &

**EROSION & SEDIMENT CONTROL PLANS** EQT PRODUCTION COMPANY

EXCESS STOUGH

L DICESO STOCKEL

- TOPSON STOCKPILE

EXCESS STOCKPILE

Nomer .

Creek

EXCESS MATERIAL STOCKPILES

TIMBER / ORUMN STORAGE

EXCESS MATERIAL STOCKPILE I

Code of State mides Divided and Gas \$35-1-21

thinse finishers Engineers make no centuration; mishing to the stronger construction of materials accorded with the Above Council through Tank (ACT)

## West Virginia Coordinate System of 1983 State Place Cod North Environs NAVD88 Estatished By Survey Grade GPS





DHS DEX LATENT PREPARED FOR OT PRODECTION (LAMPAN)

O 168 AD SITE

	5	- E
iv.	125	
16	12	E 4
38	D	=
43		
4.9	- 1	

TF	REVISIONS	Date 12/7/2016	
-		Scale As Noted	
		Occupant on 198	
		Eric No.	
-		Fact List B	

#### Project Contacts

silveyer & Engravie

FLOODPLAIN CONDITIONS

REAGES OF CONSTRUCTION IN FLOODINAIN

Wednesday a city turner

MILE SEMENTS - LEAR AGENT

SHEET INDEX COVER SHIET LOCATION MAP
DISTRICT CONTROL AND
ECHERGE OF QUANTIES
CONSTRUCTION SERVERA AND EST NOTES
CONSTRUCTION SERVERA AND EST NOTES
FOR SET CESSOR
FAMILY SET CESSOR
FAMILY SET CESSOR
FAMILY SET CESSOR
FAMILY SECTIONS
MAY EACH SOND PROPRIES & GROSS SECTIONS
FACILIST MATERIAL STOCKHIES PROPRIES A SECTIONS
FACILIST MATERIAL STOCKHIES PROPRIES A SECTIONS
FACILIST MATERIAL STOCKHIES PROPRIES A SECTIONS
FACILIST MATERIAL STOCKHIES PROPRIES OF CONSISTENCY
FOR SET TO THE SET OF THE S

The intomustics reflects a 40 000 BBL. Above Channel Mingle Tank (MST) Pad with December, containment and a 60 000 BBL. Above Drivert Storage Tank Egg.

