

LATITUDE 39 35

.28S  
.03W

LONGITUDE 80 25

7'5 OGIS topo location

7.5' loc \_\_\_\_\_ 15' loc \_\_\_\_\_  
(calc.) \_\_\_\_\_

Company \_\_\_\_\_

Farm ALFRED KENDALL 7

Quad GLOVER GAP

County MARION

District MANNINGTON

WELL LOCATION MAP

File No. 30065

ALFRED KENDALL NO. 7 WELL.

Mannington District, Marion County, W. Va.

By.....

Harry Sibert, Contractor.

Elevation.....

Drilling completed June 11, 1917.

10" casing, 202' (pulled); 8½", 1526' (485' pulled); 6½", 2300';

5½", 2992'; 2" tubing, 3128'.

Shot June 22, 1920, with.....gts.

Drilled down to 3486 July 1930.

Abandoned Sept. 6, 1932. 6" casing, shot off, 1200' pulled; 1100'

left in; 5½", 2900' pulled; 92' left in; 2" tubing, 3128' (pulled).

Record in Eastern Petroleum Co. Well Record book of Clifton Oil & Gas Co.

MAR-65-A

	Top.	Bottom.
Pittsburgh Coal	1060	- .....
Big Dunkard Sand	1540	- 1620
Gas Sand	1760	- 1840
First Salt Sand	1874	- 1950
Second Salt Sand (water, 1998')	1979	- 2076
Little Lime	2281	- 2290
Big Lime	2296	- 2376
Big Injun Sand	2376	- 2539
Fifty-foot Sand	2986	- 3044
Thirty-foot Sand (oil, 3087-3091')	3079	- .....
Total depth (first drilling)		3097
Total depth (second drilling)		3486

Plan of well No. 7 of The Clifton Oil & Gas Company, on the Alfred Kendall farm, consisting of 120 acres, on Dents Run, Mannington District, Marion County, West Virginia. July 18, 1932. Scale: 1" = 800'.

John Baker



Mar-65-R

I, the undersigned, hereby certify that this map is correct and shows all the information to the best of my knowledge and belief, required by the oil and gas section of the mining laws of West Virginia.

*[Signature]*  
 Engineer.

Acknowledged before me a Notary Public, this the 18th day of July 1932.

*[Signature]*  
 My Commission Expires Nov. 1933

Glidden Oil & Gas Company Company  
 701 Union Trust Building, Address  
 Parkersburg, West Virginia.

COMPLETION DATA SHEET  
 NO. 2  
 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Pittsburg Coal				1060'				
Big Dunkard				1540'	1620'	80'		
Gas Sand				1760'	1840'	80'		
First Salt Sand,				1874'	1950'	76'		
Second Salt Sand,				1979'	2076'	97'		
Water			1998'	1998'				
Little Lime				2281'	2290'	9'		
Big Lime				2296'	2376'	80'		
Big Injun				2376'	2539'	163'		
Fifty Foot Sand				2986'	3044'	58'		
Thirty Foot Sand			3087' 3091' Oil	3079'	3091'	12'		
Total Depth							3486'	

Well was ~~not~~ shot at <sup>shot</sup> 3087' to 3091' feet; well was shot at \_\_\_\_\_ feet.

Salt  
 Fresh water at 1998' feet; salt  
 fresh water at \_\_\_\_\_ feet.

Well was \_\_\_\_\_ producing  
 \_\_\_\_\_ holes.

WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Section

PRELIMINARY DATA SHEET NO. 1

File No. \_\_\_\_\_ Well No. 7

Clifton Oil & Gas Company, of Parkersburg, West Virginia,  
on the Alfred Kendall Farm

containing 180 acres. Location Dents Run  
Mannington District, in Marion County, West Virginia.

The surface of the above tract is owned in fee by William Kendall, et al  
of Mannington, West Virginia, address, and the mineral rights are owned by  
William Kendall, et al of Mannington, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under  
permit No. \_\_\_\_\_ issued by the West Virginia Department of Mines, Oil and Gas Section,  
\_\_\_\_\_ 19\_\_\_\_

Elevation of surface at top of well, 1294' Spirit  
Barometric.

The number of feet of the different sized casings used in the well.

<u>None</u>	feet	<u>None</u>	size.	Wood conductor.
<u>1041 Ft</u>	feet	<u>8 1/2"</u>	size, cas.	<u>2300</u> feet <u>6 5/8"</u> sized cas.
<u>2022</u>	feet	<u>5 5/16"</u>	size, cas.	feet sized cas.
	feet		size, cas.	feet sized cas.
			packer of	size, set at
			packer of	size, set at
			in casing perforated at	feet to _____ feet
			in casing perforated at	feet to _____ feet

Coal was encountered at 1080 feet; thickness 20 FEET inches, and at  
feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches.

Liners were used as follows: (Give details) None  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

July 20, 1932. Date

CLIFTON OIL & GAS COMPANY

M.W.

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF  
PLUGGING AND FILLING WELL  
(REQUIRED BY SECTION 8, CHAPTER 26, ACTS 1922)  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

William Kendall Agent, .....  
Mannington, W. Va. ....  
South Penn Oil Company, .....  
Parkersburg, W. Va. ....  
None .....  
COAL OPERATOR  
ADDRESS

CLIFTON OIL & GAS COMPANY  
701 Union Trust Building,  
Parkersburg, W. Va. ....  
July 25<sup>th</sup>, 1932, 19...  
Mannington ..... District  
Marion ..... County  
Well No. 7 .....  
Alfred Kendall ..... Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT ABOVE NAMED AT THEIR HEAD OFFICE ADDRESS. ONE COPY TO BE KEPT BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR AT HIS RESIDENTIAL ADDRESS.

AFFIDAVIT

STATE OF WEST VIRGINIA,  
COUNTY OF Marion

William L. Ash and E. B. Moore  
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Clifton Oil & Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 25 day of July, 1932, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Bridged at 3121' filled to 3060 - 300 above 3079  
filled to 3059 - 20ft above 3079ft. Draw plug at 3059ft  
Plug 3ft long 3056ft cement from 3056ft to 3046  
Bridged at 2569ft filled 2350ft Draw plug at 2350  
plug 3ft long 2347ft cement from 2347ft to 2337ft of cement

Manner in which coal was plugged: Bridged at 1090ft.  
filled with cement to 1040ft and filled  
to top with clay with a cement Monument

Description of monument: 3ft 10 in bin ..... 11 1/2 x 8 x 11  
24 in high

THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, CH. 26, ACTS 1922.)  
and that the work of plugging and filling said well was completed on the 6 day of Sept.

1932  
And further deponents saith not.

William L. Ash  
E. B. Moore

PROPOSED MANNER OF PLUGGING AND FILLING WELL  
(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Bridged at	3121'	(50' below 3091' Thirty Foot sand)
Filled to	3059'	(20' above 3079' " " "
Wood Plug	3059'-3056'	(5' Plug)
Cement Plug	3056'-3046'	(10' cement)
Bridged at	2569'	(20' below 2539' bottom Big Injun)
Filled to	2556'	(20' above 2576' top Big Injun)
Wood Plug	2556'-2553'	(5' plug)
Cement Plug	2553'-2543'	(10' Cement)
Bridged	2028'	(30' below 1998 water)
Filled to	1978'	(20' above 1998 water)
Wood Plug,	1978'-1975'	(5' plug)
Cement Plug	1975'-1965'	(10' cement)
Bridged at	1090'	(30' below 1060-Pittsburgh Coal)
Cement Plug	1040'	(50' cement)
Filled from	1040'	to top-
Marker		Top

To the Department of Mines,  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Clifton Oil & Gas Company,

Gen. Mgr. Well Operator.

No objections have been filed by the coal owner or coal operator or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 21st day

of July, 1932

NOTICE OF INTENTION TO PLUG AND ABANDON WELL  
(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

TO THE DEPARTMENT OF MINES,  
Charleston, W. Va.

Wm. Kendall, Agent  
COAL OPERATOR OR COAL OWNER

Mannington, W. Va.  
ADDRESS

South Penn Oil Company  
COAL OPERATOR OR COAL OWNER

Parkersburg, W. Va.  
ADDRESS

LEASE OR PROPERTY OWNER

ADDRESS

Clifton Oil & Gas Company  
NAME OF WELL OPERATOR

701 Union Trust Bldg.,  
Parkersburg, W. Va.  
COMPLETE ADDRESS

July 25, 1938 19  
WELL TO BE ABANDONED

Mannington District

Marion County

Well No. 7

Alfred Kendall Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the

work of plugging and abandoning said well on the 25th day of July, 1938,  
(which date shall not be less than five days after the day on which this notice so mailed is received, or in  
due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging  
and filling of said well. You are further notified that whether you are represented or not represented the  
undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner  
required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this  
notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

CLIFTON OIL & GAS COMPANY  
Signed: R. A. Hartman, Gen. Mgr.  
Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1920, a plat prepared by a competent en-  
gineer, showing the district and county in which the tract of land is located, the name and acreage of same, the  
names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey,  
and the courses and distances of such well from two permanent points or landmarks of said tract, shall be submitted  
with this notice.



NOTICE OF INTENTION TO PLUG AND ABANDON WELL  
(REQUIRED BY SECTION 9, CHAPTER 86, ACTS 1929)  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

Wm. Kendall, Agent  
COAL OPERATOR

Mannington, W. Va.  
ADDRESS

South Penn Oil Company,  
COAL OPERATOR

Parkersburg, W. Va.  
ADDRESS

None  
COAL OPERATOR

ADDRESS

CLIFTON OIL & GAS COMPANY  
NAME OF WELL OPERATOR

701 Union Trust Building,  
Parkersburg, W. Va.  
COMPLETE ADDRESS

July 25, 1932 19  
WELL TO BE ABANDONED

Mannington District

Marion County

Well No. 7

Alfred Kendall Farm

Gentlemen:—

*Handwritten:* 2.27.33

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 25th day of July, 1932, (which date shall be not less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by law.

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

CLIFTON OIL & GAS COMPANY,

*Handwritten Signature*  
Gen. Manager. Well Operator.

NOTE Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the shape of the swamp of adjacent tracts, and the location of the about to be abandoned well...