

Clarkburg West Virginia on the Ito of CURRINGHAM
Containing 66 Acres. Located in Mineral County
Marshall County



Mar-85

Surveyed by A. H. STRAUSS
Mar 1885

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Pittsburg Coal				692	698	6ft		Fract 320-10'
Salt Sand				1510	1652			Fract 1220-8 1/4'
Big Lime				1952	2025			Fract 1960-6 7/8'
Big Injun Sand				2025	2150			Fract 2000-5 3/4'
Gordon Sand 1688				2888	2900			
Total					2920			
		10" casing	340 ft	Pulled out when drilled				
		8" "	1220 "	" " " " "				
		6 5/8" "	1960 "	in well				
		5 1/2" "	2000 "					
Tubing dropped in the well and unable to fish out. well plugged at 2150 ft and hole cemented over with 30 ft cement. 2" tubing from 2150 to bottom of the hole.								

12/11/33

shot
Well was not shot at _____ feet; well was shot at _____ feet.

fresh
Fresh water at _____ feet; salt
salt
Fresh water at _____ feet.

producing
Well was gull hole.
3/8"

December 21 1933

Approved Chiefton Oil & Gas Co *[Signature]*

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. _____ Well No. 620

Chiefton Oil & Gas Co Company, of Clarkburg West Va

on the Ida Cunningham Farm

containing 66 acres. Location

Mannington District, in Marion Co County, West Virginia

The surface of the above tract is owned in fee by Ida Cunningham et al

of Mannington R F D address, and the mineral rights are owned by

Little Kanawha Syndicate of Pittsburgh Pa
Union Trust Co Trustees

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. _____ issued by the West Virginia Department of Mines, Oil and Gas Division

_____ 198

Elevation of surface at top of well, 1029 Spirit _____

The number of feet of the different sized casings used in the well.

_____ feet 2000 size Wood conductor.

340 feet 10" size, cog. 2000 feet 5 3-16 sized cog.

1220 feet 8 1/2 size, cog. feet sized cog.

1960 feet 6 5-8 size, cog. feet sized cog.

_____ packer of size, set at

_____ packer of size, set at

_____ in casing perforated at feet to feet

_____ in casing perforated at feet to feet

Coal was encountered at feet; thickness inches, and at

feet; thickness inches; and at feet; thickness inches.

Liners were used as follows: (Give details)

December 7 1913

Date.

Chiefton Oil & Gas Co
Approved _____ Owner.

22/11/13