


LATITUDE 39 35

LONGITUDE 80 17 30



2.2 S
1.77 W

7'5 OGIS topo location

7.5' loc _____ 15' loc _____
 _____ (calc.) _____

Company _____

Farm E A BLACKSHERE 22

Quad MANNINGTON

County MARION

District MANNINGTON

WELL LOCATION MAP

File No. 30125

MAR-125-A



Plat for Abandonment of South Penn Oil Cos
Well No 22 E A Blackshere, Mannington
District, Marion County W Va
Scale 1" = 400'

Mar 12 5

9-27-'95

Lincoln District, Marion County, W. Va.

By South Penn Oil Co., Chamber of Commerce Bldg., Pittsburgh, Pa.

On 450 acres, surface owned by J. H. Wilcox, R. D. No. 2,

Mannington, W. Va., and mineral rights by E. A. Blackshere

Heirs, Safe Deposit & Trust Co., Trustee, Baltimore, Md.

Elevation, 1173.04' L.

13" casing, 140' (pulled); 10", 1072' (pulled); 8", 1622' (pulled);
6-5/8", 1940'; 5-3/16", 2623'.

Coal was encountered at 532-537 and 640-648'.

Liner: 226' 5" of 4 1/2" x 4".

Abandonment reported to Dept. of Mines Oct. 24, 1935.

Well was shot in 5th Sand, with 10 qts., May 19, 1920.

Salt water at 1585'.

Oil well.

MAR-125-A

	Top.	Bottom.
Mapletown (Sewickley) Coal	532	- 537
Pittsburgh Coal	640	- 648
Big Dunkard Sand	1130	- 1220
Sand	1250	- 1290
Gas Sand	1340	- 1380
First Salt Sand	1420	- 1491
Second Salt Sand (water, 1585-1623')	1550	- 1640
Maxton Sand	1775	- 1820
Little Lime	1896	- 1905
Pencil Cave	1905	- 1909
Big Lime	1909	- 1960
Big Injun Sand (gas, 2050')	1960	- 2095
Squaw Sand	2125	- 2155
Berea Grit	2240	- 2255
Gantz Sand	2526	- 2542
50-Ft. Sand (gas, 2573')	2570	- 2665
30-Ft. Sand	2695	- 2712
Gordon Stray Sand	2809	- 2865
Gordon Sand	2867	- 2893
Fourth Sand	2901	- 2943
Fifth Sand (oil, 3027')	3026	- 3030
Total depth		3124

H. A. Blackshere No. 22 Well.

Harrington District, Marion County, W. Va.

By South Penn Natural Gas Co.

On 470 acres.

Elevation: Derrick floor, 1176.84'; Ground, 1173.04'.

Drilling commenced March 11, 1920; completed March 18, 1920.

MAR-125-A

	Top.	Bottom.
Mapleton (Swickley) Coal	532	537
Pittsburgh Coal (S.M., 640')	640	648
Big Danford Sand	1130	1220
Sand	1250	1290
Gas Sand	1340	1360
1st Salt Sand	1420	1491
2nd Salt Sand (water, 1505-1623') (S.M. at 1608')	1570	1640
Marion Sand	1775	1820
Little Line	1896	1905
Pencil Cove	1905	1909
Big Line (S.M. at 1921')	1909	1960
Big Injun Sand (gas, 2070', S.M.)	1960	2075
Sugar Sand	2125	2155
Baren Grit (1)	2240	2255
Centre Sand	2526	2542
Fifty-foot Sand (gas, 2573', S.M.)	2570	2605
Thirty-foot Sand	2625	2712
Gordon String Sand (S.M. at 2834')	2809	2865
Gordon Sand	2867	2895
Fourth Sand	2901	2943
Fifth Sand (oil, 3027', S.M.)	3026	3070
Total depth (S.M.)		3124

Initial production - 2 bbls. per day.

Well abandoned January 29, 1937.