

LATITUDE 39 35

LONGITUDE 80 17 30

2.65  
.27w

7'5 OGIS topo location

7.5' loc \_\_\_\_\_ 15' loc \_\_\_\_\_  
(calc.) \_\_\_\_\_

Company \_\_\_\_\_

Farm JM REESE HEIRS 3

Quad MANNINGTON

County MARION

District LINCOLN

WELL LOCATION MAP

File No. 30784

Lincoln District, Marion County, W. Va.  
By ...  
Abandoned under permit No. ...

Elevation, 1395' L.  
Coring was done by ...  
Drilling completed Sept. 1927.  
6 1/2" casing, 1212'; 5" casing, 2237'; 2" tubing, 2257'; all left in.  
Casing not cemented.  
Coal was encountered at 606-691 and 796-805'.  
Oil well. Record to Dept. of Mines dated Jan. 6, 1954.  
Record to ... from ... Griffith by 10, 1954. Old File No. 887.

	Top.	Bottom.
Coalston (Swinkley) Coal	606	691
Pittsburgh Coal	796	805
Little Buckard Sand	1162	1192
Big Buckard Sand	1285	1318
Salt Sand	1630	1866
Hutton Sand	1955	1970
Little lime	2039	2055
Big lime	2065	2120
Big Injun Sand	2121	2151
Total depth		2257



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

887

2050  
1812  
243

Permit No. MAR-784-A SEE 781 PLAT

WELL RECORD

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Raad Supply Company  
 Address 184 East Main St., Salem, W. Va.  
 Farm J. M. Reese Heirs Acres 15  
 Location (waters) \_\_\_\_\_  
 Well No. 3 Elev. 1395  
 District Lincoln County Marion  
 The surface of tract is owned in fee by Stella F. Jones  
Rt. 3 Address Mannington, W. Va.  
 Mineral rights are owned by Jamison Coal Co.,  
Eng. Dept. Address Farmington, W. Va.  
 Drilling commenced \_\_\_\_\_  
 Drilling completed Sept. 1923.  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
6 3/4	<u>1812'</u>	<u>1812'</u>	Depth set
5 3/16	<u>2237'</u>	<u>2237'</u>	
3			Perf. top
2	<u>2257'</u>	<u>2257'</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED No SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 796 FEET 103 INCHES  
636 FEET 49 INCHES FEET INCHES  
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Mapletown Coal			636	691			
Pittsburgh Coal			796	805			
Little Dunkard			1162	1192			
Big Dunkard			1235	1338			
Salt			1620	1866			
Maxon			1955	1970			
Little Lime			2029	2055			
Big Lime			2065	2120			
Big Injun			2121	2151			
Total Depth				2257			



