


Latitude



Longitude

Topo Location

7.5' Loc. _____ 15' Loc. _____
 _____ (calc.) _____

Company AC Phillips

Farm McGinnis Hrs #1

15' Quad _____
(sec.)

7.5' Quad Majorsville

District Cameron

WELL LOCATION PLAT

County 051 Permit 107

Latitude 34 55'

Longitude 80 30'

Barbara Usman
+ Viny Frey

30 1/2 E 169 1/2 P

D.C. Hager
+ G. A. UOMOTI

N 2 E
135 P

Proposed Location
No. one
E.I.A.T. 1078

130 A

S 60 1/2 W
66 1/2 P

STONE 12 M
From SW Corn
O.R. Pa.
Wardens
RUIT

S 2 W
147 P

S 16 E
115 P

ROAD
K - EAST BOUNDARY
OF LEASE

STONE

N 85 1/2 W
155 P

Frank Phillips.

STONE
5 1/2

N 55 1/2 W
138 1/2 P

STONE
OLD Road

AGD
3/40

W - 1.25
S - 1.14
15' } 1.40 S
1.20 W

New Location
Dill Deeper
Abandonment

Company A.C. PHILLIPS
 Address WASHINGTON, PA.
 From McGinnis Heirs.
 Tract 1 Acres 130 Lease No. _____
 Well (Farm) No. ONE Serial No. _____
 Elevation (Spirit Level) 1078
 Quadrangle CAMERON E
 County Marshall District Cameron
 Engineer F. W. Parsons
 Engineer's Registration No. 203
 Date W Drawing No. _____
 Drill 9-39 Scale 1 in = 40 P.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. MARS-107

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
WELL RECORD

Permit No. Mars-107
Cameron Quad.

Dry Hole
(Plugging permit issued
by Department of Mines)

Company	A. C. Phillips
Address	237 Locust Ave., Washington, Pa.
Farm	John McGinnis Hrs. ACRES 130
Well No.	1 ELEV. 1087
District	Cameron - Marshall County
Surface & Mineral	McGinnis Heirs, R#1, Wind Ridge, Pa.
Commenced	Nov. 27, 1939
Completed	Jan. 16, 1940
Open Flow	-
Volume	-
Rock Pressure	-
Oil	-
Fresh Water	120
Salt Water	1828

<u>CASING & TUBING</u>	
10	604
8-1/4	1078
6-5/8	1800

Soil&Slate	bn	s	0	15
Lime&Clay	wh	s	15	200
Lime	wh	h	200	595
✓Pgh. Coal	bk	s	595	600
Lime	wh	h	600	640
Slate	wh	s	640	695
Lime	wh	h	695	710
Sand	wh	h	710	720
Red Rock	red	s	720	765
Lime	wh	h	765	775
Slate	dk	s	775	790
Red Rock	rd	s	790	805
Lime	wh	h	805	825
Slate&Shells	wh	s	825	860
Red Rock	rd	s	860	900
Lime	wh	h	900	950
Slate	wh	s	950	950
Red Rock	rd	s	960	975
Lime	wh	h	975	990
Slate&Shells	wh	s	990	1025
✓Sand	wh	s	1025	1055
Slate&Shells	wh	s	1055	1078
✓Big Dunkard	wh	s	1078	1120
Lime	wh	h	1120	1150
Sand	wh	h	1150	1185
Slate	wh	s	1185	1200
Sand	wh	s	1200	1215
Slate	wh	s	1215	1260
Sand	wh	h	1260	1307
Slate	wh	s	1307	1348
Lime	wh	h	1348	1380
Slate&Shells	wh	s	1380	1425
Sand	wh	h	1425	1475
Slate	dk	s	1475	1490
✓Salt Sand	wh	h	1490	1545
Shells	wh	h	1545	1560
Lime	wh	h	1560	1640
Slate	dk	s	1640	1675
✓Big Lime	wh	h	1675	1725
✓Big Injun	wh	h	1725	
Stopped Drilling at			1838	
Total Depth			1838	

1675
102

1775
1087

688

1675
1087

588