

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Parrott, W. Operator Well No.: Victory B 4480

LOCATION: Elevation: 1142' Quadrangle: Littleton
District: Liberty County: Marshall
Latitude: 8410 Feet South of 39 Deg. 45 Min. 00 Sec.
Longitude: 3175 Feet West of 80 Deg. 35 Min. 00 Sec.

RECEIVED
Office of Oil and Gas

SEP 02 2026

WV Department of
Environmental Protection

Well Type: OIL _____ GAS X

Company	<u>Columbia Gas Transmission, LLC</u>	Coal Operator	<u>Consol RCPC, LLC</u>
	<u>1700 MacCorkle Avenue S.E., P.O. Box 1273</u>	or Owner	<u>275 Technology Drive, Suite 101</u>
	<u>Charleston, WV 25325</u>		<u>Canonsburg, PA 15317</u>
Agent	<u>Brad Nelson, Storage Engineer</u>	Coal Operator	<u>Marshall County Resources, Inc.</u>
Permit Issued Date	<u>2/26/2026</u>	or Owner	<u>46226 National Road West</u>
			<u>St. Clairsville, OH 43950</u>

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Marshall ss:

Brad Nelson and William Shoemaker being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 27th day of July, 2026, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Class A Cement	0'	242'	7", 8-5/8"	10-3/4"
Class A Cement	242'	274'	7", 8-5/8"	N/A
Class A Cement	274'	322'	7"	8-5/8"
Class A Cement	322'	1332'	N/A	7", 8-5/8"
Class A Cement	1332'	1780'	N/A	7"
Cast Iron Bridge Plug (CIBP)	1780'	1783'	N/A	7"
Class A Cement	1783'	2066'	N/A	N/A

See
Additional
Plugging
Data

Description of monument: 7" diameter pipe, 5' above GL, API affixed and that the work of plugging and filling said well was completed on the 19th day of August, 2026.

And further deponents saith not.

Sworn and subscribe before me this 25th day of August, 2026

Commonwealth of Pennsylvania - Notary Seal
Jennifer Lupi, Notary Public
Washington County
My commission expires October 23, 2027
Commission number 1282201

My commission expires: 10/23/2027

Notary Public

Affidavit reviewed by the Office of Oil and Gas: Strader Gower Title: Oil & Gas Inspector

09/18/2026

Victory B 4480 Additional Plugging Data (API # 47-051-00315-00-00)

[illegible]

09/18/2026

~ not to scale ~

Victory B 4480

API 47-051-00315

Post P&A

(as of 8/18/2026)

RECEIVED
Office of Oil and Gas

SEP 02 2026

WV Department of
Environmental Protection

Cemented to/near surface

Cement Plug #5 Top @ 0'

10-3/4" 32# H-40 csg @ 242'

Cement Plug #4 Top @ 260'

Cement Plug #3 Top @ 698'

Pittsburgh Coal 928 - 932'

Sea Level @ +/- 1143'

A 7" CBL ran on 7/31/2026 showed a cement top of ~365' from surface. No attempt to perf / squeeze was performed. Ran a 7" freepoint tool and found pipe free at ~316'. Cut and pulled 322.35' of 7" casing on 8/10/2026. Ran an 8-5/8" freepoint tool and found pipe free at ~272'. Cut and pulled 274' of 8-5/8" casing on 8/12/2026.

Cement Plug #2 Top @ 1274'

Big Dunkard sandstone 1363 - 1466'

8-5/8" 24# J-55 csg @ 1332'

Gas Sand 1532 - 1547'

Solid grey fill indicates cement installed during P&A

First Salt Sand 1568 - 1618'

Hashed fill reflects existing cement

Second Salt Sand 1673 - 1726'

Cast Iron Bridge Plug (CIBP) @ 1780'

Third Salt Sand 1808 - 1836'

Cement Plug #1 Top @ 1783'

Maxion Sand 1923 - 2016' (gas storage)

Big Injun Sand 2118 - 2344'

7" 20# J-55 csg @ 2066'

Found hard bottom at 2315'

PBTD 2310'
Plugged back as follows:
cement & stone 2310 - 2344'
BP @ 2344'
unknown material 2344 - 2750'

Strader Gower
08/25/2026

TD 2750'

09/18/2026

~ not to scale ~

Victory B 4480

API 47-051-00315

Prior to P&A
(as of 4/14/24)

Cemented to/near surface

Cement top unknown

10-3/4" 32# H-40 csg @ 242'
No record of cement

Pittsburgh Coal 928 - 932'

Sea Level @ +/- 1143'

RECEIVED
Office of Oil and Gas

SEP 02 2026

WV Department of
Environmental Protection

Big Dunkard sandstone 1363 - 1466'

Gas Sand 1532 - 1547'

First Salt Sand 1568 - 1618'

Second Salt Sand 1673 - 1726'

Third Salt Sand 1808 - 1836'

Maxon Sand 1923 - 2015' (gas storage)

Big Rujon Sand 2118 - 2344'

8-5/8" 24# J-55 csg @ 1332'
400 sx cement
No cement returned to surface but the 1 bbl spacer
ahead did, so cement top at/near surface

Hashed fill reflects existing cement

7" 20# J-55 csg @ 2066'
275 sx cement
No cement returned to surface

PBTD 2310'
Plugged back as follows:
cement & stone 2310 - 2344'
BP @ 2344'
unknown material 2344 - 2750'

TD 2750'

09/18/2026