


LATITUDE 39° 47' 30"



LONGITUDE 80° 40' 00"

7.5 OGIS topo location

7.5' loc 0.145 ✓ 15' loc _____
 0.54v (calc.) _____

Company _____

Farm _____

Quad GLEN EASTON 7 1/2'

County MARSHALL

District MEADE

WELL LOCATION MAP

File No. 051-1595


(023)

COMPANY COLUMBIA GAS TRANSMISSION CORPORATION MAP NO. Glen Easter

FARM Nora M Alley et al. WELL NO. 601226

DISTRICT Meade COUNTY Marshall STATE _____

SCALE: 1" = 1320' LONG. 80°40'30" LAT. 39°47'16"

 1226

Sq 294-259

MSH-595

Division _____

Farmers Bank Building, Pittsburg, Penna.

Record of Well No. 1-1226 on

Riley minor

Farm _____

Acres _____

Field *Wheat*

District *Marshall*

County *Worcester*

State _____

Rig commenced *March 30*

1905

Completed *April 5*

1905

Drilling commenced *Apr 26*

1905

Completed *June 16*

1905

Cost per foot *\$1.35*

Contractor *J. H. Moorhead*

Address *Peabody Wore*

Drillers' names *H. Swager & C. W. Wilson*

BOILER			ENGINE			RIG			
N. P.	No.	Name of Maker	N. P.	No.	Name of Maker	New	Old	Height	Name of Builder
							<i>old</i>	<i>82</i>	<i>Ferris</i>

CONDUCTOR AND CASING USED IN DRILLING

Conductor	13 inch	10 inch	8 1/2 inch	6 1/2 inch	6 inch	5 1/2 inch	5 3-10 inch	5 inch	4 inch
<i>16</i>	<i>WD</i>	<i>965</i>	<i>1490</i>	<i>1925</i>	<i>ND</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	

CONDUCTOR AND CASING LEFT IN WELL

Conductor	13 inch	10 inch	8 1/2 inch	6 1/2 inch	6 inch	5 1/2 inch	5 3-10 inch	5 inch	4 inch	3 inch
<i>16</i>		<i>685</i>	<i>NO</i>	<i>1925</i>					<i>25-45</i>	

OIL WELL

GAS WELL

When Shot	Size of Torpedo	1st Day's Production	Tubing	Rods	Tanks	Size of Packer	Depth Set	Packed With	1st Minute's Pressure	Rock Pressure
<i>not shot</i>						<i>4x6 3/4 x 16</i>		<i>Larkin Packers</i>	<i>400</i>	<i>620</i>

FORMATION	REMARKS		
	Top	Bottom	Thickness
<i>Native local</i>	<i>65</i>	<i>67</i>	<i>2</i>
<i>local</i>	<i>210</i>	<i>213</i>	<i>3</i>
<i>Maple Town local</i>	<i>320</i>	<i>322</i>	<i>2</i>
<i>Maple Town local</i>	<i>458</i>	<i>463</i>	<i>5</i>
<i>Pittsburgh Coal</i>	<i>540</i>	<i>545</i>	<i>5</i>
<i>Sand & Lime</i>	<i>670</i>	<i>740</i>	<i>70</i>
<i>Little Duck Sand</i>	<i>865</i>	<i>875</i>	<i>10</i>
<i>Big D Sand</i>	<i>1025</i>	<i>1055</i>	<i>30</i>
<i>Sand</i>	<i>1126</i>	<i>1201</i>	<i>75</i>
<i>Sand</i>	<i>1274</i>	<i>1319</i>	<i>45</i>
<i>Sand</i>	<i>1350</i>	<i>1385</i>	<i>35</i>
<i>Salt Sand</i>	<i>1448</i>	<i>1458</i>	<i>10</i>
<i>Secund Sand</i>	<i>1492</i>	<i>1517</i>	<i>25</i>
<i>Prim Sand</i>	<i>1678</i>	<i>1808</i>	<i>130</i>
<i>Big Sand</i>	<i>1612</i>	<i>1637</i>	<i>25</i>
<i>Impure</i>	<i>1637</i>	<i>1905</i>	<i>268</i>
<i>Sand</i>	<i>2240</i>	<i>2250</i>	<i>10</i>
<i>Lime & sand</i>	<i>2260</i>	<i>2290</i>	<i>30</i>
<i>Red Rock</i>	<i>2353</i>	<i>2433</i>	<i>80</i>
<i>State</i>	<i>2483</i>	<i>2523</i>	<i>40</i>
<i>Top of sand Gordon</i>	<i>2523</i>	<i>2545</i>	<i>22</i>
<i>Total dep</i>	<i>2545</i>		

water
water

water 90 feet in

MSH-595

Well drilled to 2545 ft. Attached Oct 6-1910 - 2" tubing
 Packer set 649' from bottom
 Pressures - 1 - 2 - 3 - 4 - 5 - Rock
 14-54 - 66 - 71 - 75 - 103